

OUR PRODUCTS



ABOUT A2S

| Our quality2 | Multi-funct |
|------------------------------|--------------|
| How we develop our classics4 | Side folding |
| Our customer service6 | Folding tab |
| Size labeling8 | Lectern |
| | Plate base f |
| | |

CHAIRS

| Overview chairs10 | , N |
|---|-----|
| Chairs with plastic shell, FLEX | 1 |
| Chairs with PAGHOLZ [®] shell14 | |
| Chairs and tables with | ٦ |
| PAGHOLZ [®] shell, CHANGE | F |
| Chairs with Multiplex/WOODMARK/ | (|
| Plastic shell | |
| Chairs with Multiplex shell 22 | |
| Solid wood chairs | |
| Office swivel chairs 28 | |
| Conference and office swivel chairs WAVE 30 |) (|
| Conference chairs 32 | 2 |
| Upholstered/lounge chairs | 1 |
| Stacking transporters for chairs 34 | |
| Stools |) (|
| Benches | |
| Standing/sitting combinations 40 | |
| FLEXLAB [®] 44 | |
| | |

TABLES

174

| Overview tables | MAZE Series |
|--|------------------|
| Classroom tables, metal | Upholstered sto |
| Classroom tables, solid wood 58 | COMFORT HI/ Lo |
| Classroom tables, height-adjustable 60 | JUNIOR Upholst |
| Accessories for classroom tables 67 | Folding couch ar |
| Office desks, height-adjustable | COCOON/JOYN. |
| Mono-column tables, height-adjustable 70 | Beanbag and sea |
| Teacher's desks72 | Cube set |
| Specialist room tables | CYLINDA Soft |
| | |



CORPUS FURNITURE

Overview corpus furnitu Corpus furniture system Corpus furniture for lea Hallway furniture system Tidy Boxes..... Sink cabinets, Display ca Corpus furniture for adn

LOUNGE FURNITURE

Overview lounge furnitu MODULA system DOMINO Series..... ool CYLIN Lounge ta stery Syst and armcl 1. eat cushio

| 76 78 80 80 85 86 86 86 96 96 97 98 98 98 98 98 98 98 98 98 98 98 98 98 |
|--|
| 80 85 86 nountable |
| 85 nountable |
| |
| nountable |
| ded |
| 96 stems98 em100 base units 102 |
| rstems |
| em100 base units 102 |
| oase units 102 |
| |
| ntries 104 |
| |

| ure | 9 | • | • | • | • | • | • | • | • | • | • | • | • | | 10 | 6 |
|-----|----|----|---|----|----|----|----|---|---|---|---|---|---|---|----|---|
| n. | • | • | • | • | | | | • | | | | | • | | 10 | 8 |
| rr | ni | n | ç | ļ | S | р | а | С | e | S | | | • | • | 11 | 8 |
| m | • | • | • | • | • | | | | | | | | • | | 13 | 0 |
| | • | • | • | • | | | | | | | | | • | • | 13 | 2 |
| as | e | 25 | 5 | • | | | | | | | | | • | | 13 | 4 |
| mi | r | ni | S | tı | ra | at | ti | 0 | n | | | | | | 13 | 5 |

| ure/acoustics 138 |
|---------------------|
| 140 |
| 144 |
| 146 |
| NDA/BLOC 147 |
| ables 148 |
| stem150 |
| chair 153 |
| |
| on CHILL Series 157 |
| |
| |
| |

ACOUSTICS

| Overview ACOUSTICS |
|------------------------------------|
| CHILL House/MEETING House162 |
| ACOUSTIC ELEMENTS felt/textile164 |
| JUNIOR acoustic partitions |
| ACOUSTIC ELEMENTS in leaf shape168 |
| COMBi acoustic partition walls170 |
| Decor partition walls172 |
| |


BOARDS

| Overview boards | 174 |
|--------------------------------------|-----|
| Multifunctional sliding board system | 176 |
| Display DURAVISION | 178 |
| Digital boards DURABOARD | 180 |
| Long wall boards | 182 |
| Sliding boards | 183 |
| Pylon boards | 184 |
| Swivel boards | 186 |
| Rulings and accessories | 187 |

MATERIALS

| Tabletops and surfaces | 188 |
|------------------------|-------|
| Table edges | 190 |
| PAGHOLZ [®] | . 191 |
| | |

| The | A2S | Ser | vice. | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | 19 |)2 | 2 |
|-----|-----|-----|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|---|
| | | | | | | | | | | | | | | | | | | | | | | | | |



ABOUT A2S | OUR QUALITY



A GOOD EXAMPLE OF EDUCATION.

The careful use of resources stands for our conviction that quality and sustainability belong together. As educational institution, we have a special responsibility in this respect: Our products will shape future generations.

This is precisely why we are committed to carefully treating nature and the environment by $\label{eq:commutation}$

- avoiding tropical woods
- not using substances containing solvents
- remaining significantly below the legal emission limits
- producing low-dust and low-sound
- reducing packaging
- efficiently disposing of waste

We would be delighted if this commitment is to be rewarded: Our products are repeatedly awarded numerous seals of approval and certificates. This motivates us every day anew to put safety and quality into practice. And to work on many new developments that we make transparent - through regular checks by independent experts and in our own laboratory.

Because quality is the benchmark for us, today and tomorrow.





Our furniture is manufactured by 400 employees in Germany, because short distances protect the environment.




Management System ISO 14001:2015 ISO 9001:2015

www.tuv.com ID 0910075053








A2S.COM

5



WE'RE HERE FOR YOU.

Our customer service department takes care of everything else, so that you can concentrate fully on your educational work. And that even before you buy anything from us:

Our sales representatives will be happy to inform and advise you on site and discuss all your wishes with you.

The A2S planners set everything up according to your ideas and,

A2S.COM

if desired, visualise the planned room photorealistically in advance. We deliver your furniture mostly pre-assembled, some larger pieces we assemble on site.

In the unlikely event that something does not meet your expectations or a spare part is required, we will resolve the issue, quickly and reliably – and that's a promise!



Pupil size 108 - 121 cm Table height 53 cm Seat height 31 cm

CHILDREN BECOME PEOPLE.

surface when sitting upright?

Children often grow faster than you think. It is therefore particularly

important to take into account in spatial planning that a first-grader

can grow up to 80 cm taller before he or she is finally full-grown. If

you check every six months whether the tables and chairs still have

the right height for all students, you are on the safe side: Is the foot

position still correct? Are the elbows at the same level as the table

SIZE 3

Pupil size 119-142 cm Table height 59 cm Seat height 35 cm

SIZE 4

Furniture from A2S offers six size divisions, which can be easily


distinguished thanks to their coloured labelings. There is also an extra

size with an extra wide seat available for all pupils and adults who are

Due to this, you can always be sure that everyone is sitting well and

comfortably - no matter what stage of growth someone is currently in.

Pupil size 133 - 159 cm Table height 64 cm Seat height 38 cm



a little more strongly built.

Pupil size 146 - 176 cm Table height 71 cm Seat height 43 cm

SIZE 5

- -

SIZE 6


Table height 76 cm Seat height 46 cm

A2S.COM



9





A2S.COM



7853 FLEX with the worldwide patented Z-shaped frame



- ergonomically shaped plastic shell made of robust, recyclable polypropylene in 7 attractive colours, see A2S material overview
- inverted sitting, saddle sitting and casual sitting are additionally supported by the design
- easy cleaning due to special A2S surface structure
- channel for ventilation and relief of the spinal column
- grip hole in the lordosis area, grip recesses on the upper back edge and underside of the chair
- available in many different frame shapes or with base also in powder coating, the colour selection of the steel colours can be found on our A2S material overview



Supports the toning of the muscles through its ergonomic shape and promotes variable, fatigue-free sitting, e.g. saddle sitting



FLEX seat shell with integrated ventilation ducts. The closed surface prevents soiling and thus the formation of mould inside the shell



A2S FLOORSAFE[®] floor protectors protect the underground, even when tilted, Patent # 10 2010 039 292 A1





7854 FLEX C-shape with cross brace, with A2S FLOORSAFE[®] floor protectors, liftable





7854 FLEX C-shape with upholstery

7873/7876 FLEX gas-lift swivel chair

78 SERIES | FLEX

Writing surface · size 6/7

| | | | | - | | |
|-----------------------------------|----------|----------|-----------|----------------|----------------|-----------------|
| | | | | | | |
| | | | | | | |
| | 1. | | | | | |
| MODEL | 7874 | 7853 | 7854 | 7416.045/.046 | 7876/7873 | 7875 |
| Powder-coated frame | 4-legs | Z-shape | C-shape | Footrest chair | Gas-lift I/II | Turning spindle |
| Powder-coated base | | | | | Aluminium | Steel |
| Size | 2-7 | 2-7 | 2-7 | 1-4/3-4, 40 cm | 3-5/5-7 | 5-7 |
| Seat height | | | | 27-38/36-40 cm | 33-43/41-54 cm | 41-53 cm |
| Distance seat to floor | | | | 52 cm/48 cm | | |
| Weight · size 6 | 5.4 kg | 6.3 kg | 5.4 kg | 6.2 kg/7.3 kg | 7.3 kg | 7.4 kg |
| Stackability | 3 pieces | 2 pieces | 4 pieces | 3 pieces | | |
| | | | | | | |
| OPTIONS | | | | | | |
| Chrome-plated frame | | | | | Polished ALU | Polished ALU |
| Plastic base | | | | | - / 7873.200 | |
| Upholstery shell · size 5-7 | | | | | - / 🔳 | |
| A2S FLOORSAFE® | | | including | | | |
| Felt floor protectors | | | | | | |
| Teflon floor protectors | | | | | | |
| Row connection | | | | | | |
| Table suspension | | | | | - / 7873.005 | |
| Plastic base & table suspension | | | | | - / 7873.205 | |
| Castors, load-dependent braking | | | | | | |
| 3D rocker mechanism | | | | | | |
| Partial foot ring | | | | | | |
| Elevation with foot ring 53-73 cm | | | | | 7873.002 | |
| Plastic base with foot ring | | | | | - / 7873.202 | |
| Cross brace · size 5-7 | | | | | | |
| | | | | | | |



Stack transporter **3460**** max. 5 chairs max. 4 chairs Stack cart 3758.003** max. 3 chairs max. 2 chairs

7874.002

*The adjustable footrest allows small and large children to sit together at the same table - learning at eye level **info p. 34-35

A2S.COM

7874.002 FLEX 4-legged with writing surface



7416.046 FLEX footrest chair with large seat shell and comfortable one-handed operation*





7873.002 FLEX gas-lift swivel chair with foot ring

max. 6 chairs max. 3 chairs

max. 2 chairs



7811 PAGHOLZ® C-shape sliding chair, 5 chairs stackable



- PAGHOLZ[®] shell: resilient because it is scratch- and impact-resistant, break-proof and glow-resistant, water resistant and flexible (info p. 191)
- ergonomically adapted shell shape or any size from 2-7 (info p. 8-9)
- individual seat depth for each shell size
- optional with round or oval grip hole on top
- PAGHOLZ[®] shell in Colour Wood stained possible, see A2S material overview
- seat and back upholstery possible in fabric groups 1-4, see A2S material overview
- available in many different frame shapes or with base also in powder coating,

the colour selection of the steel colours can be found on our A2S material overview



Resistant to chemicals



Scratch- and wear-resistant



Shock- and break-proof





7805 Sliding chair with seat upholstery

7850.012 Four-legged chair with writing surface







8385.002 Gas-lift swivel chair with foot ring

78 SERIES | PAGHOLZ[®] SHELL

| | | | | | | A | | * |
|--|---------------|-------------|-----------|----------------|----------------|-----------|-----------------------|-----------------|
| MODEL | 7800/7805 | 7850 | 7811 | 7416.040/.041 | 7416.042 | 7899 | 8345/8385 | 7847 |
| Powder-coated frame | Sliding chair | 4-legged | C-shape | Footrest chair | Footrest chair | Bar stool | Gas-lift I/II | Turning spindle |
| Powder-coated base | | | | | | | Aluminium | Steel |
| Size | 2-7/6E | 4, 5, 6E, 7 | 2-7 | 2-5, 42 cm/2-5 | 3-4, 40 cm | | 3-5/5-7 | 5-7 |
| Seat height | | | | 31-42 cm | 36-40 cm | 78 cm | 31-42 cm/ 37-51 cm | 40-58 cm |
| Distance seat to floor | | | | 53 cm/52 cm | 48 cm | | | |
| Weight · size 6 | 4.8 kg/5 kg | 5.1 kg | 5 kg | 5.8 kg | 6 kg | 8.5 kg | 7.5 kg/9 kg | 6.2 kg |
| Stackability · size 6 | 7 pieces | 10 pieces | 5 pieces | 3 pieces | 3 pieces | | | |
| | | | | | | | | |
| OPTIONS | | | | | | | | |
| Chrome-plated frame | | | | | | | Polished ALU | |
| PAGHOLZ [®] shell Colour Wood | - | | | | | | - | |
| A2S FLOORSAFE® | | | including | | | | | |
| Felt floor protectors | | | | | | | | |
| Teflon floor protectors | | | | | | | | |
| Upholstery seat/back only 6E, 7 | - / 🔳 | | | | | | - / 🔳 | |
| Row connection | | 7860 | | | | | | |
| Table suspension | | | | | | | - / 🔳 | |
| Handle hole (n.w. back upholstery) | | | | | | | | |
| Castors, load-dependent braking | | | | | | | | 7849 |
| 2D rocker mechanism lockable | | | | | | | - / 🔳 | |
| Partial foot ring | | | | | | | - / 🔳 | |
| Elevation with foot ring 46-66 cm | | | | | | | 8385.002 | |
| Cross brace · size 5-7 | | | | | | | | |
| Writing surface only 6E | | 7850.012 | | | | | | |

| | | | | | | Ā | | * |
|--|---------------|----------------|---------------|----------------|----------------|-----------|-----------------------|----------------|
| MODEL | 7800/7805 | 7850 | 7811 | 7416.040/.041 | 7416.042 | 7899 | 8345/8385 | 7847 |
| Powder-coated frame | Sliding chair | 4-legged | C-shape | Footrest chair | Footrest chair | Bar stool | Gas-lift I/II | Turning spindl |
| Powder-coated base | | | | | | | Aluminium | Steel |
| Size | 2-7/6E | 4, 5, 6E, 7 | 2-7 | 2-5, 42 cm/2-5 | 3-4, 40 cm | | 3-5/5-7 | 5-7 |
| Seat height | | | | 31-42 cm | 36-40 cm | 78 cm | 31-42 cm/ 37-51 cm | 40-58 cm |
| Distance seat to floor | | | | 53 cm/52 cm | 48 cm | | | |
| Weight · size 6 | 4.8 kg/5 kg | 5.1 kg | 5 kg | 5.8 kg | 6 kg | 8.5 kg | 7.5 kg/9 kg | 6.2 kg |
| Stackability · size 6 | 7 pieces | 10 pieces | 5 pieces | 3 pieces | 3 pieces | | | |
| OPTIONS | | | | | | | | |
| Chrome-plated frame | | - | - | | | - | Polished ALU | |
| PAGHOLZ [®] shell Colour Wood | | | | | - | | | - |
| A2S FLOORSAFE® | | | including | | | | | |
| Felt floor protectors | | - | - | | | - | - | |
| Teflon floor protectors | | - | | | | | | |
| Upholstery seat/back only 6E, 7 | - / 🔳 | | | | | | - / 🔳 | - |
| Row connection | | 7860 | - | | | | | |
| Table suspension | | | | | | | - / 🔳 | |
| Handle hole (n.w. back upholstery) | | | - | | | | | |
| Castors, load-dependent braking | | | | | | | | 7849 |
| 2D rocker mechanism lockable | | | | | | | - / 🔳 | |
| Partial foot ring | | | | | | | - / 🔳 | |
| Elevation with foot ring 46-66 cm | | | | | | | 8385.002 | |
| Cross brace · size 5-7 | | | | | | | | |
| Writing surface only 6E | | 7850.012 | | | | | | |
| Stack transporter 3460 ** | max.7 chairs | max. 10 chairs | max. 8 chairs | max.3chairs | max.3chairs | | | |
| Stack cart 3758.003 ** | max.7 chairs | max. 10 chairs | max. 5 chairs | | | | | |



A2S.COM





7416.042 Footrest chair with large seat shell and comfortable one-hand operation*





8345/8385 Gas-lift swivel chair with partial foot ring



7200 Sliding chair PAGHOLZ[®] shell nature 15 pieces stackable



- ergonomically adapted shell shape in sizes 2-7, thus universally applicable
- PAGHOLZ[®] shell: CO₂-neutral through natural materials, therefore very ecological (info p. 191)
- extra stable shape with comfortable, straight back
- optional with round or oval grip hole on top
- PAGHOLZ[®] shell in Colour Wood stained possible, see A2S material overview
- seat and back upholstery possible in fabric groups 1-4, see A2S material overview
- available in many different frame shapes or with base also in powder coating, the colour selection of the steel colours can be found on our A2S material overview



Resistant to chemicals



Scratch- and wear-resistant



Shock- and break-proof





7205 Sliding chair







8346/8386 Gas-lift swivel chair

with partial foot ring

13 pieces

72 SERIES | PAGHOLZ[®] SHELL

| MODEL | 7200/7205 | 3305 |
|----------------------|---------------|----------|
| Powder-coated frame | Sliding chair | 4-legged |
| Powder-coated base | | |
| Size | 2-7/6E, 7 | 6E, 7 |
| Height adjustability | | |
| Weight · size 6 | 4.9 kg | 4.4 kg |

15 pieces

Stackability without

upholstery · size 6

| OPTIONS | | | | | | |
|--|---------------|---------------|-------------|--------------|------|--|
| Chrome-plated frame | | | | Polished ALU | | |
| PAGHOLZ [®] shell Colour Wood | | | | | | |
| A2S FLOORSAFE® | | | including | | | |
| Felt floor protectors | | | | | | |
| Teflon floor protectors | | | | | | |
| Upholstery seat/back only 6E, 7 | - / 🔳 | | | - / 🔳 | | |
| Row connection only 6E, 7 | | 3205 | | | | |
| Handle hole (n.w. back upholstery) | | | | | | |
| Castors, load-dependent braking | | | | | 7826 | |
| 2D rocker mechanism lockable | | | | - / 🔳 | | |
| 3D rocker mechanism | | | | | | |
| Partial foot ring | | | | - / 🔳 | | |
| Elevation with foot ring 46-66 cm | | | | 8386.002 | | |
| Cross brace · size 5-7 | | | | | | |
| Stack transporter 3460 * | max.15 chairs | max.13 chairs | max.5chairs | | | |
| Stack cart 3758.003 * | max.15 chairs | max.13 chairs | max.5chairs | | | |
| *info p. 34-35 | | | | | | |



A2S.COM

3305 Four-legged chair

8386 Gas-lift swivel chair



7307 C-shape sliding chair



8386.002 Raised gas-lift swivel chair with foot ring





7802 CHANGE sliding chair PAGHOLZ[®] shell Coffee 210 stained 7270 CHANGE school desk PAGHOLZ[®] board Coffee 210 stained

CHANGE SERIES | PAGHOLZ® 🛃



- different comfortable sitting positions when sitting invertedly
- filigree, robust chair frame made of 16/2 mm thick, chromed round tube with plastic floor protectors
- PAGHOLZ[®] seat shell and table top in PAGHOLZ[®] natural or Colour Wood Coffee 210 stained, see A2S material overview
- seat and back upholstery possible in fabric groups 1-4, see A2S material overview



Resistant to chemicals



7270 4 tables stackable



Scratch- and wear-resistant



Shock- and break-proof



7813 C-shape 5 chairs stackable

CHANGE CHAIR

MODEL

Frame

Size

Weight



| OPTIONS | | |
|---------------------------------|---|---|
| Chrome-plated frame | including | |
| Powder-coated frame | | including |
| A2S FLOORSAFE® | | including |
| Felt floor protectors | | |
| Upholstery seat/back | | |
| Row connection | | |
| Cross brace | | |
| Use | Training and seminar rooms Classrooms | Training and seminar rooms Classrooms |
| Stack transporter 3460 * | max.5chairs | max.5chairs |
| Stack cart 3758.003 * | max.5chairs | max.5 chairs |
| *info p. 34-35 | | |
| | | |



A2S.COM



Standard incl. A2S piggyback equipment

Standard incl. A2S FLOORSAFE® as standard

7813 CHANGE chair C-shape 7270 CHANGE School desk

CHANGE SCHOOL DESK



| MODEL | 7270 |
|------------------|------------|
| Frame | 1-seater |
| Size | 6 |
| Panel dimensions | 70 x 55 cm |
| Weight · size 6 | 18 kg |
| Stackability | 4 pieces |
| | |

OPTIONS

| Chrome-plated frame | including |
|-----------------------|---|
| Felt floor protectors | |
| Use | Training and seminar rooms Classrooms |



7100 WOODMARK sliding chair with C-shape frame Scratch-resistant seat and back surface available in many fresh colours

71 SERIES | MULTIPLEX/WOODMARK

■ ideal for small rooms with little space, as no chair legs disturb when getting in and out

- extremely robust and durable due to the solid construction
- stable welded oval tube made of 2 mm thick steel, scratch-resistant because powder-coated
- scratch-resistant wood surface due to our unique WOODMARK melamine resin coating
- WOODMARK seat and back available in stained Colour Wood, see A2S material overview
- seat and back upholstery possible in fabric groups 1-4, see A2S material overview





- seat and back made of polypropylene, recyclable
- ergonomically shaped with integrated ventilation channels
- seat and back available in red, blue and grey
- optional with felt floor protectors with kick protection
- in sizes 5 · 7
- frame in RAL 9006 chrome silver



WOODMARK seat with embossed nubs for non-slip seating



Floor protectors with kick protection



7100 WOODMARK C-shape sliding chair. 5 chairs stackable







7130/7132 Sliding chair, 3-way height adjustable frame





8383 Gas-lift swivel chair

8382 Gas-lift swivel chair with partial foot ring

71 SERIES | MULTIPLEX/WOODMARK

| MODEL | 7110 | 7100 | 7131/713 |
|----------------------|--------------------------------|-------------------------|------------------------|
| Design | Multiplex seat without nubs | WOODMARK seat with nubs | Multiplex without n |
| Powder-coated frame | C-shape | C-shape | height ad |
| Powder-coated base | | | |
| Size | 2-7 | 2-7 | 3-5/5-7 |
| Height adjustability | | | 34-42/42 |
| Weight · size 6 | 6.7 kg | 6.7 kg | 8 kg/11.3 l |
| Stackability without | 5 pieces | 5 pieces | 2 pieces |

| i onder obdred babe | | | |
|---|----------|----------|-------|
| Size | 2-7 | 2-7 | 3-5/ |
| Height adjustability | | | 34-4 |
| Weight · size 6 | 6.7 kg | 6.7 kg | 8 kg |
| Stackability without upholstery · size 6 | 5 pieces | 5 pieces | 2 pie |

| 0 | D | т | I. | 0 | N | C |
|---|---|---|----|---|----|---|
| 0 | г | | | U | 14 | - |

| OPTIONS | | | | | | |
|--------------------------------------|----------------|----------------|---------------|---------------|--------------|-----------|
| Seat and back WOODMARK | | including | | including | including | including |
| Seat and back plastic · size 5-7 | 6100 | | | | | |
| WOODMARK Colour Wood | | | | | | |
| Polished ALU frame | | | | | | |
| Felt floor protectors | | | | | | |
| Upholstery seat/seat + back · size 6 | | 7105/7106 | | | 8383/8384 | |
| Row connection | | | | | | |
| Castors, load-dependent braking | J | | | | | 7960 |
| Partial foot ring | | | | | - / 🔳 | |
| Elevation with foot ring 50-70 cm | | | | | - / 8382.002 | |
| Writing surface · size 6-7 | | 7120 | | | | |
| Stack transporter 3460 * | max. 10 chairs | max. 10 chairs | max. 2 chairs | max. 2 chairs | | |
| Stack cart 3758.001* | max. 5 chairs | max. 5 chairs | | | | |
| *info p. 34-35 | | | | | | |



A2S.COM

7120 C-shape sliding chair with writing surface



6100 Sliding chair with seat and back made of plastic



8382.002 Gas-lift swivel chair with foot ring





7470.003 Four-legged chair with seat and back upholstery

74 SERIES | MULTIPLEX SHELL 🛃



- vertically stackable up to 9 chairs
- micro-alloyed, 20/1.5 mm thick, chromed round steel tube
- solid beech multiplex shell, environmentally friendly varnished with water-based lacquer
- optional with trapezoidal grip hole on top
- shell Multiplex veneer direction lengthwise in Colour Wood stained possible, see A2S material overview
- shell Multiplex veneer direction transverse with CPL-coating with especially scratch-resistant surface possible, but without grip hole, see A2S material overview
- on request with seat and back upholstery in fabric groups 1-4 possible, see A2S material overview



Also with seat upholstery up to 9 chairs vertically stackable due to stacking bar



Optional with panic-proof row connection; rows of chairs in rooms with more than 20 seats, e.g. also in the auditorium, must be linked according to \$10/1 of the Assembly Rooms Ordinance





7470.003 Four-legged chair

7471.010 Four-legged chair with row connection, with CPL-coated pan





7419.010 Cantilever chair

7470 SERIES | MULTIPLEX SHELL





| | AA | AA | AA | | | | |
|-------------------------------------|----------|----------|----------|----------|------------------|------------------|----------|
| MODEL | 7470.003 | 7470.004 | 7470.010 | 7819.010 | 7419.010 | 7419.011 | 8379 |
| Frame | 4-legged | 4-legged | 4-legged | C-shape | Cantilever chair | Cantilever chair | Gas-lift |
| Size | 6 | 6 | 6 | 6 | 6 | 6 | 5-7 |
| Weight | 5.4 kg | 5.4 kg | 6.7 kg | 8.1 kg | 6.5 kg | 7.5 kg | 7 kg |
| Stackability (also with upholstery) | 9 pieces | 9 pieces | 9 pieces | 5 pieces | 5 pieces | | |

| OPTIONS | | | | | | | |
|---|---------------------------------|---------------------------------|-------------------|---------------|---------------|-----------|--------------|
| Chrome-plated frame | including | including | including | | including | including | Polished ALU |
| Powder-coated frame | | | | including | | | including |
| Plastic base | | | | | | | 8379.200 |
| Shell veneer direction | longitudinal | longitudinal | transverse | transverse | transverse | | transverse |
| Multiplex Colour Wood | = | | | | | | |
| Shell CPL coating (without grip hole) | | | | | | | |
| A2S FLOORSAFE® | | | | including | | | |
| Felt floor protectors | | | | | | | |
| Teflon floor protectors | | | | | | | |
| Seat upholstery | | | | | | including | |
| Back upholstery | | | | | | including | |
| Row connection | 7471.003 | 7471.004 | 7471.010 | | | | |
| Armrests | | | | | 7429.010 | 7429.011 | |
| Handle hole (n. w. CPL/back upholstery) | | | | | | | |
| Castors, load-dependent braking | | | | | | | |
| 3D rocker mechanism | | | | | | | |
| Partial foot ring | | | | | | | |
| Elevation with foot ring 46-66 cm | | | | | | | 8379.002 |
| Plastic base with foot ring | | | | | | | 8379.202 |
| Cross brace | | | | | | | |
| | | 12 1 1 | max. 12 chairs | max. 5 chairs | max. 5 chairs | | |
| Stack transporter 3460 * | max. 12 chairs | max. 12 chairs | IIIdX. IZ CIIdIIS | max. J chairs | max. 5 chairs | | |
| Stack transporter 3460 * Stack cart 3758.003 * | max. 12 chairs max. 9 chairs | max. 12 chairs max. 9 chairs | max. 9 chairs | max. 5 chairs | max. 5 chairs | | |



A2S.COM





7429.011 Cantilever chair



7470.004 Four-legged chair



8379 Gas-lift swivel chair



7470.009 Beech multiplex shell round with four-legged frame in many attractive colours, optionally with kidney-shaped grip hole

74 SERIES | MULTIPLEX SHELLROUND/WAISTED 🖨 🚔



Up to 9 chairs stackable,

also with upholstery

7822 Optional with

seat and back upholstery

- classic seat shell shapes for all applications
- made of solid beech multiplex, environmentally friendly varnished with water-based lacquer
- micro-alloyed, 20/1.5 mm thick, chromed round steel tube
- optional with kidney-shaped grip hole at the top for round shells and trapezoid-shaped shells with a waisted cut
- shell Multiplex in Colour Wood stained possible, see A2S material overview
- on request with seat and back upholstery in fabric groups 1-4 possible, see A2S material overview





7470.005 Optional with seat and back upholstery

7470.005 Beech multiplex shell, waisted and colour stained with four-legged frame, optionally with trapezoidal grip hole

| | 74 SERIES | MULTIPLEX | ROUND | SHELL |
|--|-----------|-----------|-------|-------|
|--|-----------|-----------|-------|-------|

| P |] | A | |
|---|---|---|--|



| | MA | 5 | | MA | | |
|---|----------------|---------------|-------------------|----------------|---------------|------------------|
| MODEL | 7470.009 | 7822 | 8338/8378 | 7470.005 | 7818 | 8337/8377 |
| Frame | 4-legged | C-shape | Gas-lift I/II | 4-legged | C-shape | Gas-lift I/II |
| Powder-coated frame | | | | | | |
| Base | | | Aluminium | | | Aluminium |
| Size | 6 | 2-7 | 3-5/5-7 | 6 | 2-7 | 3-5/5-7 |
| Height adjustability | | | 31-42 cm/41-56 cm | | | 31-42 cm/41-56 c |
| Weight · size 6 | 6.8 kg | 8 kg | 7 kg/8 kg | 5.4 kg | 8 kg | 7 kg/8 kg |
| Stackability without upholstery · size 6 | 9 pieces | 9 pieces | | 9 pieces | 9 pieces | |
| OPTIONS | | | | | | |
| Chrome-plated frame | including | | Polished ALU | including | | Polished ALU |
| Plastic base | | | 8378.200 | | | 8377.200 |
| Shell veneer direction | longitudinal | longitudinal | longitudinal | longitudinal | longitudinal | longitudinal |
| Multiplex Colour Wood | | | | | | |
| A2S FLOORSAFE® | | including | | | including | |
| Felt floor protectors | | | | | | |
| Teflon floor protectors | | | | | | |
| Seat upholstery size 6, 7 | | | - / 🔳 | | | - / 🔳 |
| Back upholstery size 6, 7 | | | - / 🔳 | | | - / 🔳 |
| Row connection | 7471.009 | | | 7471.005 | | |
| Handle hole (n.w. back upholstery) | ■ kidney shape | ■kidney shape | ■ kidney shape | ■ trapezoidal | ■trapezoidal | ■ trapezoidal |
| Castors, load-dependent braking | | | | | | |
| 2D rocker mechanism lockable | | | - / 🔳 | | | ■ / ■ |
| 3D rocker mechanism | | | - / 🔳 | | | - / 🔳 |
| Partial foot ring | | | - / 🔳 | | | - / 🔳 |
| Elevation with foot ring 46-66 cm | | | 8378.002 | | | 8377.002 |
| Plastic base with foot ring | | | 8378.202 | | | 8377.202 |
| Cross brace | | | | | | |
| Stack transporter 3460 * | max. 12 chairs | max. 8 chairs | | max. 12 chairs | max. 8 chairs | |
| Stack cart 3758.003 * | max. 9 chairs | max. 5 chairs | | max. 9 chairs | max. 5 chairs | |

| | AA | | | AA | | |
|---|----------------|---------------|-------------------|----------------|---------------|------------------|
| MODEL | 7470.009 | 7822 | 8338/8378 | 7470.005 | 7818 | 8337/8377 |
| Frame | 4-legged | C-shape | Gas-lift I/II | 4-legged | C-shape | Gas-lift I/II |
| Powder-coated frame | | | | | | |
| Base | | | Aluminium | | | Aluminium |
| Size | 6 | 2-7 | 3-5/5-7 | 6 | 2-7 | 3-5/5-7 |
| Height adjustability | | | 31-42 cm/41-56 cm | | | 31-42 cm/41-56 c |
| Weight · size 6 | 6.8 kg | 8 kg | 7 kg/8 kg | 5.4 kg | 8 kg | 7 kg/8 kg |
| Stackability without upholstery · size 6 | 9 pieces | 9 pieces | | 9 pieces | 9 pieces | |
| OPTIONS | | | | | | |
| Chrome-plated frame | including | | Polished ALU | including | | Polished ALU |
| Plastic base | | | 8378.200 | | | 8377.200 |
| Shell veneer direction | longitudinal | longitudinal | longitudinal | longitudinal | longitudinal | longitudinal |
| Multiplex Colour Wood | | | | | | |
| A2S FLOORSAFE® | | including | | | including | |
| Felt floor protectors | | | | | | |
| Teflon floor protectors | | | | | | |
| Seat upholstery size 6, 7 | | | - / 🔳 | | | - / 🔳 |
| Back upholstery size 6, 7 | | | - / 🔳 | - | | - / 🔳 |
| Row connection | 7471.009 | | | 7471.005 | | |
| Handle hole (n.w. back upholstery) | ■kidney shape | ■kidney shape | ■ kidney shape | ■trapezoidal | ■trapezoidal | ■ trapezoidal |
| Castors, load-dependent braking | | | | | | |
| 2D rocker mechanism lockable | | | - / 🔳 | | | ■ / ■ |
| 3D rocker mechanism | | | - / 🔳 | | | - / 🔳 |
| Partial foot ring | | | - / 🔳 | | | - / 🔳 |
| Elevation with foot ring 46-66 cm | | | 8378.002 | | | 8377.002 |
| Plastic base with foot ring | | | 8378.202 | | | 8377.202 |
| Cross brace | | | | | | |
| Stack transporter 3460 * | max. 12 chairs | max. 8 chairs | | max. 12 chairs | max. 8 chairs | |
| Stack cart 3758.003* | max. 9 chairs | max. 5 chairs | | max. 9 chairs | max. 5 chairs | |



A2S.COM



Up to 9 chairs stackable, also with upholstery

MULTIPLEX WAISTED SHELL



7097 Solid wood chair in sizes 2-6

7097 | SOLID WOOD CHAIR

- seat and back made of ergonomically shaped, solid beech multiplex
- solid beech wood frame
- environmentally friendly sealed with water-based lacquer
- durable due to doweled, glued and screwed connections
- up to 5 chairs stackable



Solid beech wood; environmentally friendly sealed with water-based lacquer



Up to 5 chairs stackable



Softly rounded seat surface at the front for comfortable sitting

52 SERIES | SOLID WOOD CHAIRS

- seat and back made of ergonomically shaped, solid beech multiplex
- frame made of solid beech wood, 55 x 30 mm thick
- environmentally friendly sealed with water-based lacquer
- chair optionally available in coloured stain, see A2S material overview
- without upholstery up to 6 chairs stackable
- seat and back upholstery possible in fabric groups 1-4, see A2S material overview



- seat and back made of ergonomically shaped, solid beech multiplex
- robust two-column construction made of solid beech wood, mortised and doweled
- frame, seat and back environmentally friendly lacquered with water-based lacquer





Equipment for chair suspension: protects the table surface and the chair remains securely on the table

Durable due to mortised, doweled and glued connections



| 7097 SOLID WOOD CHAIR | | 52 SERIES SOLID V | VOOD CHAIRS | 7000 SOLID WOOD CHAIR |
|---|---------------|---------------------|------------------------|-----------------------|
| | | F | FF1 | H |
| MODEL | 7097 | 5261 | 5271 | 7000 |
| Frame natural varnished beech | 4-legged | 4-legged | 4-legged with armrests | Sliding chair |
| Size | 2-6 | 6 | 6 | 2-7 |
| Weight · size 6 | 5.9 kg | 7.2 kg | 8.6 kg | 5.8 kg |
| Stackability without upholstery · size 6 | 5 pieces | 6 pieces | 5 pieces | |
| OPTIONS | | | | |
| Seat and back colour stained | | - | | |
| Felt floor protectors | | | | |
| Seat upholstery | | 5262 | 5272 | |
| Seat and back upholstery | | 5263 | 5273 | |
| Stack transporter 3460 * | max. 6 chairs | max. 4 chairs | max. 4 chairs | |
| Stack cart 3758.001* | max. 5 chairs | | | |
| Stack cart 3758.003 * | | max. 4 chairs | max. 4 chairs | |
| *info p. 34-35 | | | | |

| OPTIONS | | |
|---------------------------------|---------------|--------|
| Seat and back colour stained | | |
| Felt floor protectors | | |
| Seat upholstery | | 5262 |
| Seat and back upholstery | | 5263 |
| Stack transporter 3460 * | max. 6 chairs | max. 4 |
| Stack cart 3758.001* | max. 5 chairs | |
| Stack cart 3758.003* | | max. 4 |
| *info p. 34-35 | | |









Suitable combination: 7000 Solid wood chair 7010/7030 Solid wood table



9349.002 Premium office swivel chair with mesh back, with headrest and 3D armrests

PREMIUM OFFICE SWIVEL CHAIR

- synchronous, dynamic movement sequence permanently movable with locking of the back in 5 positions
- seat inclination and seat depth adjustment. Adjustable back 20°,
- seat 5° and seat depth adjustment range 6 cm backrest 56 cm high
- mesh backrest black, with independent lumbar support adjustment by membrane tensioning
- fully upholstered backrest height adjustable by 8 cm, with lumbar support adjustment in the range 15 mm
- headrest on models with mesh backrest 15 cm high, mesh black, tiltable and height adjustable by 7.5 cm
- headrest on models with fully upholstered backrest 15 cm high, black leather, inclinable by 42° and height-adjustable by 6.5 cm
- 3D armrests with arm rests made of soft polyurethane, height adjustable by 8 cm, width adjustable by 3 cm, adjustable forward and backward by 5 cm
- stepless gas lift height adjustment incl. seat depth suspension: 45-56 cm
- 5-star aluminum base, polished aluminum, with load-dependent braked safety castors
- cover fabrics selectable from price group 1-4



9348.002 Premium office swivel chair with mesh back and 3D armrests



9352.002 Standard office swivel chair with mesh back and armrests





9349.102 Premium office swivel chair fully upholstered with headrest and 3D armrests

9348.102 Premium office swivel chair fully upholstered with 3D armrests

STANDARD OFFICE SWIVEL CHAIR

synchronous mechanism with locking of the back in 4 positions

- seat inclination adjustable: back 22°, seat 13°, seat depth adjustment
- mesh backrest black, 52 cm high, with lumbar support adjustment
- If ully upholstered backrest 56 cm high, height adjustable by 8 cm, with lumbar support adjustment in the range 15 mm
- armrests with arm support in soft polyurethane, height adjustable by 8 cm
- stepless gas lift height adjustment incl. seat depth suspension: 45-56 cm
- plastic 5-star base, black nylon, with load-dependent braked safety castors
- cover fabrics selectable from price group 1-4

| PREMIUM OFFICE SWIVEL CHA | AIR | | | | STANDARD OFFIC | E SWIVEL CHAIR |
|-------------------------------|------------------|------------------|------------------|--|-------------------|------------------|
| | | | | The second secon | | Ā |
| MODEL | 9349.001 | 9348.001 | 9349.101 | 9348.101 | 9352.001 | 9352.101 |
| Base | Polished ALU | Polished ALU | Polished ALU | Polished ALU | Nylon black | Nylon black |
| Back | Mesh black | Mesh black | Full upholstery | Full upholstery | Mesh black | Full upholstery |
| Headrest | Mesh black | | Leather black | | | |
| Lordosis adjustment | | | | | | |
| Hard castors for soft floors | | | | | | |
| Height adjustability | 45-56 cm | 45-56 cm | 47-60 cm | 47-60 cm | 45-56 cm | 45-56 cm |
| Dimensions W/H/D | 69/122-139/69 cm | 69/105-116/69 cm | 70/122-146/70 cm | 70/103-119/70 cm | 66/99-110/61.5 cm | 70/100-116/70 cm |
| Weight | 16 kg | 15 kg | 15 kg | 14 kg | 15 kg | 14 kg |
| OPTIONS | | | | | | |
| Base aluminium die-cast black | | | | | | |
| Armrests/3D armrests | - / 9349.002 | - / 9348.002 | - / 9349.102 | - / 9348.102 | 9352.002 / - | 9352.102 / - |
| Soft castors for hard floors | | | | | | |



A2S.COM

29



9352.102 Standard office swivel chair fully upholstered with armrests



9335.001 WAVE office swivel chair with wave-shaped seat and back upholstery genuine leather

WAVE SERIES CONFERENCE AND OFFICE SWIVEL CHAIRS 🕳 🚔




- PAGHOLZ[®] shell: particularly slim design, therefore flexible and yet break-proof (info p. 191)
- PAGHOLZ[®] shell in PAGHOLZ[®] natural or PAGHOLZ[®] Colour Wood, colours see A2S material overview
- on request available with flat upholstery, cover fabrics selectable from price group 1-4, or with wave upholstery, cover fabrics selectable from fabric group FLEX/WAVE or genuine leather, colours see A2S material overview
- infinitely variable height adjustment from 42-54 cm by gas-lift with depth spring
- synchronous mechanism with one-hand lever adjustment
- seat inclination mechanism with weight adjustment, inclination 0° 18° lockable in 5 positions
- 5-legged, polished die-cast aluminium frame with load dependent braked safety double castors



Resistant to chemicals



Scratch- and wear-resistant



Shock- and break-proof



7414 Cantilever chair



7410 Four-legged chair

WAVE | CONFERENCE AND OFFICE SWIVEL CHAIRS



| MODEL | 7410 | 7414 |
|---|----------|------------------|
| Chrome-plated frame | 4-legged | Cantilever chair |
| Base | | |
| Size | 6 | 6 |
| Height adjustability | | |
| Weight | 10 kg | 10 kg |
| Stackability without upholstery · size 6 | 5 pieces | 5 pieces |

| OPTIONS | | |
|----------------------------------|---------------|---------------|
| Armrests | | 7424 |
| PAGHOLZ [®] Colour Wood | | |
| Felt floor protectors | | |
| Teflon floor protectors | | |
| Wave upholstery on seat | | |
| Wave upholstery on back | | |
| Flat upholstery on seat | | |
| Flat upholstery on back | | |
| Stack transporter 3460 * | max. 5 chairs | max. 8 chairs |
| Stack cart 3758.003 * | max. 5 chairs | max. 5 chairs |
| *info p. 34-35 | | |







A2S.COM



7424 Cantilever chair with armrests



7410 Four-legged chair, 5 chairs stackable without upholstery

| 9335.001 |
|--------------|
| Gas-lift |
| Polished ALU |
| 5-7 |
| 42-54 cm |
| 12.4 kg |
| |
| |
| |
| |
| |
| |
| |
| including |
| including |
| |
| |
| |
| |



9251.002 Cantilever conference chair with mesh back and armrests

CONFERENCE CHAIRS

- black mesh back, height 28 cm
- back fully upholstered, height 39 cm
- full upholstery in material groups 1-4 possible, see A2S material overview
- cantilever and four-legged frame in chrome-plated round tube, stackable
- frame optionally powder-coated in RAL 9006 chrome silver or RAL 9005 black
- optional with armrests

CONFERENCE CHAIR







| | | - | | - |
|---------------------|------------------|-------------|------------------|-------------|
| MODEL | 9251.001 | 9252.001 | 9253.001 | 9254.001 |
| Chrome-plated frame | Cantilever chair | 4-legged | Cantilever chair | 4-legged |
| Back | Mesh | Mesh | Upholstery | Upholstery |
| Seat height | 46 cm | 46 cm | 46 cm | 46 cm |
| Dimensions W/H/D | 53/83/57 cm | 53/80/57 cm | 53/86/57 cm | 53/83/55 cm |
| Weight | 6 kg | 6 kg | 8 kg | 7 kg |
| Stackability | 4 pieces | 4 pieces | 4 pieces | 4 pieces |
| | | | | |

| OPTIONS | | | | |
|---------------------------------|--|--|--|--|
| Powder-coated frame | RAL 9006 chrome silver RAL 9005 black |
| Felt floor protectors | | | | |
| Armrests | 9251.002 | 9252.002 | 9253.002 | 9254.002 |
| Dimensions with armrests W/H/D | 60/83/57 cm | 60/80/57 cm | 60/86/57 cm | 60/83/55 cm |
| Weight with armrests | 7 kg | 7 kg | 9 kg | 8 kg |
| Stack transporter 9250 * | | max. 8 chairs | | max. 8 chairs |
| *info p. 34-35 | | | | |



9252.002 Four-legged with mesh back and armrests



9253.002 Cantilever fully upholstery with armrests



9254.002 Four-legged chair fully upholstered with armrests



9374.002 Lounge chair 3-coloured with 2D-rocker function

Felt floor protectors

UPHOLSTERED/LOUNGE CHAIR

■ 1- or 3-coloured fabric cover possible in fabric groups 1-4, see A2S material overview

- upholstered gas-lift swivel chair with rocker mechanism incl. lock
- 5-arm base with load-dependently braked safety castors
- lounge chair wire frame with 2D rocker function
- four-legged frame in oak solid wood natural varnished

| UPHOLSTERED/LOUNGE CHAI | R | |
|------------------------------|----------------|---|
| | | R |
| MODEL | 9370 | 9374.001 |
| Frame | Gas-lift base | Wire frame |
| | Polished ALU | RAL 9006 ch RAL 9010 wh RAL 9005 bl |
| Seat height | 48-58 cm | 46 cm |
| 2D rocker function | | |
| Dimensions W/H/D | 69/82-95/63 cm | 60/82/60 cm |
| Weight | 14 kg | 12 kg |
| Certification | | GS Certificat |
| | | |
| OPTIONS | | |
| Frame | RAL 9005 black | chrome-plate |
| Hard castors for soft floors | including | |
| Soft castors for hard floors | | |



A2S.COM



Fabric selectable in 3 colours within a fabric group




9376.001 Upholstered armchair 3-coloured, solid oak wood





9370 Gas-lift swivel chair 3-coloured with load dependent braked safety castors





9250 Stack trolley with 9252.001 conference chairs

3460 Stack trolley with 7850 PAGHOLZ[®] 4-leg chairs **3460** Stack transporter

Installation surface adjustable at various angles of inclination

STACK TRANSPORTER FOR CHAIRS

9250 STACK TRANSPORTER

sturdy round tube steel frame (20 x 2 mm), scratch resistant powder coated in black 9005

4 swivel castors included

3460 STACK TRANSPORTER

- solid round tube steel frame (30 x 2 mm), scratch-resistant powder-coated in black-grey 7021
- including 4 swivel castors, 2 of them lockable
- installation surface adjustable at different angles of inclination

3758S STACK CART

- stable round tube steel frame (20 x 2 mm and 25 x 2 mm), scratch-resistant powder-coated in black-grey 7021
- including 2 fixed castors and 1 swivel castor
- with ergonomically shaped plastic handles





3758.001 Stack cart with 7100 WOODMARK C-form skid chairs

| STACKING TRANSPORTERS | STACK TRANSPORTER | 2 | STACK CART | |
|-----------------------|--------------------------------------|------------------|---|---|
| | | | | |
| MODEL | 9250 | 3460 | 3758.001 | 3758.003 |
| Powder-coated frame | | | | |
| Dimensions W/H/D | 52 x 60 x 70 cm | 67 x 61 x 55 cm | 56 x 124 x 65 cm | 70 x 124 x 75 cm |
| Weight | 5 kg | 15 kg | 11.5 kg | 11.5 kg |
| Use | stackable 4-leg conference chairs | stackable chairs | stackable C-form chairs with cross bar | stackable C-form chairs without cross brace, stackable 4-leg chairs, stackable skid-base chair |

3758.003 Stack cart with 7470.009 Multiplex 4-leg chairs 35



8389 Gas-lift swivel stool with load-dependent braked castors PAGHOLZ[®]-seat natural



PAGHOLZ[®]/MULTIPLEX

- PAGHOLZ[®]-seat: resilient, because it is scratch- and impact-resistant, break-proof and glow-resistant, water-resistant and flexible
- all frames are scratch-resistant powder-coated
- turning spindle with continuously welded, 5-arm steel base with plastic floor protectors, infinitely variable in height
- gas-lift with stable, 5-legged base made of die-cast aluminium, infinitely height adjustable, optional with felt floor protectors or with load-dependent braked safety double castors
- on request seat in PAGHOLZ[®] Colour Wood stained possible, see A2S material overview

UPHOLSTERED SPINDLE STOOL

upholstery made of foam




- seat upholstery available in material groups 1-4, see A2S material overview
- oak frame legs solid wood natural varnished
- upper part of the frame powder-coated, optional in RAL 9005 black or RAL 9010 pure white
- height adjustment by means of turning spindle
- stool optionally fire protection certified according to DIN 66084 P-a with B1 cover fabric

PLASTIC STOOL

- plastic recyclable
- seat height adjustment by hand strap from 45-63 cm by safety gas-lift
- soft seat inlay and base in RAL 7012 basalt grey
- stable stand, as underside is slip-resistant
- available in the colours black, grey-white and red









Shock- and break-proof





7984 PAGHOLZ® four-legged stools, stackable up to 12 pieces

7984014/7984017 PAGHOLZ® four-legged stools with foot rests at different heights

| STOOL | BAR STOOL | STOOL |
|-------|-----------|----------|
| | A | |
| MODEL | 7984.018 | 7984 |
| Frame | 4-legged | 4-legged |
| | | |

| MODEL | 7984.018 | 7984 | 7984 | 7984014 | 7984017 |
|--------------------------------|--------------------------------|---|-------------------------|--|--|
| Frame | 4-legged | 4-legged | 4-legged | 4-legged | 4-legged |
| Seat | PAGHOLZ® | PAGHOLZ® | PAGHOLZ® | PAGHOLZ® | PAGHOLZ® |
| chair height (seat height*) | E6 = 83 cm (44/48/52/56 cm) | 2 = 31 cm 3-4 = 43 cm 5-7 = 51 cm | 35 cm 38 cm 46 cm | 52 cm (31/35/39/43 cm) 55 cm (31/35/39/43 cm) 60 cm (31/35/39/43 cm) | 38 cm (30/30/34/34 cm) 43 cm (30/34/34/38 cm) 46 cm (31/35/39/41 cm) |
| Standard** | DIN EN 1729-1 | DIN EN 1729-1 | DIN EN 16139 | DIN EN 16139 | DIN EN 16139 |
| Weight | 4 kg | 3.1 kg | 3.1 kg | 4 kg | 3.1 kg |
| Stackability | 9 pieces | 12 pieces | 12 pieces | 9 pieces | 10 pieces |

| OPTIONS | | | | | |
|----------------------------------|-----------|-----------|-----------|-----------|-----------|
| Chrome-plated frame | | | | | |
| Powder-coated frame | including | including | including | including | including |
| Seat multiplex | | | | | |
| PAGHOLZ [®] Colour Wood | | | | | |
| Felt floor protectors | | | | | |

** DIN EN 1729-1 Seating furniture for educational areas and DIN EN 16139 Seating furniture for non-residential areas

STOOL

| | Ţ | |
|--------|----------------|-----------------|
| MODEL | 8349/8389 | 7936 |
| Frame | Gas-lift I/II | Turning spindle |
| Base | Aluminium | Steel |
| Sitz | PAGHOLZ® | PAGHOLZ® |
| Größe | 2-5/4-7 | 5-7 |
| Height | 30-41/39-54 cm | 40-58 cm |
| Weight | 4.2 kg/5 kg | 6 kg |
| | | |

OPTIONS

| Chrome-plated frame | Polished ALU | |
|------------------------------------|--------------|-----------|
| Powder-coated frame | including | including |
| Seat multiplex | | |
| PAGHOLZ [®] Colour Wood | | |
| Felt floor protectors | | |
| Castors, load-dependent braking | | 7935 |



A2S.COM



7940 Plastic stool with seat height adjustment





| | I |
|----------------------|----------|
| 9377.001 | 7940 |
| 4-leg oak solid wood | Gas-lift |
| | |
| upholstered | Plastic |
| 6 | 6 |
| 48-68 cm | 45-63 cm |
| 7 kg | 4.3 kg |
| | |
| | |

RAL 9005/9010

37



Solid beech multiplex edge crowned natural varnished



9445.100 Stackable bench



for easy changeover



| | | | pieces |
|--------|------|---|--------|
| JLUCKC | INIC | 0 | DIECES |



| | H | |
|-----------------------|-----------------|-----------------|
| MODEL | 9459.004 | 9450 |
| Frame | | |
| Powder-coated frame | Solid wood | |
| Seat solid beech wood | Multiplex board | |
| Backrest | | |
| Size/seat height | 38 cm | 45 cm |
| Lengths | 1.20 m | 1 m/2 m/3 m/4 m |
| Weight | 9 kg | 20 kg |
| | | |

OPTIONS

| Felt floor protectors | | |
|-----------------------|----------|------|
| Shoe tray | | 9460 |
| With rear crossbar | 9469.004 | |



9459.004 Bench solid wood with middle bar



STACKABLE BENCHES

| MODEL | 9445.100 | 9445.120 | 9445.160 | 9445.180 | 9445.200 |
|----------------------------|----------|----------|----------|----------|----------|
| Lengths | 1 m | 1.20 m | 1.60 m | 1.80 m | 2 m |
| Size/seat height | 3/4/5/6 | 3/4/5/6 | 3/4/5/6 | 3/4/5/6 | 3/4/5/6 |
| Weight | 8.5 kg | 9.6 kg | 12.4 kg | 13.3 kg | 14 kg |
| Stackability | 5 pieces | 5 pieces | 5 pieces | 5 pieces | 1 pieces |
| OPTIONS | | | | | |
| Chrome-plated frame | | | | | |
| Castors can be retrofitted | | | | | |
| Felt floor protectors | | | | | |

| MODEL | 9445.100 | 9445.120 | 9445.160 | 9445.180 | 9445.200 |
|----------------------------|----------|----------|----------|----------|----------|
| Lengths | 1 m | 1.20 m | 1.60 m | 1.80 m | 2 m |
| Size/seat height | 3/4/5/6 | 3/4/5/6 | 3/4/5/6 | 3/4/5/6 | 3/4/5/6 |
| Weight | 8.5 kg | 9.6 kg | 12.4 kg | 13.3 kg | 14 kg |
| Stackability | 5 pieces | 5 pieces | 5 pieces | 5 pieces | 1 pieces |
| OPTIONS | | | | | |
| Chrome-plated frame | | | | | - C |
| Castors can be retrofitted | | | | | |
| Felt floor protectors | | | | | |

BENCHES



- seats made of solid beech multiplex or beech wood
- environmentally friendly sealed with water-based lacquer
- beech multiplex seat with HPL coating available in many finishes, see A2S material overview
- powder-coated frame in various colours, see A2S material overview
- stackable bench optional with castors ideal for flexible use, castors can be retrofitted at any time






A2S.COM





9430 Changing room bench one-sided



39



3639 CHANGE high table 2-seater 7897 CHANGE bench 2-seater 7898 CHANGE bench 1-seater

CHANGE | BENCHES AND HIGH TABLE 7896 | BAR STOOL A.

- filigree lounge furniture for comfortable sitting
- closed skid as subconstruction, made of chrome-plated, micro-alloyed round steel, each with plastic floor protectors, optional with felt floor protectors
- with stable cross braces as supports for the feet
- CHANGE series seat and table top made of PAGHOLZ[®], available in PAGHOLZ[®] Natural 010 or Colour Wood Coffee 210, colours see A2S material overview
- bar stool seat in CPL black coated

| CHANGE BENCHES AI | ND HIGH TABLE | | | BAR STOOL |
|-------------------------------|-------------------|-------------------|---------------------------|-----------------------|
| | | Ħ | | H |
| MODEL | 7897 | 7898 | 3639 | 7896 |
| Description | Bench 2-seater | Bench 1-seater | High table 130 x 65 cm | Bar stool 1-seater |
| Chrome-plated frame | | i seater | 150 x 65 cm | |
| Seat/table top | PAGHOLZ® | PAGHOLZ® | - PAGHOLZ [®] | Beech plywood |
| Height | 81 cm | 81 cm | 108 cm | 83 cm |
| Weight | 14 kg | 10 kg | 18 kg | 7 kg |
| OPTIONS | | | | |
| Felt floor protectors | | | | |
| Stack transporter 3460 | * | | | max. 5 bar stools |
| *info p. 34-35 | | | | |



Resistant to chemicals



Scratch- and wear-resistant



Shock- and break-proof



9378 High table 9377.002 Turning spindle stool

TURNING SPINDLE STOOL AND HIGH TABLE

- frame legs of oak solid wood natural lacquered
- upper part of the frame powder-coated in RAL 9005 black or RAL 9010 pure white
- table frame equipped with two bag hooks
- tabletop melamine coated white or optional in solid oak
- stool height adjustable by means of a turning spindle
- table and stool with foot ring in brushed stainless steel
- stool seat upholstered, fabric as desired 2-coloured, see A2S material overview
- upholstery made of foam
- stool optionally fire protection certified according to DIN 66084 P-a with B1 cover fabric

TURNING SPINDLE STOOL AND HIGH TABLE

| | A | A |
|--------------------------------|----------|------------|
| MODEL | 9377.002 | 9378 |
| Frame upper part powder-coated | | |
| Solid wood frame | Oak | Oak |
| Height | 72-92 cm | 110 cm |
| Table top Ø | | 60 cm |
| Table top finish | | Pure white |
| Weight | 9 kg | 14 kg |
| | | |

OPTIONS

| Table top natural oak | |
|-----------------------|--|
| Felt floor protectors | |
| | |




Optional with integrated sockets and lateral cable outlet



3101.208 SOLID table 3103.194 SOLID bench 3104.194 Bench upholstery



- made of 38 mm thick 3-layer finish board B1 according to DIN 4102
- 2 mm plastic edge in table top colour
- available in three heights
- floor protectors with level compensation
- optional with floor mounting and integrated sockets incl. cable duct
- version with privacy screen available for high tables
- use: All-day rooms, assembly hall, cafeteria, canteen, hallway
- possible panel decors: U400 Pure white, U023 Gray white, U456 Polar gray,
- D033 Maple, D334 Beech, D4110 Sonoma oak, D5028 Acacia, see A2S material overview
- bench upholstery cover available with fabric groups 1-4, see A2S material overview



Integrated cable channel under the table top



Optional with floor mounting



3101.208 SOLID table equipped with central sockets 7899 Bar stool


| SERIES SOLID TABLES | | WITH PANEL | WITH FOOTREST | WITH FOOTREST AND PANEL |
|--|-----------------------|------------|---------------|----------------------------|
| | | | | |
| EIGHT | 64 CM AND 75 CM | 75 CM | 110 CM | 110 CM |
| ate dimensions 80 x 80 cm | 3101.088 | 3111.088 | 3102.088 | 3112.088 |
| ate dimensions 100 x 80 cm | 3101.108 | 3111.108 | 3102.108 | 3112.108 |
| ate dimensions 120 x 80 cm | 3101.128 | 3111.128 | 3102.128 | 3112.128 |
| ate dimensions 140 x 80 cm | 3101.148 | 3111.148 | 3102.148 | 3112.148 |
| ate dimensions 160 x 80 cm | 3101.168 | 3111.168 | 3102.168 | 3112.168 |
| ate dimensions 180 x 80 cm | 3101.188 | 3111.188 | 3102.188 | 3112.188 |
| ate dimensions 200 x 80 cm | 3101.208 | 3111.208 | 3102.208 | 3112.208 |
| otrest | | | | |
| ivacy screen | | | | |
| PTIONS | | | | |
| able outlet / multimedia socket | | | | |
| oor mounting | | | | |
| way power socket with USB port | * | ** | * | * |
| way socket with network | ■* | ** | * | * |
| x central up to W 140 cm. 1 x left and 1 | x right from W 160 cm | | | |

| 31 SERIES SOLID TABLES | | WITH PANEL | WITH FOOTREST | WITH FOOTREST AND PANEL |
|----------------------------------|-----------------|------------|---------------|----------------------------|
| | | | | |
| HEIGHT | 64 CM AND 75 CM | 75 CM | 110 CM | 110 CM |
| Plate dimensions 80 x 80 cm | 3101.088 | 3111.088 | 3102.088 | 3112.088 |
| Plate dimensions 100 x 80 cm | 3101.108 | 3111.108 | 3102.108 | 3112.108 |
| Plate dimensions 120 x 80 cm | 3101.128 | 3111.128 | 3102.128 | 3112.128 |
| Plate dimensions 140 x 80 cm | 3101.148 | 3111.148 | 3102.148 | 3112.148 |
| Plate dimensions 160 x 80 cm | 3101.168 | 3111.168 | 3102.168 | 3112.168 |
| Plate dimensions 180 x 80 cm | 3101.188 | 3111.188 | 3102.188 | 3112.188 |
| Plate dimensions 200 x 80 cm | 3101.208 | 3111.208 | 3102.208 | 3112.208 |
| Footrest | | | | |
| Privacy screen | | | | |
| OPTIONS | | | | |
| Cable outlet / multimedia socket | | | | |
| Floor mounting | | | | |
| 2-way power socket with USB port | * | ** | * | * |
| 2-way socket with network | * | ** | * | * |

** 1 x center, 1 x left, 1 x right or both sides possible for all sizes

31 SERIES | SOLID BENCHES

| | | | - | |
|-----------------------|-----------------|----------|----------|--|
| SEAT HEIGHT | 38 CM AND 45 CM | 78 CM | | |
| Seat area 38 x 38 cm | 3103.044 | | 3104.044 | |
| Seat area 67 x 38 cm | 3103.074 | 3105.074 | 3104.074 | |
| Seat area 87 x 38 cm | 3103.094 | 3105.094 | 3104.094 | |
| Seat area 107 x 38 cm | 3103.114 | 3105.114 | 3104.114 | |
| Seat area 127 x 38 cm | 3103.134 | 3105.134 | 3104.134 | |
| Seat area 147 x 38 cm | 3103.154 | 3105.154 | 3104.154 | |
| Seat area 167 x 38 cm | 3103.174 | 3105.174 | 3104.174 | |
| Seat area 187 x 38 cm | 3103.194 | 3105.194 | 3104.194 | |





A2S.COM



3112.208 SOLID table with privacy screen equipped with sockets at the front and lateral cable outlets 7898 CHANGE bench 1-seater

WITH FOOTREST

BENCH UPHOLSTERY

The FLEXLAB® transforms learning spaces into studios, makerspaces or discussion islands in no time at all - active learning environments that support learners in strengthening future skills such as communication, creativity and collaboration.



7634.020 FLEXLAB® attachment board holder with 6814321 Sliding board element 7930 FLEXLAB[®] stool **4131.002** FLEXLAB[®] transport caddy

FLEXLAB[®] SERIES | TABLES 🍊 🚔

- table top made of 16 mm thick compact board with board decor in gray-white U023
- steel frame and metal decor insert in anthracite RAL 7016, matt
- four large double castors, each with total brakes
- table holder and locking handles for fixing various attachments
- holders for space-saving storage of stools or Tidy Boxes
- optionally with power module including cable holder
- use: Media counter, focus island for individual or partner work, makerspace or discussion island

FLEXLAB[®] SERIES | STOOLS 🚰

- square seat made of 16 mm thick compact board with decor in gray-white U023
- steel frame made of metal in anthracite RAL 7016, matt
- footrests in two heights, each running across the corner
- floor protector made of hard rubber in black



7632 FLEXLAB® table pro junior 7634.010 FLEXLAB® attachment shelf





Electrifiable furniture

Holder for FLEXLAB[®] stools

FLEXLAB[®] TABLES

ELEMENTARY SCHOOL

| | AA | AA | 田 |
|--------------------------|---|---|-----------------------------------|
| MODEL | 7632 FLEXLAB® table pro junior | 7633 FLEXLAB® table basic junior | 7931 FLEXLA stool ju |
| Dimensions W/H/D in cm | 150 x 76 x 90 | 150 x 76 x 90 | 36 x 54 |
| Seat height | | | 31 / 41 c |
| Weight | 61 kg | 51 kg | 6.2 kg |
| Power module | | | |
| Fixtures for attachments | | | |
| | | | |







and Tidy Boxes

Multifunctional thanks to various equipment options

SECONDARY SCHOOL



68 kg

.

AB® unior 4 x 36 cm

7630 FLEXLAB® table pro 180 x 106 x 90 74 kg

7631 FLEXLAB® table basic 180 x 106 x 90

7930 **FLEXLAB**® stool

44 x 83 x 44 41 / 51 cm 7.7 kg

45



FLEXLAB® SERIES ATTACHMENTS



- attachments for FLEXLAB[®] Pro models
- easy to fix and change thanks to locking handle
- multifunctional application possibilities in the classroom
- steel color in anthracite RAL 7016, matt
- magnetic whiteboard in white, back side
- pinboard made of PET recycled fleece in gray
- tablet holder with anti-slip strips and recess for cable routing
- board holder for up to two large or small sliding board elements up to 12 mm thick

FLEXLAB® ATTACHMENTS

| I LEALAD AT | ACHMENTS | | | | | | |
|-------------|--|--|--|--|---|------------|-----------------------|
| | | | Ţ | 4 | þ | | |
| MODEL | 7634.001 FLEXLAB [®] whiteboard/pin- board attachment | 7634.002 FLEXLAB® acrylic glass attachment | 7634.010 FLEXLAB [®] attachment shelf | 7634.021 FLEXLAB [®] attachment tablet holder | 7634.020 FLEXLAB [®] attachment board holder | | |
| W/H/D in cm | 66 x 61 x 4 | 66 x 61 x 4 | 48 x 54 x 32 | 20 x 27 x 10 | 26 x 42 x 12 | EAL Expert | MADE |
| Weight | 5.8 kg | 6.9 kg | 2.8 kg | 0.2 kg | 1.9 kg | | MADE IN GERMANY |







Enables varied learning settings, even outside the classroom



Attachments are fixed to the table using locking handles



4131.001 FLEXLAB[®] transport caddy with door **4131.004** FLEXLAB[®] transport caddy with top plate

FLEXLAB® SERIES TRANSPORT CADDIES



- corpus made of 19 mm thick 3-layer decor panel in gray-white U023
- lockable door made of 16 mm thick compact board with acrylic glass filling
- side support rail and locking mechanism for top panel
- an attachment plate on two transport caddies forms an additional work surface
- mobility thanks to 4 stable castors, 2 of which have total brakes
- use: Moving work materials from a stationary storage location (e.g. cabinet) to the work surface
- space for up to 9 small Tidy Boxes or 4 large Tidy Boxes
- Tidy Boxes must be ordered separately, see page 132

FLEXLAB[®] TRANSPORT CADDIES

| MODEL | 4131.001 FLEXLAB [®] transport caddy with door | 4131.002 FLEXLAB® transport caddy | 4131.00 FLEXLA transpo top plat |
|-------------|---|--|---|
| W/H/D in cm | 36 x 105 x 50 | 36 x 105 x 49 | 36 x 105 |
| Weight | 36 kg | 28.5 kg | 40.6 kg |





The glazed front provides a clear view of the materials



Lock for top plate



One attachment plate on two FLEXLAB[®] transport caddies forms an additional work surface





003 AB® oort caddy with ate and door 05 x 52



FLEXLAB® transport caddy with top plate 36 x 105 x 52 33.5 kg





Other table sizes, tabletop materials and all options for the tables shown can be found on the pages indicated. You will find our selection of colours, fabrics, finishes and materials in our A2S material overview. A2S.COM

49



7280 Four-legged classroom table with WOODMARK table top, Tidy Box and 2 castors optional

7280 SERIES CLASSROOM TABLES 🛃

- due to the unique asymmetrical frame, the tables are stackable and can be placed side by side without joints
- sturdy, yet lightweight round tube steel frame, scratch-resistant powder-coated or chrome-plated
- available in frame size 2-7
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR[®]-Multiplex, WOODMARK or 12 mm compact board, colour selection see A2S material overview
- optional with 2 castors on the long side, mobile and therefore flexibly adjustable



Easy to stack from the front also with book storage or Tidy Box



With piggyback equipment to prevent the table top from sliding down or scratching when tables are stacked



Optional with stable castors for easy movement in flexible teaching



7280 Four-legged classroom table with WOODMARK table top **7416.045** Footrest chair FLEX with comfortable one-hand operation of the footrest - learning at eye level

7280 SERIES | CLASSROOM TABLES

| | P |
|----|---|
| Π | |
| | |
| 1. | |

| MODEL | 7280 | 7280 |
|------------------------|---------------|---------------|
| Powder-coated frame | 1-seater | 1-seater |
| Size | 2-7 | 2-7 |
| Plate dimensions W x D | 70 x 50 cm | 70 x 55 cm |
| Weight · size 6 | 14.5 kg | 15 kg |
| Stackability | 4 pieces | 4 pieces |
| Bag hook | on both sides | on both sides |
| | | |

| OPTIONS | |
|---------------------------------|---|
| Chrome-plated frame | - |
| Felt floor protectors | |
| 2 castors on the long side* | - |
| Book storage basket zinc-plated | - |
| Chair suspension | - |
| Guide rails with Tidy Box A4 | |
| | |

*only available in combination with felt floor protectors











Up to 4 tables stackable



7280.005 Four-legged classroom table 2-seater with WOODMARK table top, chrome frame, with Tidy Boxes

| 7280.002 | 7280.005 | 7280.008 |
|---------------|----------------|---------------|
| 1-seater | 2-seater | 2-seater |
| 2-7 | 2-7 | 2-7 |
| 75 x 65 cm | 130 x 50/55 cm | 130 x 65 cm |
| 16.5 kg | 21 kg | 25 kg |
| 4 pieces | 4 pieces | 4 pieces |
| on both sides | on both sides | on both sides |
| | | |

| - / 🔳 | |
|-------|--|
| | |
| | |
| | |



Chair suspension under the table top optional



7530 Classroom table 1-seater, optional with chair suspension

75 SERIES CLASSROOM TABLES 🛃

- absolutely robust, torsion-free oval tube steel frame (50 x 30 x 2 mm) scratch-resistant powder-coated with board support, for extra large boards with double web
- easy side entry, ideal for small rooms
- available in frame size 2-7
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the table top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR[®]-Multiplex, WOODMARK or 12 mm compact board, colour selection see A2S material overview



Easy side entry, ideal for small rooms



A2S floor protectors with kick plate protect the floor and table feet from scratches and are easy to change



7536 Classroom table, 2-seater with double column and 12 mm compact board 7854 FLEX C-shape chair

75 SERIES | CLASSROOM TABLES

| | | | IJ | | | IJ | |
|---------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| MODEL | 7530 | 7530 | 7532 | 7534 | 7534 | 7536 | 7538 |
| Powder-coated frame | 1-seater | 1-seater | 1-seater | 2-seater | 2-seater | 2-seater | 2-seater |
| Size | 2-7 | 2-7 | 2-7 | 2-7 | 2-7 | 2-7 | 2-7 |
| Plate dimensions W x D | 70 x 50 cm | 70 x 55 cm | 75 x 65 cm | 130 x 50 cm | 130 x 55 cm | 130 x 65 cm | 150 x 65 cm |
| Weight · size 6 | 17 kg | 17.5 kg | 19 kg | 23 kg | 24 kg | 26 kg | 28 kg |
| Bag hook | left or right | left or right | left or right | on both sides | on both sides | on both sides | on both sides |
| OPTIONS | | | | | | | |
| WOODMARK board | | | | | | | |
| Book storage basket zinc-plated | | | | | | | - |
| Chair suspension | | | | | | | |

.

10

O

| WOODMARK board | | - | |
|---------------------------------------|---------|---------|--|
| Book storage basket zinc-plated | | | |
| Chair suspension | | | |
| Felt floor protectors with kick plate | | | |
| Guide rails with Tidy Box A4 | 7530003 | 7530003 | |









In the Tidy Box, even small utensils such as erasers or rulers are in good hands.

The Tidy Box with exchangeable name badge is available in 2 sizes and in 5 colours, see A2S material overview



9530 Classroom table 1-seater with Tidy Box A4

95 SERIES | CLASSROOM TABLES 🚰



- robust, torsion-free double-column construction (40 x 20 x 1.5 mm and 50 x 30 x 2 mm) scratch-resistant powder-coated, with board support for 2-seater, selection of steel colours see A2S material overview
- available in frame size 2-7
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR®, Multiplex, WOODMARK or 12 mm compact board, colour selection see A2S material overview



9534 Classroom table 2-seater with chair suspensions in WOODMARK maple finish **7100** WOODMARK sliding chair in maple finish

95 SERIES | CLASSROOM TABLES

| | Π | Ţ |] | | | | |
|------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| MODEL | 9530 | 9530 | 9532 | 9534 | 9534 | 9536 | 9538 |
| Powder-coated frame | 1-seater | 1-seater | 1-seater | 2-seater | 2-seater | 2-seater | 2-seater |
| Size | 2-7 | 2-7 | 2-7 | 2-7 | 2-7 | 2-7 | 2-7 |
| Plate dimensions W x D | 70 x 50 cm | 70 x 55 cm | 75 x 65 cm | 130 x 50 cm | 130 x 55 cm | 130 x 65 cm | 150 x 65 cm |
| Weight · size 6 | 13 kg | 13.5 kg | 15 kg | 18.5 kg | 19.5 kg | 20 kg | 21.5 kg |
| Bag hook | on both sides |

OPTIONS

| WOODMARK board | - | - | - | - | |
|------------------------------------|---|---|---|---|--|
| Book storage basket zinc-plated | - | | | | |
| Chair suspension | - | | | | |
| Guide rails with small Tidy Box A4 | - | - | - | | |
| Felt floor protectors | | | | | |







optional with chair suspension 7307 PAGHOLZ[®] C-shape sliding chair

72/73 SERIES | CLASSROOM TABLES 🕳 🚔

- absolutely robust round tube steel frame (30 x 2 mm), scratch-resistant powder-coated or chrome-plated, with board support for 2-seater
- available in frame size 2-7
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR®, Multiplex, WOODMARK or 12 mm compact board, colour selection see A2S material overview

7210 1-seater with WOODMARK board 7853 FLEX Z-shape

72/73 SERIES | CLASSROOM TABLES

| | Ţ | Π | \prod | | | Ţ | |
|----------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| MODEL | 7210 | 7210 | 7310 | 7220 | 7220 | 7320 | 7340 |
| Powder-coated frame | 1-seater | 1-seater | 1-seater | 2-seater | 2-seater | 2-seater | 2-seater |
| Size | 2-7 | 2-7 | 2-7 | 2-7 | 2-7 | 2-7 | 2-7 |
| Plate dimensions W x D | 70 x 50 cm | 70 x 55 cm | 75 x 65 cm | 130 x 50 cm | 130 x 55 cm | 130 x 65 cm | 150 x 65 cm |
| Weight · size 6 | 13.3 kg | 13.9 kg | 16.2 kg | 15 kg | 16 kg | 18 kg | 20 kg |
| Bag hook | left or right | left or right | left or right | on both sides | on both sides | on both sides | on both sides |
| | | | | | | | |
| OPTIONS | | | | | | | |
| WOODMARK board | | | | | | | |
| Book storage basket zinc-plated* | | | | | | | |

10

.

100

10

......

| OPTIONS | | | |
|------------------------------------|----------------|---|---|
| WOODMARK board | - | | - |
| Book storage basket zinc-plated* | | | |
| Chair suspension* | - | - | |
| Felt floor protectors | | | - |
| *either book storage basket or cha | air susnension | | |

^{*}either book storage basket **or** chair suspension









7010 Solid wood sliding table, 1-seater with bag hook **7000** Solid wood sliding table

70 SERIES | CLASSROOM TABLES

- solid beech frame from sustainable forestry, environmentally friendly varnished with water-based lacquer
- extra stable with continuously mortised and glued connections
- available in frame size 2-7
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR[®], Multiplex, WOODMARK or 12 mm compact board, colour selection see A2S material overview
- optionally with one bag hook per seat, position left or right for 1-seater tables free selectable



7030 Wooden sliding table, 2-seater, solid wood, environmentally friendly protected with water-based lacquer

70 SERIES | CLASSROOM TABLES

| | Π | Π |
|--------------------------------|------------|------------|
| MODEL | 7010 | 7010 |
| Frame natural beech, varnished | 1-seater | 1-seater |
| Size | 2-7 | 2-7 |
| Plate dimensions W x D | 70 x 50 cm | 70 x 55 cm |
| Weight · size 6 | 11 kg | 11.5 kg |

OPTIONS

| Book storage basket zinc-plated | - |
|---------------------------------|---|
| Felt floor protectors | - |
| Bag hook | |







| 7030 | 7030 |
|-------------|-------------|
| 2-seater | 2-seater |
| 2-7 | 2-7 |
| 130 x 50 cm | 130 x 55 cm |
| 18 kg | 20 kg |
| | |



Easy cleaning of table top and floor due to optional chair suspension



856 Series can be seated from both sides ideal for group work



A2S floor protectors with continuous step protection protect floor and table feet from scratching

856 SERIES | CLASSROOM TABLES AND S 858 SERIES | HEIGHT-ADJUSTABLE CLASSROOM TABLES

- robust, torsion-free oval column construction (50 x 30 x 2 mm), scratch-resistant powder-coated, with crossbar (50 x 20 x 2 mm) and board support for 2-seater
- 856 Series available in fixed frame sizes 2-7

8564 Classroom table 2-seater with WOODMARK board,

optional with chair suspension

7811 PAGHOLZ[®] C-shape with handle hole

- 858 Series with height adjustment by locking in colour-coded steps
- incl. A2S floor protectors with continuous step protection, protect the floor as well as the table feet from scratching
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR[®], Multiplex, WOODMARK or 12 mm compact board, colour selection see A2S material overview





8582.135 Height-adjustable table, 2-seater with WOODMARK tabletop and optional book storage baskets





Optional with book storage basket

856 SERIES | CLASSROOM TABLES

| MODEL | 8560 | 8562 |
|------------------------------|---------------|---------------|
| Powder-coated frame | 1-seater | 1-seater |
| Size | 2-7 | 2-7 |
| Plate dimensions W x D | 70 x 50/55 cm | 75 x 65 cm |
| Weight · size 6 | 12.5 kg | 14 kg |
| Height-adjustable · size 2-7 | 8582.075 | 8582.076 |
| Bag hook | left or right | left or right |

OPTIONS

| 01 110110 | | |
|---|-----------|---|
| WOODMARK board | | |
| Book storage basket zinc-plated* | | |
| Chair suspension* | | - |
| Felt floor protectors | | - |
| *either book storage basket or chair s | uspension | |















including one bag hook per seat

858er Serie with height adjustment by locking in colour-coded steps

| 8564 | 8566 | 8567 |
|---------------------------|---------------------------------------|---------------|
| 2-seater | 2-seater | 2-seater |
| 2-7 | 2-7 | 2-7 |
| 130 x 50/55 cm | 130 x 65 cm | 150 x 65 cm |
| 19 kg/20 kg | 20 kg | 22 kg |
| 12 119/20 119 | = = | |
| 8582.135 | 8582.136 | |
| | · · · · · · · · · · · · · · · · · · · | on both sides |
| 8582.135 | 8582.136 | |
| 8582.135 | 8582.136 | |
| 8582.135 | 8582.136 | |
| 8582.135 on both sides | 8582.136 on both sides | |
| 8582.135 on both sides | 8582.136 on both sides | on both sides |
| 8582.135 on both sides | 8582.136 on both sides | on both sides |



Solid beech multiplex edge crowned natural varnished



7750 Classroom table 1-seater height-adjustable Multiplex top, edges natural varnished, optional with chair suspension 7130/7132 WOODMARK sliding chair height-adjustable in sizes 3-5/5-7

77 SERIES HEIGHT-ADJUSTABLE CLASSROOM TABLES 🍊 🚔

■ robust metal frame, scratch-resistant due to powder coating, selection of colours see A2S material overview

- easy locking by grid height adjustment with snap lock and safety shut-off by Allen screw
- available in the 2 frame sizes 2-5 and 5-7
- incl. bag hook on the right or on both sides for 2-seater
- working surfaces with multi-layer melamine resin coating, therefore scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top, see A2S material overview
- other possible boarddesigns: Edge beech concealed edge band crowned, ASSODUR[®], Multiplex, WOODMARK
- or 12 mm compact board, colour selection see A2S material overview









Multiple height adjustments with allen key

on the work surface

| 77 SERIES HEIGHT-ADJUSTABLE CLASSROOM TABLES | | | | | |
|--|----------------|-----------------|-----------------|-----------------|--|
| | | | | | |
| MODEL | 7750 | 7760 | 7755 | 7765 | |
| Powder-coated frame | 1-seater | 1-seater | 2-seater | 2-seater | |
| Size | 2-5/5-7 | 2-5/5-7 | 2-5/5-7 | 2-5/5-7 | |
| Height adjustability | 54-70/70-82 cm | 54-70/70-82 cm | 54-70/70-82 cm | 54-70/70-82 cm | |
| Plate dimensions W x D | 70 x 55 cm | 75 x 65 cm | 130 x 55 cm | 130 x 65 cm | |
| Weight | 18 kg/18.5 kg | 19.5 kg/20.5 kg | 22.5 kg/23.5 kg | 24.5 kg/25.5 kg | |
| Bag hook | left or right | left or right | on both sides | on both sides | |
| | | | | | |
| OPTIONS | | | | | |
| Book storage basket zinc-plated | | | | | |
| Chair suspension | | | | | |
| Felt floor protector with kick plate | | | | | |

| 77 SERIES HEIGHT-ADJUSTABLE | CLASSROOM TABLES | | | |
|--------------------------------------|------------------|-----------------|-----------------|-----------------|
| | | | | |
| MODEL | 7750 | 7760 | 7755 | 7765 |
| Powder-coated frame | 1-seater | 1-seater | 2-seater | 2-seater |
| Size | 2-5/5-7 | 2-5/5-7 | 2-5/5-7 | 2-5/5-7 |
| Height adjustability | 54-70/70-82 cm | 54-70/70-82 cm | 54-70/70-82 cm | 54-70/70-82 cm |
| Plate dimensions W x D | 70 x 55 cm | 75 x 65 cm | 130 x 55 cm | 130 x 65 cm |
| Weight | 18 kg/18.5 kg | 19.5 kg/20.5 kg | 22.5 kg/23.5 kg | 24.5 kg/25.5 kg |
| Bag hook | left or right | left or right | on both sides | on both sides |
| OPTIONS | | | | |
| Book storage basket zinc-plated | | | | |
| Chair suspension | | | | |
| Felt floor protector with kick plate | | | | |
| Guide rails with Tidy Box A4 | | | | |







Multiple height adjustment, in sizes 2-5 or 5-7, with coloured size labelings

7755 Classroom table 2-seater height-adjustable with ASSODUR® board, optional with Tidy Boxes A4

Tidy Boxes create order and more space



A2S floor protectors with kick plate protect the floor and table feet from scratches and are easy to change



Bag hook left or right or on both sides for 2-seaters

Infinitely variable in height by means of manually operated spindle gear with coloured size labelings

7692 Classroom table 1-seater height-adjustable, with fixed table top 8389 PAGHOLZ[®] gas lift swivel stool

Feet with scratch protection and adjusting screws to level uneven floors

769 SERIES HEIGHT-ADJUSTABLE CLASSROOM TABLES

- robust metal frame, scratch-resistant due to powder coating, selection of colours see A2S material overview adjustable from size 3-7
- incl. A2S floor protectors with kick plate, protect the floor and table feet from scratches and are easy to change
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the table top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR[®], Multiplex, WOODMARK
- or 12 mm compact board, colour selection see A2S material overview

7602 Standing/sitting table 1-seater including pencil tray and book stop



760 SERIES | STANDING/SITTING TABLES

- robust metal frame, scratch resistant due to powder coating, selection of colours see A2S material overview adjustable in height
- incl. A2S floor protectors with step protection, protect the floor as well as the table feet from scratching and are easy to change
- angled tabletop 0.8 mm HPL coated with multi-layer melamine resin coating, scratch and impact resistant as well as glare-free
- infinitely variable inclination of the tabletop from 0°-90° incl. pencil tray at the back and book stop at the front
- by default we deliver the table with a 3 mm plastic edge in panel colour, see A2S material overview
- other possible panel finishes: edge beech glue-in crowned

| | - |
|--|---|
| | |

| 769 SERIES HEIGHT-ADJUSTABLE CLASSROOM | M TABLES WITH STRAIGH | IT BOARD | 760 SERIES STANDING/SITTING | TABLES WITH INCLINED TOP |
|---|-----------------------|---------------|--------------------------------|--------------------------|
| | H | | | |
| MODEL | 7692 | 7697 | 7600 | 7602 |
| Powder-coated frame | 1-seater | 2-seater | 1-seater | 1-seater |
| Size | 3-7 | 3-7 | 3-7 | 6 |
| Height adjustability | 58-82 cm* | 58-82 cm* | 58-82 cm | 76-106 cm |
| Board inclination | | | 0-90 degrees | 0-90 degrees |
| Plate dimensions W x D | 75 x 65 cm | 130 x 65 cm | 70 x 55 cm | 75 x 53 cm |
| Weight · size 6 | 25 kg | 40 kg | 23 kg | 24 kg |
| Bag hook | left or right | on both sides | | |
| OPTIONEN | | | | |
| Book storage basket zinc-plated | | | | |

| *** | |
|---------------------------------------|--|
| Removable crank | |
| Felt floor protectors with kick plate | |
| Book storage basket zinc-plated | |
| | |

*The crank for height adjustment is fixed as standard, but can also be supplied with a removable crank on request. A2S.COM





н.







1110 Drawing table with storage, optional with book stop

1110 | DRAWING TABLE

- robust metal frame, scratch resistant due to powder coating, selection of colours, see A2S material overview
- incl. A2S floor protectors with step protection, protect the floor as well as the table feet from scratches and are easy to change
- tabletop and shelf exclusively in 3-layer decorative panel (E1), 0.8 mm ■ glued with 2 mm plastic edge in panel colour,
- see A2S material overview
- infinitely variable inclination of the table top from 0°-90°, optionally with front book stop bar

1110 Drawing table with continuously tiltable and height-adjustable table top

1110 | DRAWING TABLE

| MODEL | 1110 |
|---------------------------------------|--------------|
| Powder-coated frame | 1-seater |
| Size | 6 |
| Height adjustability | 76-117 cm |
| Board inclination | 0-90 degrees |
| Plate dimensions W x D | 90 x 60 cm |
| Weight · size 6 | 28 kg |
| | |
| OPTIONS | |
| Felt floor protectors with kick plate | |

Book stop



.....

ACCESSORIES FOR CLASSROOM TABLES

| CHAIR SUSPENSIONS | | |
|---|--|-------------------|
| E 3 | | |
| 0200 | 0831 | (|
| suitable for chair models 7200/7205/7800/7805 PAGHOLZ [®] sliding chair | Zinc-plated steel with rubber coa suitable for chair models 7100 WOODMARK ssliding chair (7307/7811/7813 PAGHOLZ® C-sh 7819.010/7822 Multiplex C-shap | size 3-7) nape |
| * Only suitable for tables without | front frame | |
| | | |
| BOOK STORAGE BASKET | TIDY BOX INCL. RAILS | BAG HOOP |
| | | J |
| 0303/0304 | 0886 | 0540 |
| 50 x 8.5 x 20 cm, zinc-plated | 31 x 7,5 x 43 cm, in 7 colours | galvanized |
| | | |

A2S.COM





0837

suitable for chair models 8385 PAGHOLZ[®] gas lift swivel chair 7854 FLEX C-shape 7873 FLEX gas lift swivel chair 7875 FLEX swivel chair

0881*/0882*

suitable for chair models 7873 FLEX gas lift swivel chair 3D rocker (size 5-7)/ 7876 FLEX gas lift swivel chair 3D rocker (size 3-5)



Self-explanatory control element optional with memory function



5580.168 OFFICE desk electrically height adjustable



by hinged cable tray



Floor protector with level compensation for easy leveling of uneven floors

OFFICE SERIES MOTORIZED HEIGHT-ADJUSTABLE OFFICE TABLES

- Iarge adjustment range from 62 to 127 cm in height, therefore usable as a worktable and standing table
- stable frame even in standing height
- frame powder-coated in RAL 9006 chrome silver, RAL 9016 white or RAL 9005 black possible
- equipped with floor levellers
- hidden cable management by hinged metal cable tray incl. 6-way socket strip
- self-explanatory control element, optional with memory function
- note: Power supply required
- working surfaces with multi-layer melamine resin coating, therefore scratch-resistant, shock-proof and glare-free, for finishes see A2S material overview
- with a 3 mm plastic edge in board colour, see A2S material overview







5580.168 OFFICE table 9232.800 Rolling container 7873.002 FLEX gas lift swivel chair with elevation and foot ring

OFFICE SERIES | MOTORIZED HEIGHT-ADJUSTABLE OFFICE TABLES RECTANGULAR

| MODEL | 5580.128 | 5580.129 | 5580.148 | 5580.149 | 5580.168 | 5580.169 | 5580.188 | 5580.189 | 5580.208 | 5580.209 |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Frame powder-coated RAL 9006 | 5560.126 | 5500.129 | 5560.146 | 5560.149 | 5560.100 | 5560.109 | 5500.100 | 5500.109 | 5500.200 | 5560.209 |
| motorized height-adjustability | 62-127 cm |
| Plate dimensions W x D in cm | 120 x 80 | 120 x 90 | 140 x 80 | 140 x 90 | 160 x 80 | 160 x 90 | 180 x 80 | 180 x 90 | 200 x 80 | 200 x 90 |
| Weight | 43 kg | 45 kg | 58 kg | 66 kg | 74 kg | 82 kg | 76 kg | 84 kg | 88 kg | 96 kg |
| 6-way Schuko power socket with 3 m supply cable | - | - | - | - | - | - | - | - | | - |
| | | | | | | | | | | |
| OPTIONS | | | | | | | | | | |
| Frame black or white | | | | | | | | | | |
| Cable outlet / multimedia socket | | | | | | | | | | |
| CPU holder 1876.020 | | | | | | | | | | |
| Front panel | 2050.122 | 2050.122 | 2050.142 | 2050.142 | 2050.162 | 2050.162 | 2050.182 | 2050.182 | 2050.202 | 2050.202 |

| MAREL | ===== | ====== | ====== | ======= | ====== | ======= | ====== | ==00.400 | | |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| MODEL | 5580.128 | 5580.129 | 5580.148 | 5580.149 | 5580.168 | 5580.169 | 5580.188 | 5580.189 | 5580.208 | 5580.209 |
| Frame powder-coated RAL 9006 | - | - | - | | - | - | | | | |
| motorized height-adjustability | 62-127 cm |
| Plate dimensions W x D in cm | 120 x 80 | 120 x 90 | 140 x 80 | 140 x 90 | 160 x 80 | 160 x 90 | 180 x 80 | 180 x 90 | 200 x 80 | 200 x 90 |
| Weight | 43 kg | 45 kg | 58 kg | 66 kg | 74 kg | 82 kg | 76 kg | 84 kg | 88 kg | 96 kg |
| 6-way Schuko power socket with 3 m supply cable | | | | | | | | | | |
| | | | | | | | | | | |
| OPTIONS | | | | | | | | | | |
| Frame black or white | | | | | | | | | | |
| Cable outlet / multimedia socket | | | | | | | | | | |
| CPU holder 1876.020 | | | | | | | | | | |
| Front panel | 2050.122 | 2050.122 | 2050.142 | 2050.142 | 2050.162 | 2050.162 | 2050.182 | 2050.182 | 2050.202 | 2050.202 |

OFFICE SERIES | MOTORIZED HEIGHT-ADJUSTABLE OFFICE TABLES L-SHAPE

| MODEL | 5585.208 | 5586.208 |
|--|--------------|--------------|
| Variant | left | right |
| Powder-coated frame | | |
| motorized height-adjustability | 62-127 cm | 62-127 cm |
| Plate dimensions W x D in cm | 200 x 160/80 | 200 x 160/80 |
| Weight | 86 kg | 86 kg |
| 6-way Schuko power socket with 3 m supply cable | | |

OPTIONS

| Front panel | 2050.202 | 2050.202 |
|----------------------------------|----------|----------|
| CPU holder 1876.020 | | |
| Cable outlet / multimedia socket | | |
| Frame black or white | | - |
| | | |

A2S.COM

69



5585.208 OFFICE table L-shaped 9335.001 WAVE gas lift swivel chair



7616.097 Barrel-shaped mono-column table, mobile with lockable valuables drawer

76 SERIES HEIGHT-ADJUSTABLE MONO-COLUMN TABLES 🍊 🚔

- large adjustment range in height, therefore usable as work and standing table
- triggering of the height adjustment by means of encapsulated Bowden cable and safety hand release, which prevents unintentional release
- heavy-duty, torsion-resistant tubular steel table column
- optional all-steel valuables drawer under the table top
- frame powder-coated in the colours RAL 9006 chrome silver, RAL 9010 pure white and RAL 7021 black grey
- optionally available with 12 mm compact board, not with front panel
- possible finish table tops see A2S material overview





7612.076 Rectangular mono-column table with 12 mm compact board, with H-shaped frame, 2 floor protectors 2 floor protectors with levelling at the front with levelling at the front and 2 castors at the back

7614.097 Barrel-shaped mono-column table with H-shaped frame, and 2 castors at the back



7620.138 Oval mono-column table with perforated sheet metal front panel 7873.002 FLEX gas lift swivel chair with foot ring


76 SERIES | PNEUMATIC HEIGHT-ADJUSTABLE MONO-COLUMN TABLES

| BOARD | | | | | | | | | |
|------------------------------|------------|------------|-------------|------------|-------------|-------------|-----------|--------------|-------------|
| MODEL | 7612.076 | 7614.097 | 7615.138 | 7616.097 | 7609.128 | 7610.107 | 7611.100 | 7618.080 | 7618.088 |
| Frame type | H-shape | H-shape | 4-beam | 4-beam | 4-beam | 4-beam | 4-beam | 5-beam | 5-beam |
| Frame powder-coated | | | - | | | | | Polished ALU | Polished AL |
| Height adjustability | 71-111 cm | 71-111 cm | 71-111 cm | 71-111 cm | 71-111 cm | 71-111 cm | 71-111 cm | 77-116 cm | 77-116 cm |
| Plate dimensions W x D | 75 x 65 cm | 90 x 70 cm | 130 x 80 cm | 90 x 70 cm | 120 x 80 cm | 100 x 70 cm | Ø100 cm | Ø 80 cm | 80 x 80 cm |
| Weight | 19 kg | 21.7 kg | 31 kg | 19.1 kg | 24.6 kg | 25.3 kg | 23.5 kg | 17.6 kg | 18.5 kg |
| Castors | | | | | | | - | | - |
| OPTIONS | | | | | | | | | |
| Lockable valuables drawer | | | | | | | | | |
| Front panel | | ■ * | ■ * | * | ■ * | ■ * | | | |
| *not possible with compact I | board | | | | | | | | |

| 00400 | | | | | | | | | |
|---------------------------|------------|------------|-------------|------------|-------------|-------------|-----------|--------------|--------------|
| BOARD | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| MODEL | 7612.076 | 7614.097 | 7615.138 | 7616.097 | 7609.128 | 7610.107 | 7611.100 | 7618.080 | 7618.088 |
| Frame type | H-shape | H-shape | 4-beam | 4-beam | 4-beam | 4-beam | 4-beam | 5-beam | 5-beam |
| Frame powder-coated | | - | | | | - | - | Polished ALU | Polished ALU |
| Height adjustability | 71-111 cm | 71-111 cm | 71-111 cm | 71-111 cm | 71-111 cm | 71-111 cm | 71-111 cm | 77-116 cm | 77-116 cm |
| Plate dimensions W x D | 75 x 65 cm | 90 x 70 cm | 130 x 80 cm | 90 x 70 cm | 120 x 80 cm | 100 x 70 cm | Ø 100 cm | Ø 80 cm | 80 x 80 cm |
| Weight | 19 kg | 21.7 kg | 31 kg | 19.1 kg | 24.6 kg | 25.3 kg | 23.5 kg | 17.6 kg | 18.5 kg |
| Castors | - | - | - | | - | - | | | |
| | | | | | | | | | |
| OPTIONS | | | | | | | | | |
| Lockable valuables drawer | | - | | | | - | | | |
| Front panel | | ■ * | * | * | ■ * | * | | | |
| | | | | | | | | | |











7268

Chrome-plated metal frame with two castors and a lockable base cabinet with two drawers



- frames match the classroom tables: made of metal, scratch-resistant powder-coated, or solid wood natural beech varnished with transparent water-based lacquer
- model 7268 mobile with castors (suitable for classroom table model 7280)
- optional with felt floor protectors
- the base units and drawers are lockable as standard
- working surfaces 130 x 65 cm or 150 x 65 cm with additional melamine resin coating, therefore scratch and impact resistant and glare-free
- as standard, we supply the table with a 3 mm plastic edge in the colour of the table top, for colour selection see A2S material overview
- WOODMARK board not possible in size 150 x 65 cm
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR[®], Multiplex or WOODMARK board, colour selection see A2S material overview



7573.901 Base unit with storage compartment, with 1-door base unit on the right Frame 4-legged oval tube



7524.901 Base unit with storage compartment, with 1-door base unit and drawer on the left Frame C-shape oval tube

TEACHER'S DESKS BOARD SIZE 130 X 65 CM

FRAME

FDAME

| 7571.901 | 7572.901/7573.901 | 7574.901/7575.90 |
|----------|-------------------|------------------|
| 7521.901 | 7522.901/7523.901 | 7524.901/7525.9 |
| | | |

| 4-legged* | 7571.901 | 7572.901/7573.901 | 7574.901/7575.901 | 7576.901/7577.901 | 7268** | 7570 | |
|---------------------------|---------------|-------------------|-------------------|-------------------|---------------|---------------|---------------|
| C-shape* | 7521.901 | 7522.901/7523.901 | 7524.901/7525.901 | 7526.901/7527.901 | | | 7520 |
| Center column** | 7351.901 | 7352.901/7353.901 | 7354.901/7355.901 | 7356.901/7357.901 | | | |
| Solid beech wood | 7051.901 | 7052.901/7053.901 | 7054.901/7055.901 | 7056.901/7057.901 | | | |
| Substructure | | left/right | left/right | left/right | left or right | left or right | left or right |
| Dimensions W/D/H in cm | 130 x 65 x 76 | 130 x 65 x 76 | 130 x 65 x 76 | 130 x 65 x 76 | 130 x 65 x 76 | 130 x 65 x 76 | 130 x 65 x 76 |
| Weight | 46.3 kg | 54 kg | 58 kg | 65 kg | 54 kg | 22 kg | 30 kg |

TEACHER'S DESKS BOARD SIZE 150 X 65 CM




| FRAME | | | | | | |
|---------------------------|---------------|-------------------|-------------------|-------------------|---------------|---------------|
| 4-legged* | 7571.902 | 7572.902/7573.902 | 7574.902/7575.902 | 7576.902/7577.902 | 7578.902 | 7579.902 |
| C-shape* | 7521.902 | 7522.902/7523.902 | 7524.902/7525.902 | 7526.902/7527.902 | 7528.902 | 7529.902 |
| Center column** | 7351.902 | 7352.902/7353.902 | 7354.902/7355.902 | 7356.902/7357.902 | 7358.902 | 7359.902 |
| Solid beech wood | 7051.902 | 7052.902/7053.902 | 7054.902/7055.902 | 7056.902/7057.902 | 7060.902 | 7059.902 |
| Cabinet | | left/right | left/right | left/right | on both sides | on both sides |
| Dimensions W/D/H in cm | 150 x 65 x 76 | 150 x 65 x 76 | 150 x 65 x 76 | 150 x 65 x 76 | 150 x 65 x 76 | 150 x 65 x 76 |
| Weight | 51 kg | 58 kg | 62 kg | 69 kg | 69 kg | 81 kg |

*powder-coated **powder-coated; chrome-plated frame optionally ava



A2S.COM







7059.902 Base unit with storage compartment, left with 1-door base unit, right with utensil drawer and 3 drawers Frame solid wood beech natural varnished





1810.168 Computer table 2-seater, upstand at the back of the table top, optional with CPU holder 7873 FLEX gas lift swivel chair with load-dependent braked castors

18 SERIES | COMPUTER TABLES 🛃


- absolutely stable, solid welded metal frame with scratch-resistant powder coating, colour selection see A2S material overview
- 25 mm thick working surfaces with multi-layer melamine resin coating, therefore scratch-resistant, shock-proof and glare-free
- lockable board on slide fitting slides forward with lip seal at the back
- as standard, we supply the table with a 3 mm plastic edge in the colour of the table top, for colour selection see A2S material overview
- with installation channel for sockets, on request without upstand at the back
- frame is prepared to accommodate various attachments (see options)
- incl. A2S floor protectors, protect the floor and the table frame from scratches and are easy to change

7790 | KEYBOARD TABLE

- absolutely stable, sturdy welded metal frame, scratch-resistant powder-coated, colour selection see A2S material overview
- simple detent by means of grid height adjustment with snap lock and safety lock by means of Allen screw
- 25 mm thick tabletops with multilayer melamine resin coating, making them scratch and impact resistant and glare-free
- we deliver the table with a 3 mm plastic edge in table top colour, colour selection see A2S material overview
- tabletop folds up for use as a keyboard table with integrated music stand
- space for max. keyboard size W/H/D 150 x 12 x 38 cm
- tabletop lockable in folded state
- optionally with floor mounting or power channel



1810.168 Board on slide fitting slides forward for easy, hidden cable entry, sealed with rubber lip



7790 Keyboard table

18 SERIES COMPUTER TABLES

80 CM DEEP

| MODEL | 1812.088 | 1811.128 | 1811.148 | 1810.168 | 1812.087 | 1811.127 | 1811.147 | 1810.167 | 7790 |
|---|------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|---------------------|
| Powder-coated frame | 1-seater | 1-seater | 2-seater | 2-seater | 1-seater | 1-seater | 2-seater | 2-seater | |
| Height | 72 cm | 72 cm | 72 cm | 72 cm | 72 cm | 72 cm | 72 cm | 72 cm | size 5-7 70-82 cm |
| Plate dimensions W x D | 80 x 80 cm | 120 x 80 cm | 140 x 80 cm | 160 x 80 cm | 80 x 70 cm | 120 x 70 cm | 140 x 70 cm | 160 x 70 cm | 130 x 72 cm |
| Weight | 28.7 kg | 55 kg | 57 kg | 60 kg | 26.4 kg | 53 kg | 55 kg | 57 kg | 47 kg |
| | | | | | | | | | |
| OPTIONS | | | | | | | | | |
| CPU holder | | | | | | | | - | |
| CPU cabinet open | | | | | | | | | |
| CPU cabinet with door | | | | | | | | | |
| Connecting fitting for 2 tables | - | - | - | - | - | - | - | | |
| Connecting fitting for 2 tables with 1 corner element | = | - | | | | | - | | |
| Cable channel | | | | | | | | - | |
| Floor mounting | | | | | | | | - | |
| Floor leveller | | | | | | | | - | |
| 6-way Schuko power socket with 3 m supply cable | | | | | | | | - | |
| Felt floor protectors with kick plate | | | | | | | | - | |
| Power channel | | | | | | | | | |

| OPTIONS | |
|---------|--|
| | |

| MODEL | 1812.088 | 1811.128 | 1811.148 | 1810.168 | 1812.087 | 1811.127 | 1811.147 | 1810.167 | 7790 |
|---|------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|---------------------|
| Powder-coated frame | 1-seater | 1-seater | 2-seater | 2-seater | 1-seater | 1-seater | 2-seater | 2-seater | |
| Height | 72 cm | 72 cm | 72 cm | 72 cm | 72 cm | 72 cm | 72 cm | 72 cm | size 5-7 70-82 cm |
| Plate dimensions W x D | 80 x 80 cm | 120 x 80 cm | 140 x 80 cm | 160 x 80 cm | 80 x 70 cm | 120 x 70 cm | 140 x 70 cm | 160 x 70 cm | 130 x 72 cm |
| Weight | 28.7 kg | 55 kg | 57 kg | 60 kg | 26.4 kg | 53 kg | 55 kg | 57 kg | 47 kg |
| OPTIONS | | | | | | | | | |
| CPU holder | | | | | | | | | |
| CPU cabinet open | | | | | | | | | |
| CPU cabinet with door | | | | | | | | | |
| Connecting fitting for 2 tables | | | - | | | | - | | |
| Connecting fitting for 2 tables with 1 corner element | | • | | | - | • | - | | |
| Cable channel | | | | | | | | - | |
| Floor mounting | | | | | | | | | |
| Floor leveller | | - | | | | - | | - | |
| 6-way Schuko power socket with 3 m supply cable | | | | | | | | | |
| Felt floor protectors with kick plate | | | | | | | | - | |
| Power channel | | | | | | | | | |

A2S.COM





Optional with floor mounting

70 CM DEEP

7790 KEYBOARD TABLE





Optional cable outlet leads the power supply bundled to the grille cable channel



Optional grille cable channel leads the cables to the sockets directly underneath the table top

1960.128 1-seater multi-functional table, optional with CPU cabinet with door and cable outlet

1960 SERIES | MULTI-FUNCTIONAL TABLES 🚰

absolutely stable, solid welded metal frame, scratch-resistant powder-coated, colour selection see A2S material overview

25 mm thick working surfaces with multi-layer melamine resin coating, therefore scratch-resistant, shock-proof and glare-free

as standard we deliver the table with a 3 mm plastic edge in the colour of the top, for finish selection see A2S material overview

many extension possibilities

ACCESSORIES FOR COMPUTER AND MULTI-FUNCTIONAL TABLES







1960.168 2-seater multi-functional table optional with cable outlets

1960 SERIES | MULTI-FUNCTIONAL TABLES

80 CM DEEP

| MODEL | 1960.088 | 1960.128 | 1960.148 | 1960.168 | 1960.087 | 1960.127 | 1960.147 | 1960.167 |
|---------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| Powder-coated frame | 1-seater | 1-seater | 2-seater | 2-seater | 1-seater | 1-seater | 2-seater | 2-seater |
| Height | 72 cm |
| Board dimensions W x D in cm | 80 x 80 | 120 x 80 | 140 x 80 | 160 x 80 | 80 x 70 | 120 x 70 | 140 x 70 | 160 x 70 |
| Weight | 20 kg | 32 kg | 34 kg | 39 kg | 19 kg | 30 kg | 32 kg | 37 kg |

| OPTIONS | | | | | | | | |
|--|---------|----------|----------|----------|---------|----------|----------|----------|
| CPU holder | | | | | | | | |
| CPU cabinet open | | | | | | | | |
| CPU cabinet with door | | | | - | | | | |
| Connection fitting for 2 tables | | - | | | | | | |
| Connection fitting for 2 tables with 1 corner element | | - | | | | - | | |
| Cable channel | | | | | | | | |
| Floor mounting | | | | - | | | | |
| Floor leveller | | | | | | | | |
| Grille cable channel | | | | - | | | | |
| Cable outlet possible | 1 piece | 2 pieces | 2 pieces | 2 pieces | 1 piece | 2 pieces | 2 pieces | 2 pieces |
| 6-way Schuko power socket with 3 m supply cable | | - | | | | - | | - |
| Felt floor protectors with kick plate | | | | | | | | |



70 CM DEEP





Continuous trigger lever with robust 2-hand safety operation





Stable board support and folding mechanism

3660.127 Side folding table

3660 SERIES SIDE FOLDING TABLES



- stable and torsion-free steel frame with central crossbeam made of round tube 40 x 2 mm, powder-coated in RAL 9006 chrome silver
- mobile frame on 4 lockable castors
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top, for finish selection see A2S material overview
- optional edges beech concealed edge band crowned or ASSODUR[®], for possible colours see A2S material overview
- from width 160 cm with extra central crossbeam (round tube 40 x 2 mm) under the table, prevents bending of the table top
- 2-hand safety operation underneath the table top as a trigger for folding down sideways and simultaneously securing the table top in vertical and horizontal position





Space-saving storage, with the top folded up, any number of tables can be pushed together



SIDE FOLDING TABLES:

The folding table on castors is particularly practical where the tables often have to be moved to the side. The sturdy table can be quickly folded up with the 2-hand safety control and pushed together to save space.



3660.168 Side folding table 7853 FLEX with Z-shaped frame

| 3660 SERIES SIDE FOLDING TABLES | 120 CM | 120 CM 14 | | 140 CM | | 160 CM | | |
|-------------------------------------|------------|-----------|------------|----------|------------|----------|------------|----------|
| | | | | | | | | |
| | | | | | | | | |
| MODEL | 3660.127 | 3660.128 | 3660.147 | 3660.148 | 3660.167 | 3660.168 | 3660.187 | 3660.188 |
| Powder-coated frame | | | | | | | | |
| Height in cm | 70/75 | 75 | 70/75 | 75 | 70/75 | 75 | 70/75 | 75 |
| Dimensions W x D in cm | 120 x 70 | 120 x 80 | 140 x 70 | 140 x 80 | 160 x 70 | 160 x 80 | 180 x 70 | 180 x 80 |
| Weight (75 cm) | 27.5/28 kg | 30 kg | 30.5/31 kg | 33 kg | 33.5/34 kg | 35 kg | 37.5/38 kg | 39 kg |
| OPTIONS | | | | | | | | |
| ASSODUR [®] edge | | | | | | | | |
| Edge concealed edge band crowned | | - | | | - | - | - | |







Robust mechanics, easy to fold up



Standard with beveled aluminium design frame

3920.126 Sliding folding table





- available in two different table heights: 72 and 75 cm
- absolutely robust round tube steel frame (30 x 2 mm), scratch-resistant powder-coated or chrome-plated, see A2S material overview
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the table top, for finish selection see A2S material overview
- optional with robust ASSODUR®-edge or solid wood edge, concealed edge band crowned and nature finish
- equipped with an aluminium design frame, laterally bevelled in natural anodised finish
- optional with recessed solid wood frame and rounded corners conceals the folding mechanism
- glued chipboard from a width of 160 cm with aluminium frame



3920.168 Sliding folding table with optional solid wood frame, flexible longitudinal seating without interfering table legs while sitting at table transitions **7850** PAGHOLZ[®] four-legged chair with round handle hole





Optional with recessed solid wood frame with rounded corners - conceals the folding mechanism

Suitable stacking trolley for safe and convenient transport of up to 10 tables, powder-coated RAL 9006 chrome silver

| 3920 SERIES FOLDING TABLES | 120 CM | | | 140 CM | | 160 CM | | 180 CM | |
|--|------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | | | | | | | | | |
| MODEL | 3920.126 | 3920.127 | 3920.128 | 3920.147 | 3920.148 | 3920.167 | 3920.168 | 3920.187 | 3920.188 |
| Powder-coated frame | - | | | | | | | | - |
| Height in cm | 72/75 | 72/75 | 72/75 | 72/75 | 72/75 | 72/75 | 72/75 | 72/75 | 72/75 |
| Dimensions W x D in cm | 120 x 60 | 120 x 70 | 120 x 80 | 140 x 70 | 140 x 80 | 160 x 70 | 160 x 80 | 180 x 70 | 180 x 80 |
| Weight with aluminium frame | 21.5/22 kg | 24.1/24.6 kg | 26.4/26.9 kg | 27.1/27.6 kg | 29.2/29.7 kg | 29.6/30.1 kg | 32.1/32.6 kg | 31.6/32.1 kg | 34.9/35.4 kg |
| OPTIONS | | | | | | | | | |
| ASSODUR® edge | | - | - | | - | - | - | - | - |
| Chrome-plated frame | - | - | - | | - | - | - | - | - |
| Recessed solid wood frame with rounded corners | - | - | - | - | - | - | - | - | - |
| Felt floor protectors | - | - | | | - | | | - | - |
| Stacking trolley 3899.147 (up to 160 cm) | | - | = | = | - | - | - | | |
| Stacking trolley 3899.187 (170-180 cm) | | | | | | | | | - |



A2S.COM



Easily stackable up to 16 tables thanks to hard rubber buffer



Robust mechanics, easy to fold up



Easily stackable up to 16 tables thanks to hard rubber buffer



3930 Series folding tables in 2 heights: 72 and 75 cm

Suitable stacking trolley for safe and convenient transport of up to 10 tables, powder-coated RAL 9006 chrome silver



- seating at all four sides
- stable 4-legged folding frame made of round tube (40 x 2 mm), scratch-resistant powder-coated or chrome-plated
- easily stackable up to 16 tables thanks to hard rubber buffer
- \blacksquare equipped with an aluminium design frame (Fig. p. 80), laterally beveled in natural anodised finish
- optional with recessed solid wood frame and rounded corners conceals the folding mechanism
- plastic floor protectors with level compensation
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top,
- for finish selection see A2S material overview
- optional with robust ASSODUR®-edge or solid wood edge, concealed edge band crowned and natural lacquered
- glued chipboard from a width of 160 cm with aluminium frame





3930 Series allows four-sided seating, flexible arrangement in row or in group possible **7813** CHANGE C-shape chair

| 3930 SERIES FOLDING TABLES | 120 CM | | | 140 CM | | 160 CM | | 180 CM | | |
|--|---------------------|---------------------|---------------------|---------------------|-------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| | | | | | | | | | | |
| MODEL | 3930.126* | 3930.127 | 3930.128 | 3930.147 | 3930.148 | 3930.167 | 3930.168 | 3930.187 | 3930.188 | 3930.189 |
| Powder-coated frame | | | | | | | | | | |
| Height in cm | 72/75 | 72/75 | 72/75 | 72/75 | 72/75 | 72/75 | 72/75 | 72/75 | 72/75 | 72/75 |
| Dimensions W x D in cm | 120 x 60 | 120 x 70 | 120 x 80 | 140 x 70 | 140 x 80 | 160 x 70 | 160 x 80 | 180 x 70 | 180 x 80 | 180 x 90 |
| Weight with aluminium frame | 24.3 kg/ 24.8 kg | 26.9 kg/ 27.4 kg | 29.2 kg/ 29.7 kg | 29.9 kg/ 30.4 kg | 32 kg/ 32.5 kg | 33.4 kg/ 33.9 kg | 34.9 kg/ 35.4 kg | 34.4 kg/ 34.9 kg | 37.7 kg/ 38.2 kg | 40.8 kg/ 41.3 kg |
| OPTIONS | | | | | | | | | | |
| ASSODUR [®] edge | | | | | | | | | | |
| Chrome frame | | | | | | | | | | |
| Recessed solid wood frame with rounded corners | | | | | | | | | | |
| Felt floor protectors | | | | | | | | | | |
| Teflon floor protectors | | | | | | | | | | |
| Stacking trolley 3899.147 (up to 160 cm) | | | | | | | | | | |
| Stacking trolley 3899.187 (170-180 cm) | | | | | | | | | | |

* ATTENTION: Consider the width of the chair frame!







3690.088 Folding table 4-legged, ideal as single or double table 3305 PAGHOLZ[®] 4-legged chair

3690 SERIES | FOLDING TABLES



- stable 4-legged folding frame made of round tube (30 x 2 mm) chrome-plated
- 25 mm thick working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top, for finish selection see A2S material overview
- optional with robust ASSODUR[®]-edge or solid wood edge, concealed and crowned edge band, natural lacquered
- plastic floor protectors with level compensation



3690 SERIES | FOLDING TABLES

| MODEL | 3690.087 | 3690.088 |
|---------------------------------------|----------|----------|
| Chrome-plated frame | | - |
| Height | 72 cm | 72 cm |
| Dimensions W x D in cm | 80x70 | 80x80 |
| Weight | 17.9 kg | 19.3 kg |
| ASSODUR® edge | | - |
| Stacking trolley 3899.147 (120 cm) | | |



7720 Lectern including front book stop

7720 | LECTERN 🚔 🖾

- 25 mm thick tabletop, slanted, with multilayer melamine resin coating, thus scratch and impact resistant as well as glare-free
- tabletop including book stop strip in front and beech solid wood pen tray in the back
- standard with 3 mm plastic edge in table top colour, decors from price group 1 selectable, see A2S material overview
- center column base: rectangular tube 40/20/2 mm and round tube 50 x 3 mm, powder-coated in RAL 9006 chrome silver
- screen made of perforated sheet metal with square perforation, 1.5 mm thick
- plastic floor protector with integrated step protection and level compensation





7720 | LECTERN

| 7220 |
|---------|
| |
| 124 cm |
| 75 x 61 |
| 25 kg |
| |
| |
| |
| |
| |



2066.080 Circular table with plate base; stable due to heavy plate base with adjustable feet for level compensation

2065.088 Square table with plate base



- 25 mm thick working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top, for finish selection see A2S material overview
- round or square pedestal made of stainless steel or powder-coated, see A2S material overview
- stable due to the heavy plate base made of micro-alloyed steel/stainless steel satin finish
- plastic floor protectors with level compensation



2066.071 Circular standing table for small meetings and catering





2066.070 With table height 45 cm ideal lounge table

200 SERIES

ROUND PLATE BASE TABLE

| MODEL | 2066.070 | 2066.071 | 2066.080 | 2066.081 | 2066.100 | 2066.120 | 2067.180 | 2067.200 | 2067.220 | 2067.240 |
|------------------------|-------------|----------------|----------------|----------|----------|----------|--------------|--------------|--------------|--------------|
| Stainless steel column | | | | | | | | | | |
| Height | 45/75 cm | 111 cm | 45/75 cm | 111 cm | 45/75 cm | 45/75 cm | 45/75 cm | 45/75 cm | 45/75 cm | 45/75 cm |
| Dimensions W x D | Ø 70 cm | Ø 70 cm | Ø 80 cm | Ø 80 cm | Ø 100 cm | Ø 120 cm | 180 x 110 cm | 200 x 120 cm | 220 x 120 cm | 240 x 130 cm |
| Disc base | Ø 50 cm | Ø 50 cm | Ø 63 cm | Ø 63 cm | Ø 63 cm | Ø 63 cm | Ø 63 cm | Ø 63 cm | Ø 63 cm | Ø 63 cm |
| Weight (H 75/111 cm) | 27 kg | 29 kg | 36 kg | 38 kg | 41 kg | 47 kg | 81 kg | 87 kg | 90 kg | 96 kg |
| Use | small rooms | s, waiting are | as, canteen, c | afeteria | | | meeting roo | ms | | |
| | | | | | | | | | | |
| OPTIONS | | | | | | | | | | |
| Decor price group 2 | | | | | | | | | | |
| Table top HPL glued | | | | | | | | | | |

| Decor price group 2 | = | | | |
|---------------------|---|---|---|--|
| Table top HPL glued | - | - | - | |

200 SERIES PLATE BASE TABLE SQUARE

| MODEL | 2065.077 | 2065.088 | 2065.127 | 2065.128 |
|------------------------|---------------------------------------|------------|---------------|-------------|
| Stainless steel column | | | | |
| Height | 45/75 cm | 45/75 cm | 45/75 cm | 45/75 cm |
| Dimensions W x D | 70 x 70 cm | 80 x 80 cm | 120 x 70 cm | 120 x 80 cm |
| Disc base | 50 x 50 cm | 50 x 50 cm | 40 x 80 cm | 59 x 90 cm |
| Weight (H 75 cm) | 36 kg | 38 kg | 55 kg | 57 kg |
| Use | small rooms, wai canteen, cafeteri | | meeting rooms | |
| | | | | |

OPTIONS

| Decor price group 2 | | |
|---------------------|--|--|
| Table top HPL glued | | |



A2S.COM





ELLIPTICAL PLATE BASE TABLE

PLATE BASE TABLE RECTANGULAR



2010 Hexagonal corner unit combined with two **2001** Rectangular tables

Side and front panels are available in various colours and designs. Ask your A2S area manager.

2000 SERIES DEMOUNTABLE METAL TABLE SYSTEM 🊱 🚔

- demountable, absolutely robust metal frame, scratch-resistant powder-coated or chrome-plated
- directly coated side panels made of round tube (40 x 2 mm), frames made of square tube (40 x 20 x 2 mm)
- 25 mm thick, directly coated chipboard in a particularly scratch-resistant and shock-proof design
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top, for finish selection see A2S material overview
- different table top sizes and shapes (info p. 90-91)
- rectangular table tops optional with 40 mm corner radius
- optional 10 cm height-adjustable
- many accessories, e.g. CPU holder or cable channels (info p. 99)
- plastic floor protectors with level compensation
- for your individually planned table combination, please contact your A2S area manager
- available in two different table heights: 72 and 75 cm

TABLE COMBINATIONS

Do you manage extensive paper documents which need to be permanently available, do you make a lot of phone calls or have frequent meetings at your workplace? A2S offers the right solution for every work area to you - your A2S area manager will be happy to advise you.

EXAMPLES:



Single workstation as corner combination for smaller rooms



Generous individual workstation with recessed connecting frames for more legroom




Two workstations opposite each other with corner unit as visitor's seat or additional storage











Consisting of Table 1: **2031/2er** 90° extension table Table 2: **2001s** rectangular table



Consisting of Table 1: **2001s** rectangular table Table 2: **2011s** pentagonal table Table 3: **2001s** rectangular table



Consisting of Table 1: **2030** 45° extension table right Table 2: **2029** 45° extension table left Table 3: **2016.080** rounded corner unit or **2017.080** straight corner plate

You will find further table combinations and tabletop variants on the following pages.

INDIVIDUALLY CONFIGURED TABLES

With variable frames, different table top shapes and extensive accessories, such as table attachments or panels, we can plan your workplace to suit your individual needs. Contact your A2S area manager.

| | 60 CM DEEP | | | 70 CM DEEP | | | | |
|-------------------|------------|------------|------------|------------|------------|----------|--------------|----------|
| | | | | | | | | |
| MODEL | 2001.066* | 2001.106 | 2001.126 | 2001.077 | 2001.107 | 2001.127 | 2001.147 | 2001.167 |
| Dimensions in cm | 60 x 60 | 100 x 60 | 120 x 60 | 70 x 70 | 100 x 70 | 120 x 70 | 140 x 70 | 160 x 70 |
| Weight H 72/75 cm | 11.5/12 kg | 17.5/18 kg | 20.5/21 kg | 14.5/15 kg | 19.5/20 kg | 24/25 kg | 27.5/28.5 kg | 31/32 kg |

| | 80 CM DEEP | | | | | | | | |
|-------------------|---------------|-------------|----------|------------|------------|------------|------------|-------------|------------|
| | | | | | | | | | |
| MODEL | 2001.088 | 2001.108 | 2001 | .128 | 2001.148 | 2001.168 | 2001.18 | 88 20 | 001.208 |
| Dimensions in cm | 80 x 80 | 100 x 80 | 120 x | 80 | 140 x 80 | 160 x 80 | 180 x 8 | 0 20 | 00 x 80 |
| Weight H 72/75 cm | 17.5/18 kg | 22.5/23 kg | 26.5/ | 27 kg | 28.5/29 kg | 32.5/33 kg | 37.5/38 | 3 kg 39 | 9.5/40 kg |
| | 90 CM DEEP | | | | | | | 100 CM DEEF | > |
| | | | | | | | | | |
| MODEL | 2001.099 20 | 01.109 20 | 01.129 | 2001.149 | 2001.169 | 2001.189 | 2001.209 | 2001.100 | 2001.200 |
| Dimensions in cm | 90 x 90 100 | 0 x 90 120 |) x 90 | 140 x 90 | 160 x 90 | 180 x 90 | 200 x 90 | 100 x 100 | 200 x 100 |
| Weight H 72/75 cm | 20.5/21 kg 24 | .5/25 kg 28 | .5/29 kg | 32.5/33 kg | 40.5/41 kg | 44.5/45 kg | 47.5/48 kg | 23.5/24 kg | 49.5/50 kg |

| | 90° EXTENSION | | 90° CORNER EXTENSION | | 45° EXTENSION | | CIRCULAR EXTENSION | |
|--------------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-------------------------------|-------------------------------|
| | | | | | | | | |
| MODEL | 2031.188 | 2031.208 | 2033.188 | 2033.208 | 2029.228 | 2029.248 | 2035.228 | 2035.248 |
| Dimensions in cm | 180 x 80 right/ 100 left | 200 x 80 right/ 100 left | 180 x 80 right/ 80 left | 200 x 80 right/ 80 left | 221 x 80 right/ 80 left | 241 x 80 right/ 80 left | 220 x 80 right/ Ø 130 left | 240 x 80 right/ Ø 130 left |
| Plan dimensions W x D in cm | 180 x 100 | 200 x 100 | 180 x 130 | 200 x 130 | 221 x 113 | 241 x 113 | 220 x 130 | 240 x 130 |
| Weight H 72/75 cm | 44.5/45 kg | 47.5/48 kg | 39.5/40 kg | 43.5/44 kg | 51.5/52 kg | 55.5/56 kg | 59.5/60 kg | 62.5/63 kg |
| Variant on the right | 2032.188 | 2032.208 | 2034.188 | 2034.208 | 2030.228 | 2030.248 | 2036.228 | 2036.248 |

| OPTIONS |
|--|
| Chrome-plated frame |
| Table height optional 72 or 75 cm |
| Height adjustment 10 cm |
| Round cable outlet / multimedia socket |
| Grille cable channel |
| CPU holder |
| Felt floor protectors |
| Front and side panel, 33 cm high |



| | PENTAGON EX | TENSION | | | HEXAGON EXT | EXTENSION | | | | |
|--------------------------------|-------------|------------|------------|------------|-------------|------------|------------|------------|--|--|
| | | | | | | | | | | |
| MODEL | 2009.127 | 2009.128 | 2011.127 | 2011.128 | 2010.127 | 2010.148 | 2012.127 | 2012.148 | | |
| Dimensions in cm | 120 x 120 | 120 x 120 | 120 x 120 | 120 x 120 | | | | | | |
| Plan dimensions W x D in cm | | | | | 120 x 120 | 137 x 137 | 120 x 120 | 137 x 137 | | |
| Fitting dim. in cm | 70 each | 80 each | 70 each | 80 each | 70 each | 80 each | 70 each | 80 each | | |
| Seat width in cm | 71 | 57 | | | 70 | 80 | | | | |
| Segment width in cm | | | 71 | 57 | | | 70 | 80 | | |
| Weight H 72/75 cm | 37.5/38 kg | 37.5/38 kg | 37.5/38 kg | 37.5/38 kg | 37.5/38 kg | 45.5/46 kg | 37.5/38 kg | 45.5/46 kg | | |

| | 90° CORNER | EXTENSION | | | | | | |
|--------------------|------------|-----------|----------|-----------|----------|----------|----------|-----------|
| | | | | | | | | |
| MODEL | 2014.070 | 2014.080 | 2014.090 | 2016.080* | 2015.070 | 2015.080 | 2015.090 | 2017.080* |
| Fitting dim. in cm | 70 | 80 | 90 | 80 | 70 | 80 | 90 | 80 |
| Radius in cm | 60 | 70 | 80 | 70 | | | | |
| Weight | 12 kg | 15 kg | 19 kg | 15 kg | 9.5 kg | 11.5 kg | 14.5 kg | 11.5 kg |

*exclusively for position combinations with 45° extension tables

| | SEMI-OVAL 80 CM EXTER | NSION | |
|-------------------|-----------------------|------------|-------|
| | | | |
| | | | |
| | | | |
| MODEL | 2013.128 | 2013.148 | 2013 |
| Dimensions in cm | 120 x 80 | 140 x 80 | 160 x |
| Weight H 72/75 cm | 32.5/33 kg | 35.5/36 kg | 38.5 |

| OPTIONS SERIES | PENTAGON | HEXAGON | 90° CORNER EXTENSION | SEMI-OVAL 80 CM |
|------------------------------------|----------|---------|----------------------|-----------------|
| Chrome-plated frame | | | | |
| Table height optional 72 or 75 cm | | | | |
| Table top with 40 mm corner radius | | | | |
| Height adjustment 10 cm | | | | |
| Round cable outlet | | | | |
| Grille cable channel | | | | |
| Felt floor protectors | | | | |
| Front and side panel, 33 cm high | | | | |
| Cable tray | | | | |







Grille cable channel as accessory for the organisation of cables



Table top optional with cable outlet



Fixed castor for retrofitting on the transverse or longitudinal side of the tables

1001.168 4-legged table with welded frame


Further information on accessories on page 99

1000 SERIES | WELDED METAL TABLE SYSTEM



- side parts made of round tube (40 x 2 mm), frames made of square tube (40 x 20 x 2 mm)
- plastic floor protectors with level compensation
- optional with castors
- many different table top sizes and shapes
- 25 mm thick finish board in a particularly scratch-resistant and shock-proof design
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top, for finish selection see A2S material overview
- see further possible table top designs in ASSODUR[®] or 12 mm compact board under OPTIONS, colour selection see A2S material overview
- many accessories, e.g. various table attachments and panels, please contact your A2S area manager
- available with frame sizes 3-7 according to DIN ISO 5970 and table heights 72 and 75 cm





| | 80 CM DEE | P | | | | | SEMICIRCLE | | | | | |
|------------------|----------------|----------------|----------|----------|----------|----------|------------|----------|----------|----------|--|--|
| | | | | | | | | | | | | |
| MODEL | 1001.088 | 1001.128 | 1001.148 | 1001.168 | 1001.188 | 1001.208 | 1005.126* | 1005.302 | 1005.147 | 1005.168 | | |
| Dimensions in cm | 80 x 80 | 120 x 80 | 140 x 80 | 160 x 80 | 180 x 80 | 200 x 80 | 120 x 60 | 130 x 65 | 140 x 70 | 160 x 80 | | |
| Weight · Size 6 | 21 kg | 28.5 kg | 29 kg | 35 kg | 40 kg | 41.6 kg | 20 kg | 21 kg | 23 kg | 28 kg | | |
| *ATTENTION: Cons | sider the widt | h of the chair | frame! | | | | | | | | | |

| | 60° TRAPEZOID | | | | 67.5° TRAPEZOID | 90° TRIANGLE | |
|---------------------------------|---------------|---------------|---------------|---------------|-----------------|---------------|---------------|
| | | | | | | | |
| MODEL | 1004.126* | 1004.302 | 1004.147 | 1004.168 | 1074.116* | 1003.118 | 1003.129 |
| Dimensions in cm | 120 x 60 x 60 | 130 x 65 x 65 | 140 x 70 x 70 | 160 x 80 x 80 | 106 x 60 x 60 | 110 x 80 x 80 | 124 x 90 x 90 |
| Weight · Size 6 | 18 kg | 20 kg | 22 kg | 28 kg | 17 kg | 26 kg | 28 kg |
| Guide rails with Tidy Box A4 | | | | | | 1073.118 | 1073.129 |

*ATTENTION: Consider the width of the chair frame!

| OPTIONS SERIES | RECTANGLE | SEMICIRCLE | 60° TRAPEZOID | 67.5° TRAPEZOID | 90° TRIANGLE |
|---|-----------|------------|---------------|-----------------|--------------|
| Chrome-plated frame | | | | | |
| Glued | | | | | |
| Compact board 12 mm | | | | | |
| ASSODUR [®] edge | | | | | |
| Table top with 40 mm corner radius | | | | | including* |
| Round cable outlet / multimedia socket | | | | | |
| Grille cable channel | | | | | |
| Cable tray | | | | | |
| Felt floor protectors | | | | | |
| Teflon floor protectors | | | | | |
| 2 fixed castors for longitudinal or transverse side | | | | | ** |
| Tidy Box | | | | | |
| *only available with 40 mm corner radius | | | | | |

*only available with 40 mm corner radius

** 1 fixed castor on the rear table leg



| СМ D | EEP | | 70 CM DEEP | | | | | | |
|--------|----------|----------|------------|----------|----------|----------|----------|--|--|
| | | | | | | | | | |
| 01.302 | | 1001.304 | 1001.077 | | 1001.147 | 1001.167 | 1001.187 | | |
| x 65 | 130 x 65 | 150 x 65 | 70 x 70 | 120 x 70 | 140 x 70 | 160 x 70 | 180 x 70 | | |
| ٢g | 26 kg | 28 kg | 16 kg | 23 kg | 28 kg | 31 kg | 35 kg | | |

S-SHAPED TABLES:

Countless variable table combinations for all purposes can be "put together" from the numerous table top shapes and sizes.



OPTIONS | SERIES S-SHAPED TABLES

2 fixed castors for longitudinal or transverse side

Chrome-plated frame

Felt floor protectors

Teflon floor protectors

Glued

LINKING AND STACKING TABLES:


Easily stackable without dismantling to save space: Simply lift a few centimetres and slide it over the lower table; the welded frame makes them particularly stable.


| ASSODUR [®] edge | | | | | - |
|---------------------------|-------------------|----------|----------|----------|----------------------|
| Info | Corner radius: 40 | mm | | | Corner radius: 40 mm |
| Weight · Size 6 | 13 kg | 22 kg | 15 kg | 28 kg | 26 kg |
| Dimensions W x D in cm | 60 x 60 | 120 x 60 | 70 x 70 | 140 x 70 | 140 x 70 x 70 |
| MODEL | 1016.066* | 1016.126 | 1016.077 | 1016.147 | 1018.147 |
| | | | | | |
| "S-SHAPE" TABLES | RECTANGLE | | | | 60° TRAPEZOID |

*ATTENTION: Consider the width of the chair frame!



TABLE COMBINATIONS WITH S-SHAPED TABLES







1026.077 Linking and stacking table with protruding legs on the longitudinal side

| LINKING AND STACKING TABLES | PROTRUDING LEGS ON LONGITUDINAL SIDE | | | | | | | | | |
|--------------------------------|--------------------------------------|----------|----------|----------|----------|----------|----------|----------|--|--|
| | → ← | | → · · < | | → | ← | → | - | | |
| MODEL | 1026.075 | 1026.076 | 1026.077 | 1026.088 | 1026.135 | 1026.136 | 1026.147 | 1026.168 | | |
| Dimensions W x D in cm | 70 x 55 | 75 x 65 | 70 x 70 | 80 x 80 | 130 x 55 | 130 x 65 | 140 x 70 | 160 x 80 | | |
| Weight · Size 6 | 15 kg | 18 kg | 18 kg | 21 kg | 23.3 kg | 25.7 kg | 29 kg | 35 kg | | |
| Stackability | 4 pieces | 4 pieces | 4 pieces | 4 pieces | 4 pieces | 4 pieces | 4 pieces | 4 pieces | | |

| Felt floor protectors Teflon floor protectors 2 castors on the long side ASSODUR® edge Chair suspension Guide rails with Tidy Box | OPTIONS LINKING | AND STACKING TABLES SERIES |
|--|-----------------------|----------------------------|
| Felt floor protectors Teflon floor protectors 2 castors on the long side ASSODUR® edge Chair suspension Guide rails with Tidy Box | Chrome-plated frame | e |
| Teflon floor protectors 2 castors on the long side ASSODUR® edge Chair suspension Guide rails with Tidy Box | Glued | |
| 2 castors on the long side ASSODUR® edge Chair suspension Guide rails with Tidy Box | Felt floor protectors | |
| ASSODUR® edge Chair suspension Guide rails with Tidy Box | Teflon floor protecto | ors |
| Chair suspension Guide rails with Tidy Box | 2 castors on the long | j side |
| Guide rails with Tidy Box | ASSODUR® edge | |
| , | Chair suspension | |
| Bag book | Guide rails with Tidy | Box |
| Dag Hook | Bag hook | |





1026.075 Linking and stacking table gapless connection despite protruding legs



1026.147 Linking and stacking table stackable up to 4 tables





Solid beech wood table frame, with wooden frame on all sides



5822 4-legged rectangular table with wooden frame, Frame of wooden studs half round beech lacquered

WOODEN TABLES

- solid beech wooden table frame from sustainable forestry, environmentally friendly lacquered with water-based lacquer
- 25 mm thick working surface with additional melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 3 mm plastic edge in the colour of the top, for finish selection see A2S material overview
- many different table top sizes and shapes
- optional edge beech concealed edge band crowned natural lacquered
- tables available in heights 72 or 75 cm



5822 Table with wooden frame 7414 WAVE cantilever chair with seat and back upholstery

| WOODEN TABLES | 70 CM | | | | | 80 CM | | | | |
|---|----------------------------|------------|------------------|------------------------|-----------|-----------------|------------|------------|------------|------------|
| | | | | | | | | | | |
| MODEL | 5820 | 5821 | 5822 | 5823 | 5824 | 5800 | 5801 | 5802 | 5803 | 5804 |
| Dimensions W x D in cm | 70 x 70 | 120 x 70 | 140 x 70 | 160 x 70 | 190 x 70 | 80 x 80 | 120 x 80 | 140 x 80 | 160 x 80 | 190 x 80 |
| Weight H 72/75 cm | 16.5/17 kg | 24.5/25 kg | 26.5/27 kg | 31.5/32 kg | 35.5/36 k | g 19.5/20 kg | 27.5/28 kg | 30.5/31 kg | 34.5/35 kg | 39.5/40 kg |
| WOODEN TABLES | TRAPEZOII | DAL | | SEMICIRCL | E | | | | | |
| MODE | | | | - | 50 | | | | | |
| MODEL | 5817 | 580 | | 5818 | 58 | | | | | |
| Dimensions W x D in cm Weight H 72/75 cm | 140 x 70 x 7 26.5/27 kg | | 80 x 80 33 kg | 140 x 70 26,5/27 kg | | x 80 5/33 kg | | | | |
| | 20.5/27 kg | 52.57 | SS KY | 20,3/27 kg | 32, | 5/ 55 KY | | | | |
| OPTIONS | RECTANGL | E TRAF | EZOIDAL | SEMICIRCL | E | | | | | |
| Stained frame | | | | | | | | | | |
| Glued | | | | | | | | | | |
| Concealed edge band crowned | | | | | | | | | | |
| Round cable outlet / multimedia socket | | | | | | | | | | |
| Grille cable channel | | | | | | | | | | |
| Felt floor protectors | | | | | | | | | | |
| Table height optional 72 or 75 cm | | | | - | | | | | | |





| 80 | СМ |
|----|----|
| 00 | 0 |






TABLE ATTACHMENTS, FRONT AND SIDE PANELS FOR METAL TABLE SYSTEM

- cover board as well as sides and front with melamine coated finishboard in particularly scratch-resistant and shock-proof design, 60 Series in corpus construction or 20 Series with holder made of round tube 40 x 2 mm powder-coated, see A2S material overview
- 3 mm and 1 mm plastic edge in board colour, for finish selection see A2S material overview
- 20 Series available with one-sided or double-sided linking
- fixing of front and side panels with steel panel holder, powder-coated, see A2S material overview

TABLE TOPS | HEIGHT 36 CM

FOR RECTANGULAR TABLES

| MODEL | per i | | | | | | | |
|------------------------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Freestanding | 2053.080 | 2053.090 | 2053.100 | 2053.120 | 2053.140 | 2053.160 | 2053.180 | 2053.200 |
| Linking one-sided left/right | 2053.081 | 2053.091 | 2053.101 | 2053.121 | 2053.141 | 2053.161 | 2053.181 | 2053.201 |
| Linking double-sided | 2053.082 | 2053.092 | 2053.102 | 2053.122 | 2053.142 | 2053.162 | 2053.182 | 2053.202 |
| Dimensions W x D | 80 x 36 cm | 90 x 36 cm | 100 x 36 cm | 120 x 36 cm | 140 x 36 cm | 160 x 36 cm | 180 x 36 cm | 200 x 36 cm |
| | | | | | | | | |

| TABLE ATTACHMENTS HEIGHT 36 CM | FOR PENTAGONAL TABLES | FOR HEXAGONAL | TABLES | OPTIONS TABLE ATTACHMENTS | | |
|----------------------------------|-----------------------|-----------------|-----------------|--------------------------------------|--|--|
| | | | | Chrome-plated frame (20 Series only) | | |
| | T I I | 1 | | Glued | | |
| MODEL | | | | | | Table top with corner radius 40 mm (only table attachments for rectangular tables) |
| Freestanding | 2055.070 | 2054.070 | 2054.080 | | | |
| Linking one-sided left/right | 2055.071 | 2054.071 | 2054.081 | | | |
| Linking double-sided | 2055.072 | 2054.072 | 2054.082 | | | |
| Dimensions W x D | 120 x 120 cm | 120 x 120/70 cm | 137 x 137/80 cm | | | |

TABLE ATTACHMENTS DEPTH 26 CM

FOR RECTANGULAR TABLES 22.5 OR 32 CM HEIGHT

FOR CORNER SOLUTIONS 22.5 OR 32 CM HEIGHT

20 Series elegant appearance:

continuous table leg and with matching

front and side panels

20 Series high and deep enough

for standard folders


| MODEL | 6010 | 6011 | 6012 | 6013 | 6014 | 6015 | 6016 | 6020 |
|---------------------|------|------|------|------|------|------|------|---------|
| Table width in cm | 80 | 90 | 120 | 140 | 160 | 180 | 190 | 80 x 80 |
| For corner board | | | | | | | | 90° |
| No. of compartments | 2 | 2 | 3 | 4 | 4 | 5 | 5 | 1 |
| | | | | | | | | |

FRONT AND SIDE PANELS | HEIGHT 33 CM

| | | T | | | | | | | | |
|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| MODEL | | | | | | | | | | |
| Front and side panel | 2050.060 | 2050.070 | 2050.080 | 2050.090 | 2050.100 | 2050.120 | 2050.140 | 2050.160 | 2050.180 | 2050.200 |
| Linking one-sided left/right | 2050.061 | 2050.071 | 2050.081 | 2050.091 | 2050.101 | 2050.121 | 2050.141 | 2050.161 | 2050.181 | 2050.201 |
| Linking double-sided | 2050.062 | 2050.072 | 2050.082 | 2050.092 | 2050.102 | 2050.122 | 2050.142 | 2050.162 | 2050.182 | 2050.202 |
| For table depth | 60 cm | 70 cm | 80 cm | 90 cm | 100 cm | 120 cm | 140 cm | 160 cm | 180 cm | 200 cm |
| Dimensions B | 46.8 cm 50.8 cm 54.8 cm | 56.8 cm 60.8 cm 64.8 cm | 66.8 cm 70.8 cm 74.8 cm | 76.8 cm 80.8 cm 84.8 cm | 86.8 cm 90.8 cm 94.8 cm | 106.8 cm 110.8 cm 114.8 cm | 126.8 cm 130.8 cm 134.8 cm | 146.8 cm 150.8 cm 155.8 cm | 166.8 cm 170.8 cm 174.8 cm | 186.8 cm 190.8 cm 194.8 cm |



and linkable



| MODEL | 0904 | 3035.002 | 0905 |
|-------------|--|---|--|
| Description | Plastic, matt chrome-plated Ø 80 mm | Die-cast zinc matt nickel-plated Ø 90 mm | 220V, double USB A+C and cable outlet, optionally expandable HDMI or network socke the cable outlet function is retained when the ex- sion is inserted |
| | | | |





Table partition with fabric cover: Pinboard, privacy and glare protection in one

FLEXIBLE TABLE PARTITION SYSTEM

- 46 cm high partition wall, quickly mountable to the tabletop using allen key and easily retrofitted
- table partition wall system in 2 different versions: 3-layer finish board, 25 mm (E1) with 3 mm plastic edge in board colour or robust softwood sandwich board as pinboard with fabric cover according to A2S colour chart, sound-absorbing
- fastening to round steel tube, Ø 40 x 2 mm, powder-coated or chrome-plated
- suitable for 1000 and 2000 table systems from 60 to 200 cm width
- corner solutions possible
- you will find our selection of fabrics, finishes and steel colours in the A2S material overview

OPTIONS

| Chrome-plated frame | |
|---------------------|--|
| Material groups 1-2 | |
| WOOL | |
| Magnetic | |





Mounting by means of Allen screw on the table top; installation of the partition walls is also possible on triangular and semicircular tables. You will find the A2S table systems from p. 88.





Connection of T-shaped partition walls

TABLE PARTITION SYSTEM | HEIGHT 46 CM



| , | | | | | | | | | | | |
|--|---------------------------|---------------------------|---------------------------|------------------|--------------------------|-------------------|--------------------------|---------------------------|--------------------------|---------------------------|---------------------------|
| for single tables Partition wall width in cm | 1 099.060 46.8 | 1099.070 56.8 | 1 099.080 66.8 | 1099.090 76.8 | 1 099.100 86.8 | 1099.120 106.8 | 1099.140 126.8 | 1099.150 136.8 | 1099.160 146.8 | 1099.180 166.8 | 1 099.200 186.8 |
| for side partition* Partition wall width in cm | 1098.060 46.8 | 1098.070 56.8 | 1098.080 66.8 | 1098.090 76.8 | 1098.100 86.8 | | | | | | |
| for one-sided linking Partition wall width in cm | 1 099.06 1 50.8 | 1 099.07 1 60.8 | 1 099.08 1 70.8 | 1099.091 80.8 | 1 099.101 90.8 | 1099.121 110.8 | 1099.141 130.8 | 1 099.151 140.8 | 1099.161 150.8 | 1 099.181 170.8 | 1 099.201 190.8 |
| for double-sided linking partition wall width in cm | 1099.062 54.8 | 1099.072 64.8 | 1 099.082 74.8 | 1099.092 84.8 | 1 099.102 94.8 | 1099.122 114.8 | 1099.142 134.8 | 1099.152 144.8 | 1099.162 154.8 | 1099.182 174.8 | 1099.202 194.8 |
| for table width, depth in cm | 60 | 70 | 80 | 90 | 100 | 120 | 140 | 150 | 160 | 180 | 200 |
| *optional with metal clamp f | or T-shaped | d connectior | n without su | pport colum | n | | | | | | |

A2S.COM



Coherent colour concept: The finish and fabric colours of the partition wall system match the table tops and table panels as well as the chairs' upholstery colours.

The 46 cm high partition walls allow more concentrated work due to less distraction, also available with tables with one-sided or double-sided linking.



9232.800 Rolling container handleless with central lock on robust castors with stable cover board 1 utensil drawer, 1 drawer 2 HU, 2 drawers of 3 HU

CONTAINERS/ROLLING CONTAINERS AND BASE UNITS 🛃

- containers in 2 different versions: height 56 cm with sturdy castors for stowing under the table height 49 cm as a permanently mounted base unit
- low-emission finishboard (19 mm) with 2 mm plastic edge in board colour, for finish selection see A2S material overview
- robust fittings and drawers
- including central lock
- accessories for interior separation
- handleless rolling containers with integrated damping function
- handles in different shapes selectable contact your A2S area manager
- info: the height of the drawers is indicated in "HU"; 1 HU = 5.3 cm



9109.601 1 utensil drawer, 1 drawer 2 HU, 2 drawers of 3 HU



9109.603 1 utensil drawer, 2 drawers of 2 HU each, 1 drawer 4 HU



9109.604 1 utensil drawer, 1 drawer 2 HU, 1 drawer 6 HU incl. suspension file insert DIN A4

9109 SERIES | ROLLING CONTAINER | W 44 X H 57 CM (FOR STOWING UNDER THE TABLE)

| 0. | |
|--|---|
| 9109.601 | 9109.603 |
| 9109.801 | 9109.803 |
| Utensil drawer 1 HU 1 drawer 2 HU 2 drawers à 3 HU | Utensil drawer 1 H 2 drawers à 2 HU 1 drawer 4 HU |
| | 9109.801 Utensil drawer 1 HU 1 drawer 2 HU |

| 9231/9232 SERIES ROLLING CONTAINER HANDLELESS W 44 X H | HS | 57 | C |
|--|----|----|---|
|--|----|----|---|

| | 1-12 C |
|--------------------|---|
| MODEL 60 CM DEEP | 9231.600 |
| MODEL 80 CM DEEP | 9231.800 |
| Equipment | Utensil drawer 1 HU 1 Drawer 2 HU 1 drawer 6 HU |
| | |

| 9119 SERIES | BASE | UNITS | I w | 43 | хн | 50 | см |
|-------------|------|-------|------|----|----|----|------|
| JUS SERIES | DASE | UNITS | 1 44 | 43 | лп | 50 | CIVI |

| MODEL 65 CM DEEP | 9119.701 | 9119.703 | |
|-----------------------------|--|--|--|
| MODEL 75 CM DEEP | 9119.801 | 9119.803 | |
| Equipment | Utensil drawer 1 HU 1 drawer 2 HU 2 drawers à 3 HU | Utensil drawer 1 HU 2 drawers à 2 HU 1 drawer 4 HU | |
| *incl. Suspension file inse | ert DIN A4 | | |

ACCESSORIES FOR ROLLING CONTAINERS AND BASE UNITS



| D 59 cm - 9100.600 | D 59 cm - 9200 |
|-------------------------------|-----------------------|
| D 79 cm - 9100.800 | D 79 cm - 9200 |
| Cover fabrics price group 1-4 | Cover fabrics pr |



A2S.COM









contact your A2S area manager

POLSTER COVER FOR ROLLING CONTAINER HANDLELESS

| 0.600 | | |
|----------------|--|--|
| 0.800 | | |
| rice group 1-4 | | |
| | | |



Multifunctional benefit with back wall in magnetic design





9131.080 Pull-out pantry body pure white U400, front maple D033

9131.080 Pull-out pantry with 2 shelves and 4 Tidy Boxes



9135.080 Pull-out pantry with suspension file

- low-emission finish board (19 mm) with gapless plastic edge in board colour, for finish selection see A2S material overview
- front colour freely selectable
- back wall optional white magnetic or as pin board with cork coating
- complete opening by full extension
- lockable
- 3 different equipment variants: Storage compartments with suspension file or Tidy Boxes and bag compartment
- Tidy Boxes in 2 different sizes selectable: 4 x small or 2 x large or 2 x small and 1 x large



Lots of storage space directly at the workplace **9133.080** Pull-out pantry with 3 shelves, lockable **5580.148** OFFICE desk motorised height adjustable 9335.001 WAVE gas-lift swivel chair with seat and back upholstered with wave padding





| 913ER SERIES PULL-OUT PA | NTRIES | | | | | |
|--------------------------------|---|---|---------------------------|---------------------------|--|--|
| | | | | | | |
| MODEL | 9131.080 | 9132.080 | 9133.080 | 9134.080 | 9135.080 | 9136.080 |
| Equipment | 2 storage compartments 1 bag compartment 4 Tidy Boxes | 2 storage compartments 1 bag compartment 4 Tidy Boxes | 3 storage compartments | 3 storage compartments | 2 storage compartments 1 pocket compartment hanging file | 2 storage compartments 1 pocket compartment hanging file |
| Dimensions W/H/D | 45 x 109 x 82 cm | 45 x 109 x 82 cm | 45 x 109 x 82 cm | 45 x 109 x 82 cm | 45 x 109 x 82 cm | 45 x 109 x 82 cm |
| Table on the side of the table | left | right | left | right | left | right |
| Suitable table depth | 80 cm | 80 cm | 80 cm | 80 cm | 80 cm | 80 cm |
| Lockable | | | | | | |
| OPTIONS | | | | | | |
| Magnetic backplane | | | | | | |
| Back wall covered with cork | | | | | | |

| 913ER SERIES PULL-OUT PA | NTRIES | | | | | |
|--------------------------------|---|---|---------------------------|---------------------------|--|--|
| | | | 1 | | | |
| MODEL | 9131.080 | 9132.080 | 9133.080 | 9134.080 | 9135.080 | 9136.080 |
| Equipment | 2 storage compartments 1 bag compartment 4 Tidy Boxes | 2 storage compartments 1 bag compartment 4 Tidy Boxes | 3 storage compartments | 3 storage compartments | 2 storage compartments 1 pocket compartment hanging file | 2 storage compartments 1 pocket compartment hanging file |
| Dimensions W/H/D | 45 x 109 x 82 cm | 45 x 109 x 82 cm | 45 x 109 x 82 cm | 45 x 109 x 82 cm | 45 x 109 x 82 cm | 45 x 109 x 82 cm |
| Table on the side of the table | left | right | left | right | left | right |
| Suitable table depth | 80 cm | 80 cm | 80 cm | 80 cm | 80 cm | 80 cm |
| Lockable | | | | | | |
| OPTIONS | | | | | | |
| Magnetic backplane | | | | | | |
| Back wall covered with cork | | | | | | |



Large handle for comfortable opening











Combination of privacy screen and storage space. The height is chosen exactly so that the shelf can be used as a counter for small meetings.

CORPUS FURNITURE | OVERVIEW



A2S CORPUS FURNITURE Corpus furniture system 110 Corpus furniture learning spaces Г E ļ Hallway furniture system Tidy Boxes Sink cabinets Display cases Corpusfurniture administration



| | | | ат. 86 в | |
|---|-------------------|------------|-------------|-----|
| 6 | 116 | 117 | 117 | |
| 0 | 122 | 122 | 124 | |
| 6 | 126 | 126 | 126 | 126 |
| | | | | |
| | | | | |
| 7 | 127 | 127 | 127 | 127 |
| | | | | 127 |
| 9 | 129 | 129 | 127 | 127 |
| | | | | 127 |
| | 129 129 130 | 129 132 | 129 | |
| 9 | 129 | 129 | | 127 |
| | 129 129 130 | 129 132 | 129 | |


CUSTOM-MADE CABINETS

Things always have to be stored well and safely in educational institutions. Ideally, our A2S cabinet system in the EURO grid DIN 18000 can be adapted to any situation, from a single item to a wall unit to a built-in cabinet. This means that a solution can always be found for the most diverse rooms. And you can be sure that you purchase A2S quality from Germany, persistent and resilient.

BASIC CONSTRUCTION

- low-emission, 19 mm thick 3-layer fish board according to DIN EN 14 322 (E1), shock-proof, scratch- and abrasion resistant
- the plastic edges in board colour are 1-2 mm thick (info p. 190)
- all cabinets are firmly doweled and glued ex works; it guarantees high stability and smooth, quick assembly
- all back walls made of 8 mm thick, low-emission 3-layer finish board are grooved and glued all around
- shelves on metal shelf supports with pull-out protection are adjustable by means of row hole drilling

- the opening hinged doors can be opened by the stable, visible all-metal bands up to 240 degrees
- Iocks with exchangeable cylinder core are optionally available with plate or pin cylinder available
- different base variants enable an optimal adaptation to the room and use. Standard bases are available with independently selectable finish and also up to 3 FH, also roller frames with rubberised castors are possible - thus makes them mobile cabinets



POSSIBILITIES FOR INDIVIDUAL ADAPTATION

- heights and depths of the cabinets can be modified in a grid of 32
- widths can be freely selected individually to make the most of the room
- maximum corpus dimensions of 125 x 250 x 70 cm are possible
- possible base heights for wooden base: 60, 100, 150 cm
- 1-part and 2-part combination cabinets, see pages 110/111



A2S.COM



2 FH CH: 285.1 | CorH: 78.7

1 FH CSH: 246.7 | CorH: 40.3 CAH: 38.4

Ladder rail guide H: 2.5

5 FH CH: 203.9 | CorH: 193.9

4 FH CH: 165.5 | CorH: 155.5

3 FH CH: 127.1 | CorH: 117.1 CAH: 115.2

2 FH CH: 88.7 | CorH: 78.7 CAH: 76.8

1 FH CorH: 40.3

Base H: 10


CH = Cabinet height CorH = Corpus height CAH = Corpus attachment height FH = Folder height 1 FH = 38.4 cm

Cabinet depths: 42 cm or 58 cm. plus front thickness of 2 cm e.g. for hinged doors

Cabinet heights: refer to a 10 cm high base

COMBINATION CABINETS 1-PART

1-part combination cabinets have fixed combinations in 5 FH




COMBINATION CABINETS 2-PART

- combinable from two freely selectable cabinet types
- the combination top cabinet (2 FH/3 FH) and top cabinet (2 FH) configure from basic cabinet 2 FH and 3 FH
- If the combination top cabinet must have the same width as the base cabinet, two narrow base cabinets and one wide combination top cabinet are not possible

STRUCTURE OF CABINET COMBINATIONS


EXAMPLES COMBINATION CABINETS 2-PART


consisting of base cabinet + combination top cabinet or shelf



| COMBINATION CABINETS 2-DOOR | LOCKABLE ON ONE SIDE | | LOCKABLE ON BOTH SIDES | | WITH SUSPENSION FILE CABINET | | |
|--------------------------------|----------------------|------------|------------------------|--------------|------------------------------|----------|----------|
| | | | | | | | |
| FH | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Height | 204 cm | 204 cm | 204 cm | 204 cm | 204 cm | 204 cm | 204 cm |
| Number of shelves | 2+2 | 2+2 | 4+2 | 4+2 | 2 | 1 | 1 |
| Number of extracts | | | | | 2 | 3 | 3 |
| Center panel | lower 2 FH | lower 2 FH | continuously | continuously | | | |
| DEPTH | 44 CM | 60 CM | 44 CM | 60 CM | 44 CM | 44 CM | 60 CM |
| Width 80 cm | 4215.650 | 4216.650 | 4485.650 | 4486.650 | 4153.650 | 4155.650 | 4156.650 |
| Width 100 cm | 4215.950 | 4216.950 | 4485.950 | 4486.950 | | | |
| | | | | 4486.850 | | | |

Due to the additional shelf, the combination top cabinet is always 19 mm lower in order to be able to keep to the folder heights and to avoid height offset in cabinet walls.





4243.820






4243.620

SHELVES 🛃

SHELVING UNITS WITHOUT CENTER PANEL

FH 5 5 4 4 3 3 2 2 Height with base 204 cm 204 cm 165 cm 165 cm 127 cm 127 cm 89 cm 89 cm Height combi top cabinet 115 cm 115 cm 77 cm 77 cm Number of shelves 4 3 3 2 2 DEPTH 42 CM 58 CM 42 CM 58 CM 42 CM 58 CM 42 CM 58 CM Width 41 cm 4425.250 4426.250 4425.240 4426.240 4425.230 4426.230 4425.220 4426.220 Width 61 cm 4425.450 4426.450 4425.440 4426.440 4425.430 4426.430 4425.420 4426.420 Width 80 cm 4425.650 4426.650 4425.640 4426.640 4425.630 4426.630 4425.620 4426.620 4425.951 4426.951 4425.941 4426.941 4425.931 4426.931 4425.921 4426.921 Width 100 cm 4425.850 4426.850 4425.840 4426.840 4425.830 4426.830 4425.820 4426.820 Width 120 cm

SHELVING UNITS WITH CENTER PANEL





| FH | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 2 |
|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| Height top cabinet | 40 cm | 40 cm | 79 cm | 79 cm | 40 cm | 40 cm | 79 cm | 79 cm |
| Height combi top cabinet | 38 cm | 38 cm | 77 cm | 77 cm | 38 cm | 38 cm | 77 cm | 77 cm |
| Number of shelves | | | 1 | 1 | | | 1 | 1 |
| Center panel | | | | | | | | |
| DEPTH | 42 CM | 58 CM |
| Width 40 cm | 4121.210 | 4122.210 | 4121.220 | 4122.220 | | | | |
| Width 60 cm | 4121.410 | 4122.410 | 4121.420 | 4122.420 | | | | |
| Width 80 cm | 4121.610 | 4122.610 | 4121.620 | 4122.620 | 4123.610 | 4124.610 | 4123.620 | 4124.620 |
| Width 100 cm | 4121.911 | 4122.911 | 4121.921 | 4122.921 | 4123.910 | 4124.910 | 4123.920 | 4124.920 |
| Width 120 cm | 4121.810 | 4122.810 | 4121.820 | 4122.820 | 4123.810 | 4124.810 | 4123.820 | 4124.820 |
| | | | | | | | | |



CORNER SHELVES

| ОН | 5 | 4* | 3* | 2* |
|-------------------|----------|----------|----------|----------|
| Height | 204 cm | 165 cm | 127 cm | 89 cm |
| Number of shelves | 4 | 3 | 2 | 1 |
| DEPTH | 70 CM | 70 CM | 70 CM | 70 CM |
| Width 70 cm | 4062.050 | 4062.040 | 4062.030 | 4062.020 |

The bases of corner shelves must always be covered. *For heights 2-4 FH, additional cover boards must be assembled.





SUSPENDED SHELVES WITHOUT CENTER PANEL



| FH | 2 | 1 | 2 | 1 |
|-------------------|----------|----------|----------|----------|
| Height | 79 cm | 40 cm | 79 cm | 40 cm |
| Number of shelves | 1 | | 2 | |
| Center panel | | | | |
| DEPTH | 42 CM | 42 CM | 42 CM | 42 CM |
| Width 41 cm | 4939.220 | 4939.210 | | |
| Width 61 cm | 4939.420 | 4939.410 | | |
| Width 80 cm | 4939.620 | 4939.610 | 4941.620 | 4941.610 |
| Width 100 cm | 4939.921 | 4939.911 | 4941.920 | 4941.910 |
| Width 120 cm | 4939.820 | 4939.810 | 4941.820 | 4941.810 |
| | | | | |

WALL UNITS 🍊 🚔

| WALL UNITS | 1-DOOR ONE-SIDED LOCKABLE | 2-DOOR ONE-SIDED LOCKABLE | | 2-DOOR ONE-SIDED LOCKABLE WITH CENTER PANEL | 2-DOOR LOCKABLE ON BOTH SIDES WITH CENTER PANEL |
|-------------------|---------------------------------|---------------------------------|----------|--|--|
| | | | | | |
| FH | 2 | 2 | 1 | 2 | 2 |
| Height | 79 cm | 79 cm | 40 cm | 79 cm | 79 cm |
| Number of shelves | 1 | 1 | 0 | 2 | 2 |
| DEPTH | 44 CM | 44 CM | 44 CM | 44 CM | 44 CM |
| Width 41 cm | 4931.220 | | | | |
| Width 61 cm | 4931.420 | | | | |
| Width 80 cm | | 4933.620 | 4933.610 | 4935.620 | 4937.620 |
| Width 100 cm | | 4933.920 | 4933.910 | 4935.920 | 4937.920 |
| Width 120 cm | | 4933.820 | 4933.810 | 4935.820 | 4937.820 |



A2S.COM





4063.010

4063.020

| level | |
|-------|--|


TÜVRheinland



HINGED DOOR CABINETS 🛃



2-DOOR | LOCKABLE ON ONE SIDE WITHOUT CENTER PANEL





| FH | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 2 |
|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| Height top cabinet | 40 cm | 40 cm | 79 cm | 79 cm | 40 cm | 40 cm | 79 cm | 79 cm |
| Height combi top cabinet | 38 cm | 38 cm | 77 cm | 77 cm | 38 cm | 38 cm | 77 cm | 77 cm |
| Number of shelves | | | 1 | 1 | | | 1 | 1 |
| DEPTH | 44 CM | 60 CM |
| Width 41 cm | 4203.210 | 4204.210 | 4203.220 | 4204.220 | | | | |
| Width 61 cm | 4203.410 | 4204.410 | 4203.420 | 4204.420 | | | | |
| Width 80 cm | | | | | 4213.610 | 4214.610 | 4213.620 | 4214.620 |
| Width 100 cm | | | | | 4213.910 | 4214.910 | 4213.920 | 4214.920 |
| Width 120 cm | | | | | 4213.810 | 4214.810 | 4213.820 | 4214.820 |



| FH | 5 | 5 | 4 | 4 | 3 | 3 | 2 | 2 |
|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| Height with base | 204 cm | 204 cm | 165 cm | 165 cm | 127 cm | 127 cm | 89 cm | 89 cm |
| Height combi top cabinet | | | | | 115 cm | 115 cm | 77 cm | 77 cm |
| Number of shelves | 8 | 8 | 6 | 6 | 4 | 4 | 2 | 2 |
| Center panel | | | | | | | | |
| DEPTH | 44 CM | 60 CM |
| Width 80 cm | 4405.650 | 4406.650 | 4405.640 | 4406.640 | 4405.630 | 4406.630 | 4405.620 | 4406.620 |
| Width 100 cm | 4405.950 | 4406.950 | 4405.940 | 4406.940 | 4405.930 | 4406.930 | 4405.920 | 4406.920 |
| Width 120 cm | 4405.850 | 4406.850 | 4405.840 | 4406.840 | 4405.830 | 4406.830 | 4405.820 | 4406.820 |

2-DOOR | LOCKABLE ON BOTH SIDES WITH CENTER PANEL

| FH | 5 | 5 | 4 | 4 | 3 | 3 | 2 | 2 |
|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| Height with base | 204 cm | 204 cm | 165 cm | 165 cm | 127 cm | 127 cm | 89 cm | 89 cm |
| Height combi top cabinet | | | | | 115 cm | 115 cm | 77 cm | 77 cm |
| Number of shelves | 8 | 8 | 6 | 6 | 4 | 4 | 2 | 2 |
| Center panel | | | | | | | | |
| DEPTH | 44 CM | 60 CM |
| Width 80 cm | 4441.650 | 4446.650 | 4441.640 | 4446.640 | 4441.630 | 4446.630 | 4441.620 | 4446.620 |
| Width 100 cm | 4441.950 | 4446.950 | 4441.940 | 4446.940 | 4441.930 | 4446.930 | 4441.920 | 4446.920 |
| Width 120 cm | 4441.850 | 4446.850 | 4441.840 | 4446.840 | 4441.830 | 4446.830 | 4441.820 | 4446.820 |

TOP MOUNTED SHELVES 2-DOOR WITH CENTER PANEL

ONE-SIDED LOCKABLE



| FH | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 2 |
|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| Height top cabinet | 40 cm | 40 cm | 79 cm | 79 cm | 40 cm | 40 cm | 79 cm | 79 cm |
| Height combi top cabinet | 38 cm | 38 cm | 77 cm | 77 cm | 38 cm | 38 cm | 77 cm | 77 cm |
| Number of shelves | | | 1 | 1 | | | 1 | 1 |
| Center panel | | | | | | | | |
| DEPTH | 44 CM | 60 CM |
| Width 80 cm | 4223.610 | 4224.610 | 4223.620 | 4224.620 | 4225.610 | 4226.610 | 4225.620 | 4226.620 |
| Width 100 cm | 4223.910 | 4224.910 | 4223.920 | 4224.920 | 4225.910 | 4226.910 | 4225.920 | 4226.920 |
| Width 120 cm | 4223.810 | 4224.810 | 4223.820 | 4224.820 | 4225.810 | 4226.810 | 4225.820 | 4226.820 |



A2S.COM

| -1 | н. | _ |
|----|----|---|
| | | 5 |
| н | н | J |
| | | |

2-D00R LOCKABLE ON BOTH SIDES



SLIDING DOOR CABINETS 🛃



| SLIDING DOOR CABINETS WITH CENTER PANEL | | | | | | | етѕ with ci | ENTER PANEL |
|---|---|---|---|--|--|---|---|--|
| | | | | | | | | |
| | | | | | | | | |
| 3 | 3 | 2 | 2 | 2 | 1 | 1 | 2 | 2 |
| 127 cm | 127 cm | 89 cm | 89 cm | 89 cm | | | | |
| | | | | | 40 cm | 40 cm | 79 cm | 79 cm |
| 115 cm | 115 cm | 77 cm | 77 cm | 77 cm | 38 cm | 38 cm | 77 cm | 77 cm |
| 4 | 4 | 2 | 2 | 2 | | | 1 | 1 |
| 42 CM | 58 CM | 42 CM | 58 CM | 48 CM | 42 CM | 58 CM | 42 CM | 58 CM |
| 4243.630 | 4244.630 | 4243.620 | 4244.620 | | 4205.610 | 4206.610 | 4205.620 | 4206.620 |
| 4243.930 | 4244.930 | 4243.920 | 4244.920 | | 4205.910 | 4206.910 | 4205.920 | 4206.920 |
| 4243.830 | 4244.830 | 4243.820 | 4244.820 | | 4205.810 | 4206.810 | 4205.820 | 4206.820 |
| | | | | 4040.820 | | | | |
| | 3 127 cm 115 cm 4 42 CM 4243.630 4243.930 | 3 3 127 cm 127 cm 115 cm 115 cm 4 4 4243.630 4244.630 4243.930 4244.930 | 3 3 2 127 cm 127 cm 89 cm 115 cm 115 cm 77 cm 115 cm 115 cm 20 4242 cM 42 2 4243.630 4244.630 4243.620 4243.930 4244.930 4243.920 | 3322127 cm127 cm89 cm89 cm115 cm115 cm77 cm77 cm442242 cM58 cM42 cM58 cM4243.6304244.6304243.6204244.9204243.9304244.9304243.9204244.920 | 33222127 cm127 cm89 cm89 cm89 cm127 cm127 cm77 cm77 cm77 cm115 cm115 cm77 cm77 cm77 cm4422242 cM58 cM42 cM58 cM48 cM4243.6304244.6304243.6204244.62014243.8304244.8304243.8204244.8201 | 332221127 cm127 cm89 cm89 cm89 cm1127 cm127 cm77 cm77 cm38 cm15 cm127 cm77 cm77 cm38 cm115 cm115 cm77 cm77 cm38 cm4422242 cM58 cM48 cM42 cM4243.6304244.6304243.6204244.6204205.6104243.8304244.8304243.8204244.8204205.810 | 332221127 cm127 cm89 cm89 cm89 cm1127 cm127 cm89 cm89 cm80 cm40 cm115 cm115 cm77 cm77 cm38 cm38 cm44222140 cm42 cM58 cM42 cM58 cM42 cM58 cM4243.6304244.6304243.6204244.6204205.6104206.6104243.8304244.8304243.8204244.8204205.8104206.810 | 33222112127 cm127 cm89 cm89 cm89 cm12127 cm127 cm70 cm89 cm89 cm70 cm70 cm15 cm115 cm77 cm77 cm77 cm38 cm38 cm77 cm15 cm115 cm77 cm77 cm38 cm38 cm77 cm442221142 cM58 cM42 cM58 cM42 cM42 cM4243.6304244.6304243.6204244.6204205.6104206.6104243.8304244.8304243.8204244.8204205.8104206.8104205.820 |

SLIDING DOOR CABINETS WITH CENTER PANEL, LOCKABLE

F

Ľ.

DRAWER CABINETS

| FH | 5 | 5 |
|-------------------|----------|----------|
| Height | 204 cm | 204 cm |
| Number of shelves | 8 | 8 |
| Center panel | | |
| DEPTH | 62 CM | 62 CM |
| Width 240 cm | 4708.850 | 4706.850 |



FH 2 2 2 2 2 2 2 2 Height with base 89 cm 4 12 12 Number of extracts 4 6 6 8 8 Central locking н. Center panel DEPTH 42 CM 58 CM 42 CM 42 CM 58 CM 42 CM 58 CM 58 CM Width 40 cm 4541.220 4542.220 4543.220 4544.220 4545.920 4546.920 4547.920 4548.920 4541.420 4542.420 4543.420 4544.420 4545.820 4546.820 4547.820 4548.820 Width 60 cm Width 80 cm 4541.620 4542.620 4543.620 4544.620 Width 100 cm 4541.920 4542.920 4543.920 4544.920 4541.820 4542.820 4543.820 4544.820 Width 120 cm



ROLLER SHUTTER CABINETS 🍊 🚔


| ROLLER SHUTTER CAE | BINETS | | | | | | | |
|--------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | | | | | | | |
| FH | 5 | 5 | 4 | 4 | 3 | 3 | 2 | 2 |
| Height with base | 204 cm | 204 cm | 165 cm | 165 cm | 127 cm | 127 cm | 89 cm | 89 cm |
| Number of shelves | 4 | 4 | 3 | 3 | 2 | 2 | 1 | 1 |
| DEPTH | 42 CM | 58 CM |
| Width 80 cm | 4531.650 | 4532.650 | 4531.640 | 4532.640 | 4531.630 | 4532.630 | 4531.620 | 4532.620 |
| Width 100 cm | 4531.950 | 4532.950 | 4531.940 | 4532.940 | 4531.930 | 4532.930 | 4531.920 | 4532.920 |
| Width 120 cm | 4531.850 | 4532.850 | 4531.840 | 4532.840 | 4531.830 | 4532.830 | 4531.820 | 4532.820 |

ROLLER SHUTTER TOP CABINETS



| FH | 3 | 3 | 2 | 2 |
|--------------------------|----------|----------|----------|----------|
| Height top cabinet | 117 cm | 117 cm | 79 cm | 79 cm |
| Height combi top cabinet | 115 cm | 115 cm | 77 cm | 77 cm |
| Number of shelves | 2 | 2 | 1 | 1 |
| DEPTH | 42 CM | 58 CM | 42 CM | 58 CM |
| Width 80 cm | 4533.630 | 4534.630 | 4533.620 | 4534.620 |
| Width 100 cm | 4533.930 | 4534.930 | 4533.920 | 4534.920 |
| Width 120 cm | 4533.830 | 4534.830 | 4533.820 | 4534.820 |

MEDIA CADDY



FH = folder height Height specifications refer to a 10 cm high base.







| 1 | 1 |
|--------------------------|--------------------------|
| 40 cm | 40 cm |
| 38 cm | 38 cm |
| 0 | 0 |
| | |
| 42 CM | 58 CM |
| 42 CM 4533.610 | 58 CM 4534.610 |
| | |
| 4533.610 | 4534.610 |

SHUTTERS


White 9010 Aluminium look



9126.001 Media Caddy

CORPUS FURNITURE | CORPUS FURNITURE FOR LEARNING SPACES

EXAMPLE COMBINATIONS



COMBINATION CONSISTING OF:

- 1 x 0290 Rear panel
- 1 x **4011.621** Base unit with 9 large Tidy Boxes, 2 doors, lockable
- 1 x **4011.621** Base unit with 18 small Tidy Boxes, 2 doors, lockable
- 2 x **4730.104** Shelf extension without center panel
- 1 x 4750.601 Media workstation



- space-saving integration of media workstations in one cabinet wall
- table top available in sizes ISO 4-7
- optionally with cable aperture or hinged built-in sockets back wall covered with fabric and useable as pin board,
- see A2S material overview
- revisable cover for simple, concealed cable routing between wall sockets and tabletop
- side panels for better glare and privacy protection

- 1 x **0288** Cover skirting board front
- 1 x 6872 Board profile
- 1 x 6814 423 Sliding board element, pinboard
- 1 x 6814 323 Sliding board element, white steel
- 1 x 8389 PAGHOLZ[®] Gas-lift swivel stool
- with castors



MEDIA WORKSTATIONS



| DEPTH | 48/58 CM |
|-------------------|---------------------------|
| Height | ISO size Table height 4-7 |
| W 80 cm | 4750.601 |
| W 100 cm | 4750.901 |
| Number of shelves | 1 |









4 x **0290** Rear panel 3 x 4244.500 Sliding door cabinet

- 3 x 4730.900 Shelf extension without center panel
- 3 x 2739.941 Connecting panel for ladder rail
- 3 x **4213.920** Top mounted cabinet 2 FH
- 1 x **2739.099** Ladder rail
- 1 x 0259 Suspended ladder
- 1 x 6872 Board profile
- 3 x 6814923 Sliding board element, sheet steel green/white
- 2 x **0288** Cover skirting board front

CABINETS FOR MULTIFUNCTIONAL BOARD SYSTEM

- ideally combined with the multifunctional board system 120 x 80 cm portrait or landscape format
- additional storage space behind the boards
- can be combined with hinged door and sliding door base units in special heights, for individual planning please contact your A2S area manager
- optional with top mounted cabinets with hinged or sliding doors

| SHELF EXTENSIONS | WITHOUT CENTER PANEL | WITH CENTER PANEL | SHELF EXTENSIONS V | WITH TIDY BOXES | |
|-------------------|----------------------|-------------------|----------------------|-----------------|-----------|
| | | | | | 888 |
| DEPTH | 36/42/48/52/58 CM | 36/42/48/52/58 CM | DEPTH | 48/52 CM | 48/52 CM |
| Height | 87/128 cm | 87/128 cm | Height | 87/128 cm | 87/128 cm |
| W 70 cm | 4730.070 | 4731.070 | W 70 cm | 4740.070 | |
| W 80 cm | 4730.600 | 4731.600 | W 105 cm | | 4741.104 |
| W 100 cm | 4730.900 | 4731.900 | Number of shelves | 2 | 3 |
| W 105 cm | 4730.104 | 4731.104 | Number of Tidy Boxes | 8 | 12 |
| W 120 cm | 4730.800 | 4731.800 | | | |
| Number of shelves | 2 | 4 | | | |

BASE UNITS WITH TIDY BOXES



| DEPTH | 48 CM | 48 CM | 48 CM | 48 CM |
|---|-----------------------|-----------------------|-----------------------|-----------------------|
| Height | 76 cm | 76 cm | 76 cm | 76 cm |
| Width | 70 cm | 105 cm | 70 cm | 105 cm |
| Tidy Boxes small, number of Tidy Boxes | 4128.421 12 pieces | 4128.621 18 pieces | 4011.421 12 pieces | 4011.621 18 pieces |
| Tidy Boxes large, number of Tidy Boxes | 4129.423 6 pieces | 4129.623 9 pieces | 4011.421 6 pieces | 4011.621 9 pieces |







2 x **0290** Rear panel

1 x **4129.623** Base unit with 9 large Tidy Boxes

1 x **4128.621** Base unit with 18 small Tidy Boxes

2 x **4730.900** Shelf extension without center panel

1 x **0288** Cover skirting board front

1 x 6872 Board profile

2 x 6814323 Sliding board element, sheet steel white









2-DOOR | ONE-SIDED LOCKABLE



CHANGE

multifunctional cabinet with doors at the front and back: storage, pinboard, whiteboard and room divider in one; optionally as shelf cabinet or drawer cabinet with Tidy Boxes

CHANGE CABINET SERIES CABINETS AND SIDEBOARDS A.



- CHANGE cabinets made of low-emission 3-layer finish board (E1), scratch-resistant coating, for finish selection see A2S material overview
- with a particularly durable plastic edge even in humid climate
- modern rounded aluminium profile corners reduce the risk of injury and make the furniture more resistant
- doors lockable at front and back
- sturdy metal frame with 4 robust, rubberized plastic castors
- CHANGE sideboard without doors with lots of storage space, thanks to Tidy Boxes and large storage compartment



4130.502 CHANGE sideboard offers space for 16 small or 8 large Tidy Boxes





CHANGE cabinet with closed doors

CHANGE SHELF CABINET



MODEL

4130.501 with 3 shelves

4130.503 with 2 shelves and 12 small Tidy Boxes



OPTIONS Back panel cork linoleum









Rounded aluminium profiles





4130.506 CHANGE Caddy with door, lockable



- modern rounded aluminium profile corners reduce the risk of injury and make the furniture more resistant
- CHANGE Caddies made of low-emission 3-layer finish board (E1), for finish selection see A2S material overview
- sturdy metal frame with 4 robust, rubberized plastic castors
- multifunctional as storage space at the table, room divider or small counter



Rounded aluminium profiles



Magnetic linking system for connecting several caddies, e.g. to form a material cabinet



Optionally with magnetic sides





4130.505 CHANGE Caddy open on one side

4130.506 CHANGE Caddy with door



CHANGE CADDIES

Magnetic side walls





| MODEL | 4130.505 | 4130.506 | 4130.507 | 9124 |
|------------------------|--|--|--|--|
| Design | Caddy open on one side | Caddy with door, lockable | Caddy open on both sides | Media Caddy with roller shutters and drawers |
| Dimensions W/H/D in cm | 38 x 111 x 55 | 38 x 111 x 55 | 38 x 111 x 55 | 43 x 111 x 65 |
| Weight | 31 kg | 36 kg | 33 kg | 56 kg |
| Number of compartments | 2 x storage space 3 small Tidy Boxes or 1 small and 1 large Tidy Box | 2 x storage space 3 small Tidy Boxes or 1 small and 1 large Tidy Box | 1 x storage space 2 x 3 small Tidy Boxes or 2 x 1 small and 1 large Tidy Box | 2 x drawers 1 x pull-out shelf 1 x storage compartment |
| | | 1 | | |



A2S.COM





4130.507 CHANGE Caddy open on both sides



Lockable utensil drawer and pull-out

Fully extendable base for laptop

Smooth-running, lockable plastic roller shutter





STORAGE WITH CHARGING FUNCTION

LAPTOP CABINET WOOD

- cabinet made of low-emission 3-layer finish board (E1), scratch-resistant coating, for finish selection see A2S material overview
- easy movement of the cabinet due to 2 handles on the sides and castor frame with 4 double swivel castors, 2 of which are lockable
- lockable with safety lock
- 2 x 8-way power socket with inrush current limiter
- cable holder on the back wall on the left for winding up the power cable

LOCKER CHARGING CABINET, STEEL

- space for laptops, tablets or cell phones in separate lockable compartments
- locking with individual combination code lock
- the devices can be charged via sockets, USB-A, USB-C or SYNC
- 2 internal sockets per compartment, with integrated ventilation system

LAPTOP-/TABLET CABINET, STEEL

- the locks on the front and rear doors ensure that the appliances are stored securely
- high-guality rubber wheels with ball bearings, 2 of which are equipped with a locking brake
- separate compartment at the back of the trolley for storing power supply units and USB ports
- 32 compartments with integrated ventilation system

TABLET CASE

- the hard-shell case is robust and easy to transport thanks to its wheels and telescopic handle
- devices can be charged via USB-A ports
- ventilation openings protect the devices from overheating
- two locks with keys in the hinges ensure that the tablets are kept locked away
- charging plug and two illuminated on/off switches on the outside





4440.200 Laptop cabinet from the front, open


4440.200 Laptop cabinet from behind, closed





4188.008 Locker charging cabinet, steel

4189.032 Laptop-/tablet cabinet, steel







4440.200 Laptop cabinet from behind, open





4187.016 Tabletcase

| IG | LAPTOP-/TABLET CABINET, STEEL | TABLET CASE |
|---------------------------------|--|----------------------|
| | | |
| 010 / 4188.012 | 4189.032 | 4187.016 |
| | 32 | |
| | | |
| | 88 x 65 cm | 40 x 34 cm |
| | 85 cm | 60 cm |
| (g | 58 kg | 9 kg |
| | | |
| | 43 x 30 x 3.7 cm | 29 x 22 x 2 cm |
| | | |
| ablets or sepa- partments | space for 32 laptops (15.6") or tablets on 2 shelves with 16 compartments each | space for 16 tablets |


| BOOKSHI | BOOKSHELVES AND ROOM DIVIDERS | | | | | | |
|-------------------------------------|--|---|--|--|---|--|--|
| | BUILDING AND PLAY TROLLEY | BOOK TROLLEY | | REVERSIBLE LIBRARY | CIRCULAR SEGMENT SHELF | QUARTER CIRCLE SHELF | |
| | | | | | | | |
| MODEL | 4009.011 | 6432.002 | 6432.003 | 6432.004 | 4425.150 | 4801.921 | |
| Dimensions W/H/D | 74 x 71 x 74 cm | 90 x 98 x 33 cm | 120 x 158 x 65 cm | 93 x 98 x 48 cm | 154 x 91 x 59 cm | 137 x 92 x 48 cm | |
| Number of compart- ments/shelves | 12/ 2 | 3 | 8 | 3 | 4 | 4 | |
| Design | building and play trolley, mobile, with 6 Tidy Boxes on both sides and one shelf | mobile book shelf, one-sided useable with 3 straight shelves | mobile book shelf, usable on both sides with 4 straight shelves | Reversible library, mobile, usable on both sides, one side with 3 shelves, one side with 3 raised shelves for books | mobile, inner radius 208 cm with cover plate and side handles | mobile, inner radius 49 cm, can be combined with property lockers | |

SHELVES AND ROOM DIVIDERS

SHELVES/ROOM DIVIDERS | WOOD

| - |
|---|
| _ |

| DESIGN | BASIC SHELF | EXTENSION SHELF |
|--------------------------------|-------------|-----------------|
| Number of shelves | 6 per side | 6 per side |
| Dimensions W/H cm | 83 x 203 cm | 80 x 203 cm |
| Depth 34 cm | 6220 | 6225 |
| Depth 72 cm | 6230 | 6235 |
| | | |
| OPTIONS | | |
| Movable bookend (0992) | | |
| Shelf with guide groove (0638) | | |
| Magazine shelf (0644) | | |
| Labelling carrier (0652) | | |
| Labelling strip (0653) | | |





| DESIGN | BASIC SHELF | EXTENSION SHELF | SHELF |
|-------------------|--------------|-----------------|----------|
| Number of shelves | 5 | 5 | 1 |
| Dimensions W/H cm | 106 x 200 cm | 101 x 200 cm | W 100 cm |
| Depth 30 cm | 6280 | 6285 | 0600 |
| Depth 40 cm | 6281 | 6286 | 0601 |
| Depth 50 cm | 6282 | 6287 | 0602 |
| Depth 60 cm | 6283 | 6288 | 0603 |
| | | | |



End bracket (6220010)







Quick-adjustable bookend



Labelling carriers



Ρ

DEPTH

Width 104 cm

| PROPERT | LOCK | | CENTRICENT CENTRICENT © 000001/200 | | | |
|---|-----------------------|-----------------------|--|-------------------------|------------------------------|-----------------------|
| PROPERTY LOCKERS | | | | | | |
| | | | | | | |
| MODEL | 4001.820 | 4003.830 | 4002.820 | 4004.820 | 4005.820 | 4006.820 |
| Dimensions W/H/D | 138 x 89 x 48 cm | 138 x 118 x 48 cm | 138 x 89 x 48 cm | 138 x 89 x 48 cm | 138 x 89 x 48 cm | 138 x 89 x 48 cm |
| No. of compartments | 6 | 6 | 9 | 6 | 3 | 3 |
| Number of Tidy Boxes | | | | | 8 x small / 4 x large | 8 x small / 4 x large |
| PROPERTY LOCKERS | | | | 2-DOOR ONE-SIDE | DLOCKABLE | |
| | | | | | | |
| MODEL | 4007.820 | 4020.820 | 4015.820 | 4011.620 | 4011.820 | |
| Dimensions W/H/D | | | 4015.820 138 x 89 x 48 cm | 104 x 89 x 48 cm | 4011.820 138 x 89 x 48 cm | |
| No. of compartments | 138 x 89 x 48 cm 3 | 138 x 89 x 48 cm 3 | 130 X 07 X 48 (11) | 104 1 07 1 40 (11) | 130 X 07 X 40 LIII | |
| Number of Tidy Boxes | 16 x small | S 8 x large | 16 x small, 8 x large | 24 x small / 12 x large | 32 x small / 16 x large | |
| | | | | | | |
| PROPERTY LOCKERS | | | | | | |
| | | | | | | |
| MODEL | 4128.420 | 4128.620 | 4128.820 | 4129.422 | 4129.622 | 4129.822 |
| Dimensions W/H/D | 70 x 89 x 48 cm | 104 x 89 x 48 cm | 138 x 89 x 48 cm | 70 x 89 x 48 cm | 104 x 89 x 48 cm | 138 x 89 x 48 cm |
| Number of Tidy Boxes | 16 x small | 24 x small | 32 x small | 8 x large | 12 x large | 16 x large |
| OPTIONS PROPERTY Option mobile* Magnetic back panel Back wall covered with | cork nature | RS 🗲 | | | | |
| MATERIAL LOCKERS | SHELVES | | 2-DOOR LOCKABL | E ON ONE SIDE WITH | OUT CENTER PANEL | |
| | | | | | | |
| FH | 4 | 5 | 5 | | | |
| Height | 166 cm | 204 cm | 204 cm | | | |
| Number of shelves | 6 | 6 | 2 | | | |
| Number of Tidy Boxes | 12 x small | 30 x small | 24 x small / 12 x larg | e | | |
| | | | | | | |

48 CM

MATERIAL LOCKERS MATERIAL CABINET GARAGE CABINET

48 CM

4127.640


| | MODEL | 4134.001 | 4497.650 | 4497.850 |
|---|-------------------|---------------------------------|--|------------------------------|
| | Dimensions W/H/D | 36 x 86 x 48 cm | 80 x 204 x 58 cm | 120 x 204 x |
| | Number of shelves | | 2 | 2 |
| _ | Doors | | | |
| | Design | for up to 8 small Tidy Boxes | with hinged door, for 2 material trolleys | with hinged for 3 materia |

48 CM

4127.650

* Height for mobile cabinets + 3 cm





| Option mobile* | | | | | | | | |
|---------------------|-----------------|-----------------|------------------|------------------|-----------------|-----------------|------------------|------------------|
| Dimensions W/H/D | 90 x 89 x 42 cm | 90 x 89 x 58 cm | 120 x 89 x 42 cm | 120 x 89 x 58 cm | 90 x 89 x 42 cm | 90 x 89 x 58 cm | 120 x 89 x 42 cm | 120 x 89 x 58 cn |
| No. of compartments | 9 | 9 | 12 | 12 | 12 | 12 | 16 | 16 |
| MODEL | 4260.629 | 4261.629 | 4262.820 | 4263.820 | 4252.629 | 4253.629 | 4264.820 | 4265.820 |

* Height for mobile cabinets + 3 cm

SPECIALIST CLASSROOM CABINETS



DRAWING CABINETS MADE OF SHEET STEEL DIN AO MODEL 4182 4183 4185 4186 Powder-coated RAL 1013 pearl white RAL 1013 pearl white RAL 1013 pearl white RAL 1013 pearl white Dimensions W/H/D 135 x 76 x 96 cm 135 x 76 x 96 cm 110 x 76 x 76.5 cm 110 x 76 x 76.5 cm Number of extracts 8 10 8 10



| INSTRUMENT CABINETS | |
|---------------------|--|
| | |



| MODEL | 4444.011 | 4444.012 | 4444.850 |
|------------------|--|---|--|
| Doors | 2-door | 2-door | 2-door |
| Dimensions W/H/D | 120 x 204 x 60 cm | 120 x 204 x 60 cm | 150 x 204 x 73 cm |
| Design | lockable on one side, without center panel, 2 removable shelves, 8 small compartments at bottom right | individually lockable on both sides, with center panel, 8 removable shelves, 10 small compartments on the right, container for small parts on the inside of the doors | individually lockable on both sides, with center panel, 5 removable shelves, 4 small compartments, 3 compartments on the bottom right, holders and containers on the inside of the doors |

WARDROBES 🛃



WARDROBE CABINETS

WITH LONGITUDINAL EXTENSION ROD



| | | A COLOR OF A | A CONTRACTOR OF THE OWNER |
|-----------------------------|----------|---|---------------------------|
| FH | 5 | 5 | 5 |
| Height | 204 cm | 204 cm | 204 cm |
| Number of shelves | 0 | 0 | 4 |
| Center panel | | | |
| DEPTH | 44 CM | 44 CM | 44 CM |
| Width 61 cm | 4403.450 | | |
| W. UL 00 | | | |
| Width 80 cm | | | 4407.650 |
| Width 80 cm Width 100 cm | | 4443.950 | 4407.650 4407.950 |
| | | 4443.950 4443.850 | |

| WARDROBE | WITH |
|----------|------|
| SHELVES | WIII |

CLOTHES RAIL CROSSWISE

WARDROBE SHELVES



| FH | 5 | 5 | MODEL |
|-------------------|----------|----------|-----------------|
| Height | 204 cm | 204 cm | Height with bas |
| Number of shelves | 1 | 2 | Dimensions W x |
| Center panel | | | No. of compartr |
| DEPTH | 58 CM | 58 CM | Design |
| Width 61 cm | 4419.450 | | |
| Width 80 cm | 4419.650 | 4429.650 | |
| Width 100 cm | 4419.951 | 4429.950 | |
| Width 120 cm | 4419.850 | 4429.850 | |

OPTIONS

Tidy Box small Tidy Box large



FH = folder height Height specifications refer to a 10 cm high base.




A2S.COM









WITH 3-FOLD COAT HOOK

| | L | |
|---|---|---|
| | ÷ | - |
| | | - |
| | | |
| | | |
| - | _ | _ |



| | 4032.441 | 4032.641 |
|--------|--|--|
| ase | 175 cm | 175 cm |
| хD | 70 x 48 cm | 104 x 48 cm |
| tments | 4 | 6 |
| | one compartment consisting of: Top compartment equipped with 3-fold coat hooks, bottom compartment equipped with 2 pairs of Tidy Box rails | one compartment consisting of: Top compartment equipped with 3-fold coat hooks, bottom compartment equipped with 2 pairs of Tidy Box rails |
| | | |
| | | |
| 1 | 4 or 8 pieces | 6 or 12 pieces |
| 9 | 4 pieces | 6 pieces |



Hallway cabinets with top mounted cabinets provide sufficient storage space; the integrated seating niche with benches and table for primary pupils creates a cosy area for short breaks or a quiet workplace for individual or group work

HALLWAY FURNITURE SYSTEM WITH SEATING NICHES 🛃

- flexible for different rooms and budgets
- in 5 FH and 2 different widths for 1 or 2 students
- top mounted cabinet in 1 FH or 2 FH with plenty of storage space
- carrier board material certified hardly flammable according to DIN 4102 B1
- finish white hardly flammable according to DIN 4102 B1
- cabinet-high handle strips, keep the escape route clear and are easy to grip from any height
- optionally all cabinets lockable
- in 3 different equipment variants
- with coat hook for jackets
- with Tidy Boxes optionally large and small
- small Tidy Boxes also fit under the A2S tables
- pull-out stools with non-slip foot
- base distributor for levelling
- bodies with connecting screws securely interconnected
- seating niche for primary school with 2 seating benches in TAFF B1 or ARTIFICIAL LEATHER B1 and 1 table
- Seating niche high school with a bench in TAFF B1 or ARTIFICIAL LEATHER B1, optionally with button upholstery in ARTIFICIAL LEATHER B1
- finish and material colour selection see A2S Material overview
- seating niches can also be combined with other 5 FH A2S cabinets, e.g. in the classroom or administrative area
- for individual planning also as a corner solution or with inclined roof please also contact your A2S area manager

HALLWAY CABINETS IN **3 EQUIPMENT VARIANTS** FOR 1 OR 2 PUPILS





Coat hook Coat hooks Tidy Box and Tidy Boxes and stool





Hallway cabinets in 2 widths and 3 equipment variants establish order; the seating niche with optional button pad backrest offers seating comfort in the hallway without having to adjust the escape routes

| HALLWAY | HALLWAY | ABINET | | | ED CABINET | SEATINH NICHE | PRIMARY | SECONDARY |
|---|-------------|-------------------------|-----------------------|-------------|-------------|--|--|-----------------------|
| FURNITURE SYSTEM | HALLWAIN | ADIREI | | | ED CADINET | SEATINIT MOTE | SCHOOL | SCHOOL |
| | | | | | E | | | |
| FH | 5 | 5 | 5 | 1 | 2 | FH | 5 | 5 |
| Width 36 cm \cdot for 1 pupil | 6670.250 | 6671.250 | 6672.250 | 6675.210 | 6675.220 | | 6680.001 | 6680.002 |
| Width 48 cm \cdot for 2 pupils | 6670.950 | 6671.950 | 6672.950 | 6675.910 | 6675.920 | Dimensions | 144 x 203.9 | 144 x 203.9 |
| Dimensions H/D in cm | 203.9 x 58 | 203.9 x 58 | 203.9 x 58 | 40.3 x 58 | 78.7 x 58 | W/H/D in cm | x 70 | x 70 |
| 1 fixed floor above | | | | | | Seat height in cm | 38 | 50 |
| 1 fixed floor below | | | - | | | Bench | self-supporting | self-supporting |
| Adjustable shelf | 3 | | | | | Full upholstery | B1 hardly B1 hardly flammable, flammable PG 2 and 4 PG 4 | |
| Shelf with bottom panel | - | | | | | | | flammable, PG 4 |
| Coat hooks | | 1/2 | 1/2 | | | Seat upholstery | 102 4114 4 | 104 |
| Tidy Box bottom large transparent | | 1 | | | | thickness, W/D in cm | 13.5, 65 x 40 | 12.3, 140 x 60 |
| Tidy Boxes selectable large/small | | 2/0 or 1/2 or 0/4 | 1/0 or 0/2 | | | Back upholstery thickness, W/H in cm | 6.9, 65 x 50 | 6.3, 140 x 92 |
| Stool | | | 6690.200/ 6690.900 | | | Weight | 129 kg | 126 kg |
| Finishing side | 6674.050 | 6674.050 | 6674.050 | 6674.010 | 6674.020 | OPTIONS | | |
| Weight | 61 kg/71 kg | 57 kg/64 kg | 70 kg/82 kg | 14 kg/17 kg | 25 kg/29 kg | Top mounted | 4 x mod. | 4 x mod. |
| OPTIONS | | | | | | cabinet width 36 cm | 6675.210/ 6675.220 | 6675.210/ 6675.220 |
| Lockable | | | | | | Top mounted | 3 x mod. | 3 x mod. |
| Sloping roof one-sided | - | - | - | - | - | cabinet width 48 cm | 6675.910/ 6675.920 | 6675.910/ 6675.920 |
| Sloping roof on both sides | | ÷ | <u> </u> | | | Sloping roof one-sided | | 6675.920 |
| Sloping roor on both sides | - | - | - | - | - | Sloping roof one-sided | | - |

Backrest button pad

| OF HONS | | | |
|------------------------------|---|---|--|
| Lockable | = | - | |
| Sloping roof one-sided | = | | |
| Sloping roof on both sides | - | | |
| Sloping roof corner solution | - | - | |
| | | | |



Ensure order and provide plenty of storage space in cabinets





The practical Tidy Boxes are used in many areas - whether in the hallway or in the classroom they provide the necessary order and offer plenty of space to store writing utensils, toys or private items of students.

Possible for many table models

Can be individually personalized with name tags



the cabinet; to work, simply remove

Sliding door cabinet and media workstation p. 118 Property cabinet p. 127 Tables p. 48 Chairs p. 16



Plenty of space for personal items, such as shoes, as the Tidy Boxes can be cleaned easily

Hallway cabinets p. 130 Wardrobe shelves p. 129

TIDY BOXES

- in 2 sizes and 7 colours
- drawers made of saliva-proof plastic
- removable title block on the narrow side
- lengthwise and transversely insertable through circumferential handle strip
- fully recyclable
- optional: transparent lid

| TIDY BOX | SMALL | LARGE | COVER |
|------------------|--|--|------------------|
| | | | |
| Dimensions W/H/D | 31 x 7.5 x 43 cm | 31 x 15 x 43 cm | 30 x 1.5 x 42 cm |
| MODEL | 515267 522894 515264 515266 515265 515263 522895 | □ 515520 □ 522896 □ 515517 ■ 515519 ■ 515518 ■ 515516 ■ 522897 | □ 516340 |







Whether in dressing rooms or property lockers, personalizable name tags allow each student to find their own Tidy Box quickly



SINK CABINETS 🛃






| MODEL | 4438.650 | 4438.950 | 4438.850 |
|------------------|---|---|---|
| Doors | 2-door | 2-door | 2-door |
| Dimensions W/H/D | 80 x 204 x 60 cm | 100 x 204 x 60 cm | 120 x 204 x 60 cm |
| Design | lockable on one side, without back wall, with trailing base and recessed bottom panel | lockable on one side, without back wall, with trailing base and recessed bottom panel | lockable on one side, without back wall, with trailing base and recessed bottom panel |

DISPLAY CABINETS 🏠



| DISPLAY CABINETS | | HEIGHT SAFET ON ONE SIDE | Y GLASS | | SAFETY GL | 2/3 OF THE HEIGHT SLIDING GLASS DOOF SAFETY GLASS AT THE TOP INDIVIDUALLY LOCKABLE AND HINGED DOORS ON BOTH SIDES AT THE BOTTOM | | |
|---------------------|----------|-----------------------------|----------|----------|-----------|---|----------|--|
| | | | | | | | | |
| FH | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| Height | 204 cm | 204 cm | 204 cm | 204 cm | 204 cm | 204 cm | 204 cm | |
| Number of shelves | 4 | 4 | 4 | 4 | 8 | 8 | 4+2 | |
| Center panel | | | | | | | | |
| DEPTH | 44 CM | 60 CM | 44 CM | 60 CM | 44 CM | 60 CM | 44 CM | |
| Width 61 cm | 4411.450 | 4412.450 | | | | | | |
| Width 80 cm | | | | | | | 4355.650 | |
| Width 100 cm | | | 4413.950 | 4414.950 | 4451.950 | 4452.950 | 4355.950 | |
| Width 120 cm | | | 4413.850 | 4414.850 | 4451.850 | 4452.850 | 4355.850 | |
| | | | | | | | | |

DISPLAY CASES



*With magnetic back panel, optional back panel with coloured cork linoleum covering

**Back wall with coloured cork linoleum covering



MAGAZINE CABINETS



| MAGAZINE CABINET | S | |
|------------------|---|---|
| | | |
| MODEL | 4399.850 | 4398.950 |
| Doors | 2-door | 2-door |
| Dimensions W/H/D | 120 x 204 x 44 cm | 100 x 204 x 44 cm |
| Design | with 12 magazine flaps, with center panel at the top, bottom 2 FH 2-door, | with 12 magazine flaps without center panel a bottom 2 FH 2-door, |

individually lockable on both

COUNTER CABINETS 🕳 🖴

sides




sides

COUNTER CABINETS LOCKABLE

| Height | 105 cm | 105 cm | 115 cm | 115 cm |
|-------------------|----------|--|-----------------------------------|------------|
| Number of shelves | 2 | 2 | 2 | 2 |
| DEPTH | 42 CM | 58 CM | 42 CM | 58 CN |
| Width 100 cm | 4605.910 | 4600.910 | 4605.950 | 4600. |
| Width 120 cm | 4605.810 | 4600.810 | 4605.850 | 4600. |
| Info | | with 2 sliding do op with 6 small c | oors for secondar ompartments. | y schools. |

SUSPENSION FILE CABINETS



FH = folder height Height specifications refer to a 10 cm high base. A2S.COM



at the top,

individually lockable on both

M

0.950 0.850

ls.




COMBINATION CABINETS WITH TWO DOORS

| 5 | 5 | 5 |
|----------|----------|----------|
| 204 cm | 204 cm | 204 cm |
| 2 | 3 | 3 |
| 44 CM | 44 CM | 60 CM |
| 4153.650 | 4155.650 | 4156.650 |

TEACHER'S COMPARTMENT CABINETS 🔂




TEACHER'S COMPARTMENT CABINETS | LOCKABLE



TEACHER'S COMPARTMENT CABINETS | WITH MAILBOXES IN THE MIDDLE

| FH | 5 | 5 | 5 | 5 |
|-----------------------------|----------|----------|-------------------------------------|-------------------------------------|
| Height | 204 cm | 204 cm | 204 cm | 204 cm |
| No. of teacher compartments | 4 | 4 | 3 | 3 |
| Number of mailboxes | 4 | 4 | 3 | 3 |
| DEPTH | 44 CM | 60 CM | 44 CM | 60 CM |
| Width 41 cm | 4279.250 | 4280.250 | 4283.250 | 4284.250 |
| Width 61 cm | 4279.450 | 4280.450 | | |
| Info | | | lower 2 FH with 1 revolving door | lower 2 FH with 1 revolving door |

TEACHER'S LOCKERS CABINETS | WITH MAILBOXES CENTRED | WITH CENTRE PANEL





TEACHER'S COMPARTMENTS WITH MAILBOXES UNDERNEATH TEACHER'S COMPARTMENTS WITH LETTER SLOTS ABOVE

| FH | 5 | 5 | 5 |
|-------------------------------------|--------------------------|--------------------------|--------------------------|
| Height | 204 cm | 204 cm | 204 cm |
| No. of teacher compartments | 4 | 8 | 5 |
| Number of mailboxes | 4 | 8 | 5 |
| | | | |
| DEPTH | 44 CM | 44 CM | 44 CM |
| | 44 CM 4275.250 | 44 CM | 44 CM 4291.250 |
| DEPTH Width 41 cm Width 80 cm | | 44 CM 4277.650 | |
| Width 41 cm | | | |

MAILBOX CABINETS 💽 🖳 🖾



| MAILBOX | CABINETS | LOCKABLE | |
|---------|----------|----------|--|
| | | | |

| 5 | 5 |
|----------|-----------------------------------|
| 204 cm | 204 cm |
| 24 | 36/36/48 |
| 1 | 2 |
| 44 CM | 44 CM |
| 4477.450 | |
| | 4479.650 |
| | 4479.950 |
| | 4479.850 |
| | 204 cm 24 1 44 CM |

KITCHENETTE CABINETS

| | KITCHENETTE CABINETS | | SINK BASE CABINETS | |
|------------------|---|---|---|---|
| | | | ; | |
| MODEL | 4439.852 | 4459.100 | 6354.503 | 6354.420 |
| Doors | 2-door | Roller shutter | 1-door | 1-door |
| Dimensions W/H/D | 120 x 204 x 67 cm | 124 x 204 x 64 cm | 52 x 72 x 55 cm | 60 x 72 x 55 cm |
| Design | with carrying base, lockable on one side, supplemented by sink base cabinet 6354.503 and refrigerator or dishwasher | supplemented by sink base cabinet 6354.420 and refrigerator or dishwasher | addition to 4439.852 electrical and water connection on site | addition to 4459.100 electrical and water connection on site |

FH = folder height Height specifications refer to a 10 cm high base.



A2S.COM




5 5 5 204 cm 204 cm 204 cm 10 6 3 10 6 44 CM 44 CM 44 CM 4295.250 4293.650 4297.650 4293.950 4297.950 lower 2 FH with lower 2 FH with 2 revolving doors 1 revolving door


| SINK | BASE | CABIN | ETS |
|------|------|-------|-----|
|------|------|-------|-----|



A2S LOUNGE FURNITURE MODULA SYSTEM DOMINO MAZE CYLINDA BLOC COMFORT HI Lounge tables JUNIOR Folding couch Folding chair COCOON JOYN CHILL-Series Cube set CYLINDA SOFT







MODULA S-shape adjustment combination with 2 x **9389.045** back panel curved 9 x **9384.045** upholstered element 45° concave 4 x **4620.531** shelf curved, 3 OH 3 x **9384.245** upholstered element 45° convex 4 x **4620.541** shelf, curved, 4 OH 5 x **9388.045** back panel curved 2 x 9388.045 back panel curved incl. electrification


4 x **3135.074** table curved 4 x **7898** CHANGE bench 1-seater 1 x 2006.120 circular plate base table

MODULA SYSTEM 🛃



- well thought-out system for versatile combination possibilities and zoning
- double usability: concentrated work at the table and relaxed exchange on the upholstered elements
- flexibility through modular principle, expandable with straight DOMINO elements
- can be combined with the CYLINDA and BLOC series for more design options

MODULA EXAMPLE COMBINATIONS



- SEMICIRCLE 4 x **9384.045** upholstered element 45° concave 4 x **9388.045** back panel curved
- 9 x **3135.074** table curved
- 8 x 7898 CHANGE bench 1-seater
- 1 x **2006.120** circular plate base table




S-SHAPE 10 x **9384.045** upholstered element 45° concave 1 x 9384.001 DOMINO stool 2 x **2006.120** circular plate base table



WAVEFORM 12 x 9384.045 upholstery element 45° concave

- 12 x 9388.045 back panel curved
- 3 x **2006.120** circular plate base table
- 6 x 9359.045 CYLINDA stool 1-seater



RECTANGLE 8 x 9384.045 upholstered element 45° concave

- 3 x 9384.165 DOMINO bench with backrest
- 1 x 9359.090 CYLINDA stool 2-seater
- 3 x 9359.045 CYLINDA stool 1-seater



THREE-QUARTER CIRCLE 6 x 9384.045 upholstered element 45° concave

- 6 x 9388.045 back panel curved
- 1 x 2006.120 circular plate base table














MODULA UPHOLSTERY ELEMENTS 🍊 🚔 🏼

- robust construction and durable foams
- stable skid frame powder-coated in chrome silver 9006 as standard or optionally chrome-plated
- plastic floor protectors included
- easy-care and hard-wearing cover fabrics and leather covers selectable: WOOL, ARTIFICIAL LEATHER B1, FLEECE, PROTEX und PROTEX B1, colours see A2S material overview
- colours of backrest and seat separately selectable within one fabric group
- optionally fire protection-certified according to DIN 66084 P-a with B1 cover fabric
- extendable with straight DOMINO seat elements

| MODULA UPHOLSTERY ELEMENTS | CONCAVE/CONVEX S | | | STRAIGHT (DO | STRAIGHT (DOMINO SEATS) | | | |
|--|------------------|---------------|---------------|--------------|-------------------------|---------------|--|--|
| | | | | | | | | |
| MODEL | 9384.045 | 9384.245 | 9384.290 | 9384.001 | 9384.070 | 9384.165 | | |
| Dimensions W/H/D in cm | 107 x 75 x 69 | 161 x 75 x 69 | 182 x 75 x 69 | 69 x 45 x 69 | 69 x 75 x 69 | 165 x 75 x 69 | | |
| Seat height in cm | 45 | 45 | 45 | 45 | 45 | 45 | | |
| Segment angle | 45° | 45° | 90° | | | | | |
| Powder-coated frame | skids | skids | skids | skids | skids | skids | | |
| Weight | 19 kg | 37 kg | 36 kg | 18 kg | 24 kg | 48 kg | | |
| OPTIONS | | | | | | | | |
| Chrome-plated frame | | | | | | | | |
| Felt floor protectors | | | | | | | | |
| Floor mounting mod. 9384.904 screwed or glued | | • | • | | • | | | |



MODULA shelves with translucent acrylic glass back panel



MODULA back panels optionally with socket insert or USB port

MODULA BACK WALLS 🍊 🚔 🖾

sturdy wooden frame construction with fabric covering, incl. pre-assembled connecting elements

- curved back walls bent at a 45° angle
- including floor protectors with level compensation for levelling out uneven floors easy-care and hard-wearing cover fabrics and leather covers selectable: WOOL, ARTIFICIAL LEATHER B1, FLEECE, PROTEX und PROTEX B1, colours see A2S material overview
- use as room divider with sound insulation function, available in 3 different heights
- straight back walls can only be combined with matching seating elements of the DOMINO series
- curved back panels can only be combined with matching seating elements of the MODULA series

| MODULA BACK WALLS | CURVED | | | STRAIGHT | | | | | |
|---|-----------|-----------|----------|-----------|----------|-----------|----------|----------|----------|
| | | | | | | | | | |
| MODEL | 9389.045 | 9388.045 | 9383.045 | 9389.165 | 9389.069 | 9388.165 | 9388.069 | 9383.165 | 9383.069 |
| Dimensions W/H in cm | 115 x 180 | 115 x 130 | 115 x 95 | 165 x 180 | 69 x 180 | 165 x 130 | 69 x 130 | 165 x 95 | 69 x 95 |
| Depth in cm | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| Segment angle | 45° | 45° | 45° | | | | | | |
| Weight | 38 kg | 31 kg | 23 kg | 48 kg | 30 kg | 39 kg | 23 kg | 30 kg | 16 kg |
| | | | | | | | | | |
| OPTIONS | | | | | | | | | |
| Electric insert round Socket o. USB port | | 2 pieces | 2 pieces | | | 2 pieces | 1 piece | 2 pieces | 1 piece |

MODULA SHELVES AND TABLES 🍊 🚔

- corpus made of robust 3-layer chipboard (E1) and firmly glued, melamine coated, with 2 mm plastic edge, thickness 19 mm, for finish selection see A2S material overview
- shelving elements with translucent acrylic glass back panel, thickness 3 mm curved shelves and tables bent in 22.5° angle
- tables with footrest, chrome-plated
- including floor protectors with level compensation to compensate for uneven floors

| MODULA | SHELVES CURVED | | SHELVES STRAIGHT | | | | TABLE CURVED | TABLE STRAIGHT | |
|----------------------|-------------------|----------|---------------------|----------|----------|----------|-----------------|-------------------|----------|
| | | | | | | | | | |
| MODEL | 4620.541 | 4620.531 | 4610.542 | 4610.532 | 4610.541 | 4610.531 | 3135.074 | 3130.084 | 3130.064 |
| FH | 4 | 3 | 4 | 3 | 4 | 3 | | | |
| Dimensions W/H in cm | 75 x 166 | 75 x 127 | 83 x 166 | 83 x 127 | 69 x 166 | 69 x 127 | 75 x 110 | 83 x 110 | 69 x 110 |
| Depth in cm | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| Segment angle | 22.5° | 22.5° | | | | | 22.5° | | |
| Weight | 41 kg | 33 kg | 44 kg | 35 kg | 39 kg | 31 kg | 27 kg | 32 kg | 28 kg |



FH = folder height





- back walls in heights 95 cm and 130 cm optionally with 230 V socket insert and/or USB port, cable supply 2 m





DOMINO Series supplemented by elements of the CYLINDA Series




DOMINO UPHOLSTERY ELEMENTS

- robust construction and durable foams
- easy-care and hard-wearing fabrics and leather covers in a wide selection, in price group 1-4, see A2S material overview
- colour combinations freely selectable within a fabric group
- optionally fire protection-certified according to DIN 66084 P-a with B1 cover fabric
- Freely combinable individual modules, useable individually or in a fixed combination
- frame powder-coated in RAL 9006 chrome silver as standard or optionally chrome-plated
- table available with finish board or glass board

DOMINO BACK AND SIDE SCREEN WALLS

- privacy and sound insulation available in fabric groups WOOL, FLEECE and TAFF B1
- mounted height 135 cm
- protruding (9385.072) and standing back (9385.049) side screen walls



| MODULE SYSTEM DOMINO | STOOL | STOOL WITH BACKREST | BENCH | EXTERNAL ELEMENT/ CORNER ELEMENT | TABLE WITH GLASS BOARD/ FINISH BOARD |
|--|--------------|------------------------|-----------------|-------------------------------------|--|
| | | | | | |
| MODEL | 9384.001 | 9384.070 | 9384.165 | 9384.301R 9384.302L 9384.303E | 9384.003 9384.006 |
| Dimensions W/H/D in cm | 69 x 45 x 69 | 69 x 75 x 69 | 165 x 75 x 69 | 69 x 75 x 69 | 69 x 45 x 69 |
| Seat height in cm | 45 | 45 | 45 | 45 | |
| Powder-coated frame | skids | skids | skids | skids | skids |
| Weight | 18 kg | 24 kg | 48 kg | 25 kg | 30 kg/22 kg |
| | | | | | |
| OPTIONS | | | | | |
| Chrome-plated frame | | | | | |
| Felt floor protectors | | | | | |
| Floor mounting mod. 9384.904 | | | | | |
| MODULE SYSTEM DOMINO | BACK WALLS | | SIDE SCREEN WAL | .LS | |
| | * * | : : : | | | |
| MODEL | 9385.069 | 9385.165 | 9385.049 | 9385.072 | - |
| Dimensions W/H in cm | 69 x 123 | 165 x 123 | 49 x 123 | 72 x 123 | - |
| Weight | 11 kg | 22 kg | 9 kg | 11 kg | |
| 9384.001 | | | | | _ |
| 9384.070 | | | | | |
| 9384.165 | | | | | |
| 9384.301R | | | | | - |
| 9384.301L | | | | | - |
| 9384.301E | | | | | - |
| MODULE SYSTEM DOMINO | ARMREST | DOMINO PILLOW | | | |
| | | 11 | L | | NING OF CORNER |
| | | | | E = corn | er element |



| MODEL | 9384.004 | 9384.901 |
|------------------------|--------------|------------------|
| Dimensions W/H/D in cm | 22 x 52 x 69 | 45 x 45 x 7-9 cm |
| Weight | 9 kg | 0.5 kg |

A2S.COM



- L = external element left
- R = external element right



Fits together perfectly and offers numerous design possibilities: DOMINO and MAZE. For individual planning of your seating arrangements, please contact your A2S area manager.



- robust construction and durable foams
- easy-care and hard-wearing fabrics and leather covers in a wide selection, in price group 1-4, see A2S material overview
- colour combinations freely selectable within a fabric group
- optionally fire protection-certified according to DIN 66084 P-a with B1 cover fabric
- freely combinable individual modules, useable individually or in a fixed combination
- frame powder-coated in RAL 9006 chrome silver as standard or optionally chrome-plated

| MAZE | STOOL | STOOL WITH BACKREST |
|--|--------------------------|--------------------------|
| | | |
| MODEL | 9387.002 | 9387.147 |
| Dimensions W/H/D in cm | 138 x 45 x 97 | 138 x 75 x 97 |
| Seat height in cm | 45 | 45 |
| Powder-coated frame | round tube with platform | round tube with platform |
| Weight | 20 kg | 22 kg |
| | | |
| OPTIONS | | |
| Chrome-plated frame | | |
| Linking | | |
| Floor mounting mod. 9387.904 | | |

UPHOLSTERED STOOL



The seating islands of the **CYLINDA** and **BLOC** Series make diverse opportunities possible to place cosy and colourful spots.

CYLINDA AND BLOC SERIES 🎑 🔛 **UPHOLSTERED STOOL**

- robust construction and durable upholstery
- easy-care and hard-wearing upholstery fabrics and leather covers in a wide selection, in price group 1-4, see A2S material overview
- optionally fire protection-certified according to DIN 66084 P-a with B1 cover fabric felt or plastic floor protectors
- optional with floor fixing, suitable for concrete, tile, linoleum, rubber, vinyl, metal, wood, stone, glass, etc.

| | CYLINDA | | | BLOC | BLOC | | |
|------------------------------------|----------|----------|----------|-------------|-------------|-------------|--|
| | | | | | | | |
| MODEL | 9359.045 | 9359.090 | 9359.120 | 9358.042 | 9358.069 | 9358.096 | |
| Dimensions W/D in cm | Ø 45 | Ø 90 | Ø 120 | 42.5 x 42.5 | 69.5 x 42.5 | 96.5 x 42.5 | |
| Seat height in cm | 41 | 41 | 41 | 41 | 41 | 41 | |
| Weight | 7.8 kg | 20.4 kg | 30 kg | 8.4 kg | 13 kg | 18 kg | |
| OPTIONS | | | | | | | |
| Floor mounting screwed or glued | 9359.945 | 9359.990 | 9359.912 | 9358.942 | 9358.969 | 9358.996 | |

| | CYLINDA | | | BLOC | BLOC | | |
|------------------------------------|----------|----------|----------|-------------|-------------|-------------|--|
| | | | | | | | |
| MODEL | 9359.045 | 9359.090 | 9359.120 | 9358.042 | 9358.069 | 9358.096 | |
| Dimensions W/D in cm | Ø 45 | Ø 90 | Ø 120 | 42.5 x 42.5 | 69.5 x 42.5 | 96.5 x 42.5 | |
| Seat height in cm | 41 | 41 | 41 | 41 | 41 | 41 | |
| Weight | 7.8 kg | 20.4 kg | 30 kg | 8.4 kg | 13 kg | 18 kg | |
| | | | | | | | |
| OPTIONS | | | | | | | |
| Floor mounting screwed or glued | 9359.945 | 9359.990 | 9359.912 | 9358.942 | 9358.969 | 9358.996 | |







The colourful seating elements **CYLINDA** and **BLOC** combine comfort with maximum flexibility, even in small rooms, and are ideal in combination with our DOMINO and MAZE Series, see page 144-146









Backrests acoustically effective



ideal as a room-in-room solution

9396.168 COMFORT HI with **9386.001** C-shape table

COMFORT SERIES | COMFORT HI 🕳 🚔

- flat skid frame optionally chrome-plated or powder-coated in RAL 9006 chrome silver
- robust construction and durable upholstery
- easy-care and hard-wearing fabrics and leather covers in the fabric groups 1-4 in a wide selection, see A2S material overview
- colour combinations freely selectable within a fabric group
- optionally fire protection-certified according to DIN 66084 P-a with B1 cover fabric
- COMFORT HI with high backrests is a room divider and absorbs sound

| UPHOLSTERED FURNITURE COMFORT HI | 1-SEATER | 2-SEATER | 3-SEATER |
|-------------------------------------|----------------|----------------|----------------|
| | | | |
| MODEL | 9396.105 | 9396.168 | 9396.223 |
| Dimensions W/H/D in cm | 108 x 132 x 82 | 171 x 132 x 82 | 225 x 132 x 82 |
| Seat surface W/D in cm | 58 x 59 | 121 x 59 | 175 x 59 |
| Seat height in cm | 44 | 44 | 44 |
| Chrome-plated frame | flat skids | flat skids | flat skids |
| Frame RAL 9006 | | | |
| Weight | 64 kg | 86 kg | 108 kg |



LOUNGE TABLES

LOUNGE TABLES

table top with multi-layer melamine resin coating, therefore scratch- and impact-resistant and glare-free as standard, we supply the table with a 3 mm plastic edge in the colour of the table top, see A2S material overview

- chrome-plated frame
- optional edge with 40 mm corner radius

200 SERIES | TABLES WITH PLATE BASE

- round or square pedestal made of stainless steel or powder-coated, see A2S material overview
- stable due to the heavy plate base made of micro-alloyed steel/stainless steel satin finish
- plastic floor protectors with level compensation
- the entire range of plate base tables is on page 86

| 200 SERIES PLATE BASE TABLE | ROUND | | | | ELLIPTICAL | | | |
|--------------------------------|------------|------------|-------------|-------------|--------------|----------------|--------------|--------------|
| | | | | | | | | |
| MODEL | 2066.070 | 2066.080 | 2066.100 | 2066.120 | 2067.180 | 2067.200 | 2067.220 | 2067.240 |
| Stainless steel column | | | | | | | | |
| Height | 45 cm | 45 cm | 45 cm | 45 cm | 45 cm | 45 cm | 45 cm | 45 cm |
| Dimensions W x D | Ø 70 cm | Ø 80 cm | Ø 100 cm | Ø 120 cm | 180 x 110 cm | 200 x 120 cm | 220 x 120 cm | 240 x 130 cm |
| Disc base | Ø 50 cm | Ø 63 cm | Ø 63 cm | Ø 63 cm | Ø 63 cm | Ø 63 cm | Ø 63 cm | Ø 63 cm |
| Weight | 27 kg | 36 kg | 41 kg | 47 kg | 81 kg | 87 kg | 90 kg | 96 kg |
| 200 SERIES PLATE BASE TABLE | SQUARE | | RECTANGUL | AR | | | PLATE BASE | ABLE |
| | | | | | | Decor price gr | | ADEE |
| | | | | | | Table top HPL | , | |
| | | | | | | | giueu | |
| MODEL | 2065.077 | 2065.088 | 2065.127 | 2065.128 | _ | | | |
| Stainless steel column | | | | | | | | |
| Height | 45 cm | 45 cm | 45 cm | 45 cm | | | | |
| Dimensions W x D | 70 x 70 cm | 80 x 80 cm | 120 x 70 cm | 120 x 80 cm | | | | |
| Disc base | 50 x 50 cm | 50 x 50 cm | 40 x 80 cm | 59 x 90 cm | | | | |
| Weight | 36 kg | 38 kg | 55 kg | 57 kg | | | | |

LOUNGE TABLES

| MODEL | 9386.001 | 9386.137 |
|------------------------|--------------|---------------|
| Dimensions W/H/D in cm | 46 x 73 x 34 | 130 x 53 x 70 |
| Chrome-plated frame | C-shape | flat skids |
| Frame RAL 9006 | | |
| Weight | 6 kg | 26 kg |
| | | |

A2S.COM



25 mm thick working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free as standard we deliver the table with a 3 mm plastic edge in the colour of the top, for finish selection see A2S material overview


| | | | |
|----|------|----|---|
| EL | рτι | CA | L |



2066.070 Table with plate base, height 45 cm, ideal height as a lounge table for upholstered furniture

UPHOLSTERY SYSTEM JUNIOR EXAMPLE COMBINATIONS





1 x **9411.202** JUNIOR bench with backrest 1 x **9411.102** JUNIOR stool with backrest 1 x **9411.101** JUNIOR corner element 2 x **9411.103** JUNIOR stool 1 x **9412.001** JUNIOR table, square

JUNIOR UPHOLSTERY SYSTEM

The modular upholstered JUNIOR series opens up small islands for fun and games in elementary school and at the same time cozy retreats to relax and immerse yourself in your own world.


Thanks to the variety of shapes and colours, the upholstered elements fit harmoniously into any learning space - whether as a fixed part of the room design or as a movable seating element. And the numerous positioning variations allow many ideas for cozy feel-good spaces to take shape.

- seat height and depth of the elements suitable for elementary school
- colours of the backrest and seat can be selected separately within a fabric group
- easy-care and hard-wearing upholstery fabrics from the fabric groups FLEECE, TAFF B1, PROTEX,
- WOOL and PROTEX B1, see A2S material overview for colour selection
- round legs powder-coated in black-grey RAL 7021 as standard
- optionally fire protection-certified according to DIN 66084 P-a with B1 cover fabric
- JUNIOR table, square or round table top made of compact top in U400 pure white decor





2 x **9411.203** JUNIOR sofa 1 x **9412.001** JUNIOR table, square




3 x **9411.202** JUNIOR bench with backrest 2 x **9411.101** JUNIOR corner element 1 x **9412.001** JUNIOR table, square



3 x 9411.151 JUNIOR bench with backrest, curved 3 x 9411.152 JUNIOR bench, curved

1 x 9412.101 JUNIOR table, round





4 x 9411.151 JUNIOR bench with backrest, curved

- 4 x 9411.152 JUNIOR bench, curved
- 1 x 9411.102 JUNIOR stool with backrest
- 1 x **9412.101** JUNIOR table, round
- 4 x **5042.001** CYLINDA Soft















Combination of upholstery series JUNIOR and acoustic elements JUNIOR

| JUNIOR | 1-MODULE | | | 2-MODULE | | |
|--|--------------|--------------|---|---------------|-----------------------------------|---|
| | | | | , | | |
| MODEL | 9411.101 | 9411.102 | 9411.103 | 9411.201 | 9411.202 | 9411.203 |
| Dimensions W/H/D in cm | 60 x 63 x 60 | 60 x 63 x 60 | 60 x 38 x 60 | 120 x 38 x 60 | 120 x 63 x 60 | 120 x 63 x 60 |
| Seat height in cm | 38 | 38 | 38 | 38 | 38 | 38 |
| Seat depth in cm | 43 | 43 | 60 | 60 | 43 | 43 |
| Weight | 18 kg | 15 kg | 12 kg | 23 kg | 29 kg | 34 kg |
| Floor mounting mod. 9411.900 | | | | | | |
| JUNIOR | CORNER ELEME | NTS | TABLES | | ACOUSTIC PAR | TITION WALLS |
| | | | , , , , , , , , , , , , , , , , , , , | | J.J |].] |
| MODEL | 9411.151 | 9411.152 | 9412.001 | 9412.101 | 6716.101 | 6716.102 |
| Dimensions W/H/D in cm | 95 x 63 x 60 | 95 x 38 x 60 | 60 x 39 x 60 | Ø 60 x 39 cm | 60 x 120 x 2 | 120 x 120 x 2 |
| Seat height in cm | 38 | 38 | | | | |
| Seat depth in cm | 43 | 60 | | | | |
| Weight | 18 kg | 12 kg | 15 kg | 15 kg | 8 kg | 15 kg |
| Design | | | | | metal base in anthracite RAL 7 | metal base in 021 anthracite RAL 702 |
| Floor mounting | | | | | | |



Folding couch and armchair for sitting, lounging, sleeping - just in case

FOLDING ARMCHAIR AND COUCH

- a must for every all-day room with durable, 21 cm thick PUR foam core (hardness 35/45) - withstands even heavy use
- upholstery fabric TAFF B1 flame-resistant or PROTEX with antibacterial surface, water-repellent and easy to wipe off, colours see A2S material overview
- cover easy to remove through the zip
- by folding out you get a lying surface of 180 x 176 cm (couch) or 80 x 180 cm (folding armchair)


| 5005.005 | 5005.001 |
|---------------|-------------------------------------|
| 80 x 71 x 80 | 180 x 71 x 88 |
| 42 | 42 |
| 80 x 180 x 21 | 180 x 176 x 21 |
| 12 kg | 30 kg |
| | 80 x 71 x 80 42 80 x 180 x 21 |

A2S.COM



5005.005 Folding armchair

Like a cocoon, the **COCOON series** offers protective islands of peace to relax and regenerate. Combined with our **JOYN series**, new learning experiences can be allowed to create space for games, creativity and communication. Learning close to the floor in elementary school - lying on the stomach, sitting, squatting, depending on the natural urge to move and the need to learn - alone or in a group.





sound-absorbing foam in the backrest provides an optimal barrier against noise on both sides: ideal as a retreat and rest island

1 x **5012** COCOON upholstered seating element with back wall 1 x **5011** COCOON upholstered seating element with back wall 1 x **5015.036** JOYN stool with 1-sided cut-out

ack wall 1 x **5013.036** JOYN table, round 2 x **5017.008** JOYN floor mat

COCOON | UPHOLSTERED SEATING ELEMENT 🏠 💽

- sturdy construction and durable foams
- easy-care and hard-wearing upholstery fabrics, available as standard from fabric group PROTEX or optionally from the fabric groups WOOL, PROTEX B1 or ARTIFICIAL LEATHER B1, see A2S material overview for colour selection
- including plastic floor protectors
- colours of the back and seat can be selected separately within a fabric group
- seat height suitable for primary schools
- the semi-circular back wall serves as privacy and sound insulation
- optionally fire protection-certificated to DIN 66084 P-a with B1 cover fabric




- easy-care and hard-wearing upholstery fabrics, available as standard from fabric group PROTEX or optionally from the fabric groups WOOL, PROTEX B1 or ARTIFICIAL LEATHER B1, see A2S material overview for colour selection
- including plastic floor protectors
- robust construction and durable foams
- high-quality workmanship and dimensional stability due to fell seam
- optionally fire protection-certificated to DIN 66084 P-a with B1 cover fabric
- JOYN table table top made of compact top in U400 pure white decor




JOYN AND COCOON EXAMPLE COMBINATIONS



15 x **5017.008** JOYN floor mat 1 x **5018.090** transport tolley for JOYN floor mats




3 x **5015.036** JOYN stool with 1-sided cut-out 7 x **5015.030** JOYN stool with 1-sided cut-out




3 x 5012 COCOON upholstered seating element with back wall

- 2 x 5015.036 JOYN stool with 1-sided cut-out
- $1\,x$ 5015.030 JOYN stool with 1-sided cut-out
- 1 x 5016.030 JOYN stool with 2-sided cut-out
- 2 x **5017.008** JOYN floor mat



3 x 5012 COCOON upholstered seating element with back wall

- 2 x 5015.036 JOYN stool with 1-sided cut-out
- 1 x 5015.030 JOYN stool with 1-sided cut-out
- 1 x 5016.030 JOYN stool with 2-sided cut-out
- 1 x **5014.036** JOYN stool, round
- 5 x **5017.008** JOYN floor mat



CHILL SERIES





Concealed zipper



JOYN table with storage space,

e.g. Tidy Boxes with cover

JOYN floor mats create a communicative seating circle in the classroom in no time at all, a relaxed reading corner in the library and a varied seating landscape for playing in the all-day area. The accompanying transport trolley brings the floor mats to the place of learning within the school where they are needed.

| COCOON UPHOLSTERED SEATING | ELEMENT WITH BAG | CKREST | JOYN | FLOOR MAT | | | TRANSPORT TROLLEY |
|---|--------------------------------------|---|--------------------------|--|-------------------------------|--------------------------------------|--|
| | | | | | | | |
| MODEL | 5012 | 5011 | MODEL | 5017.008 | 5019.008 | 5024.118 | 5018.090 |
| MODEL Dimensions W/H/D in cm | 5012 98 x 115 x 89 | 5011 138 x 115 x 129 | MODEL Design | floor mat | 5019.008 circular | rectangular | transport |
| | | | | floor mat with 1-sided | | | transport trolley for |
| Dimensions W/H/D in cm | 98 x 115 x 89 | 138 x 115 x 129 | Design | floor mat with 1-sided cut-out | circular floor mat | rectangular floor mat | transport trolley for JOYN floor mat |
| Dimensions W/H/D in cm Seat in cm | 98 x 115 x 89 Ø 80 | 138 x 115 x 129 Ø 120 | Design Dim. W/D in cm | floor mat with 1-sided cut-out Ø 80 | circular floor mat Ø 80 | rectangular floor mat 100 x 80 | transport trolley for JOYN floor mat Ø 90 |
| Dimensions W/H/D in cm Seat in cm Seat height in cm Weight | 98 x 115 x 89 Ø 80 36 35 kg | 138 x 115 x 129 Ø 120 36 56 kg | Design | floor mat with 1-sided cut-out | circular floor mat | rectangular floor mat | transport trolley for JOYN floor mat |
| Dimensions W/H/D in cm Seat in cm Seat height in cm | 98 x 115 x 89 Ø 80 36 | 138 x 115 x 129 Ø 120 36 | Design Dim. W/D in cm | floor mat with 1-sided cut-out Ø 80 | circular floor mat Ø 80 | rectangular floor mat 100 x 80 | transport trolley for JOYN floor mat Ø 90 |

JOYN UPHOLSTERED SEAT ELEMENTS TABLE MODEL 5014.036 5015.036 5015.030 5016.030 5013.036 Design stool stool stool stool table round with 1-sided with 1-sided with 2-sided round cut-out cut-out cut-out Ø in cm 80 80 80 80 80 Seat height in cm 36 36 30 30 36 23 kg 18 kg 16 kg 24 kg Weight 21 kg 5014.900 5015.900 5015.900 5015.900 Floor mounting, screwed or glued



CHILL SERIES | BEANBAGS/STOOL/CUSHION

- cover easily removable by zip
- fabrics washable or wipeable
- available in three different fabrics: OX, NORDIC or OUTSIDE, for colour selection and material properties see A2S material overview
- beanbag with handle for easy carrying
- inner bag with safety zip
- filling of polystyrene beads, hardly inflammable, certified according to DIN 4102 B1
- beanbag in combination with stool to put up the feet
- stool and seat cushion not only for CHILL landscapes but also ideal for the seating circle

CHILL SERIES | SEAT CUSHION

- cover easily removable by zip
- fabrics washable or wipeable
- available in three different fabrics: OX, NORDIC or OUTSIDE, for colour selection and material properties see A2S material overview
- foam core
- as upholstery for benches and also ideal for the seating circle on the floor

| CHILL | BEANBAG | BEANBAG JUNIOR | STOOL | STOOL JUNIOR | COUCH CUSHION | SEAT CUSHION |
|-------------------|----------------------|--------------------|----------------------|--------------------|--------------------|--------------------|
| | | | | | | • |
| MODEL | 5030.045 | 5030.035 | 5033.040 | 5032.035 | 5031.001 | 5034.001 |
| Dim. W/H/D in cm | 78 x 100 x 86 | 65 x 70 x 68 | 45 x 40 x 45 | Ø 35 x 35 | 160 x 27 x 120 | Ø 35 x 5 |
| Seat height in cm | 45 | 35 | 40 | 35 | n.a. | 5 |
| Weight | 5.5 kg | 3.3 kg | 2.5 kg | 0.9 kg | 7.9 kg | |
| Use | secondary schools | primary schools | secondary schools | primary schools | primary schools | primary schools |

A2S.COM



| TRANSPORT | TOLLEY |
|-----------|--------|
| | |



| | | \sim | _ | |
|----|---|--------|---|---|
| | 1 | | ١ | |
| | | | | |
| | | | | |
| ų. | n | | | 2 |

| MODEL | 5035.045 |
|--------------|----------------------------|
| Ø in cm | 45 |
| Height in cm | 91 |
| Weight | 5 kg |
| Design | for CHILL seat cushions |



5040.001 The blue cube set makes learning on the move easy in any construction- or play-corner

CUBE SET

Weight

The cube elements provide numerous opportunities to activate the body and give the mind a break. This allows children in elementary school and especially during the whole day to pursue their urge to move and re-center their energy.

- set consisting of 12 individual elements and storage cover offers seating for up to 21 children
- firm, stable foam with removable PROTEX cover fabric, see A2S material overview for colour selection
- storage cover made from particularly tear-resistant CORDURA fabric
- use: For stacking, creative puzzling and sitting in

31 kg

construction- or play-corners or all-day rooms

| | | | - | CERMANT |
|------------------------|--------------|--------------|--------------|--------------|
| CUBE SET | | | | |
| | | | | |
| | | | | |
| MODEL | 5040.001 | 5040.002 | 5040.003 | 5040.004 |
| Dimensions W/H/D in cm | 99 x 99 x 99 |
| Colour combination | blue | green | grey | orange |
| | | | | |

31 kg

31 kg



Cover with velcro fastener and particularly tear-resistant Cordura fabric



31 kg

Cube set with cover



combination of 5042.001 CYLINDA Soft and 5013.036 JOYN table, round

CYLINDA SOFT

With the CYLINDA SOFT foam stool, primary school children can find a balance to concentrated sitting at the school desk. The compact and lightweight shape also encourages children to romp around and build towers. This makes it a welcome piece of furniture in the all-day care.

- upholstered stool made of foam, soft but still dimensionally stable
- removable cover fabric, optionally FLEECE, WOOL or PROTEX, see A2S material overview for colour selection
- thanks to the anti-slip underside, the stool stays in place even on smooth floors
- suitable size for elementary school"

| CYLINDA SOFT | |
|-------------------|----------|
| | |
| MODEL | 5042.001 |
| Øincm | 40 |
| Seat height in cm | 36 |
| Weight | 2 kg |
| | |

A2S.COM






Removable cover fabric with concealed zipper



Thanks to the anti-slip underside, the stool stays in place even on smooth floors







9390.002 CHILL HOUSE WOOD with exterior walls in natural oak



9390.001 CHILL HOUSE with exterior walls in fabric

The CHILL House for relaxed breaks or pleasant reading, learning or exchanging. Ideally for hallways, waiting areas and auditoriums.

CHILL HOUSE/MEETING HOUSE

- upholstered elements with backrest: Upholstery made of foam
- height upholstered element with backrest: 68 cm
- upholstery and interior walls optional with fabric TAFF B1, WOOL or PROTEX, for colour selection see A2S material overview
- substructure of robust 3-layer chipboard
- Frame construction: Metal frame with closed base powder-coated in RAL 9005 black or RAL 9003 signal white matt
- flooring in wooden panels natural oak

CHILL HOUSE

exterior walls available in fabric or wooden panels natural oak, for fabric selection see A2S material overview

MEETING HOUSE

- table frame powder-coated like metal frame
- table top melamine board, optional in white, anthracite or black
- multimedia connection: 1 x power socket, 1 x USB, 1 x HDMI
- incl. LED light
- optional with glass door and ventilation system

Your A2S area manager will be happy to advise you





9390.003 MEETING HOUSE


space for 4 people, incl. table, multimedia connections and LED light optional also with glass door and ventilation, for quiet working or undisturbed meetings

| 1 | | | | - |
|------|----|---|---|---|
| | r | | | 1 |
| 18 | ι. | | | Ш |
| 18 | а, | 1 | - | |
| - 14 | | - | | |

| | CHILL HOUSE | | MEETING HOUSE |
|------------------------------------|---|---|--|
| | | | |
| MODEL | 9390.001 | 9390.002 | 9390.003 |
| Dimensions W/H/D in cm | 210 x 228 x 78 | 210 x 228 x 78 | 210 x 228 x 153 |
| Seat height | 38 cm | 38 cm | 38 cm |
| Interior walls fabric TAFF B1/WOOL | | | |
| Exterior walls fabric TAFF B1/WOOL | | | |
| Exterior walls natural oak | | | |
| Frame powder-coated black | | - | |
| Weight | 210 kg | 210 kg | 500 kg |
| Packaging note | is delivered disassembled on a pallet: W/H/D: 210 x 190 x 78 cm | is delivered disassembled on a pallet: W/H/D: 210 x 190 x 78 cm | is delivered disassembled on two pallets: 2 x W/H/D: 210 x 190 x 78 cm |







6716.001 Acoustic felt partition

6716 | ACOUSTIC ELEMENTS FELT

The mobile acoustic partitions and table dividers harmonize a lively school day with a healthy learning atmosphere: They shield learning areas from each other and create pleasant acoustics in the learning space.

- stable, even with active forms of learning
- Powder-coated metal base in black-grey RAL 7021, can be dismantled
- available in 2 felt combinations light grey blend/anthracite or copper/anthracite
- 100% Recycling fleece

6718 | ACOUSTIC ELEMENTS TEXTILE

Where learners discuss, laugh and work, effective learning experiences are created. The wall elements completely reduce the noise level in the learning space and create a pleasant soundscape for lively learning.

- removable, acoustically effective fabric cover with zipper on all sides
- internally stable support panel with highly effective sound absorber
- maximum absorption capacity: αw = 1.00 according to DIN EN ISO 11654
- screwed mounting
- available in the FLEECE or WOOL fabric groups, see A2S material overview for colour selection



Easy to move and arrange thanks to recessed grips on the sides




Table divider can be dismantled for space-saving storage



Space-saving storage for different learning formats



With anthracite core colour





ACOUSTIC ELEMENTS FELT





Wall-mounted

| MODEL | 6716.001 | 6716.301 |
|------------------------|--------------------------------------|-----------------------------------|
| Dimensions W/H/D in cm | 90 x 136 x 2 | 60 x 50 x 2 |
| Weight | 11 kg | 1 kg |
| Absorption value | αw = 0,5 | αw = 0,45 |
| Design | metal base in anthracite RAL 7021 | two-piece plug- with felt base |
| | | |

ACOUSTIC ELEMENTS TEXTILE

Assembly

| MODEL | 6718.201 | 6718.202 |
|------------------------|----------------|--------------|
| Dimensions W/H/D in cm | 60 x 60 x 6 | 60 x 120 x 6 |
| Weight | 4 | 7 |
| Absorption value | $\alpha w = 1$ | αw = 1 |
| | | |

Wall-mounted

A2S.COM

FELT | COMBINATIONS




PMZ 19 light grey blend and anthracite



PMZ 06 copper and anthracite

100 % recycling felt flame retardant EN 13501-1 B-s1,d0





Acoustic partitions JUNIOR available in two sizes

ACOUSTIC PARTITIONS JUNIOR

Standing alone in the room or next to tables, they create peace and privacy. Together with the JUNIOR upholstered elements, this also creates islands of relaxation in the middle of the action.

- stable, even with active forms of learning
- easy to move, even for primary school children, thanks to the lightweight material
- the 1- and 2-module elements match the upholstery system perfectly
- in felt combination light grey blend/anthracite
- 100% recycling fleece
- powder-coated metal base in black-grey RAL 7021, can be dismantled
- adjusted height for elementary school

ACOUSTIC PARTITIONS JUNIOR



| Dimensions W/H/D in cm | 60 x 120 x 2 | 120 x 120 x 2 |
|----------------------------------|--------------------------------------|-------------------------------------|
| Dimensions W/H/D in cm Design | metal base in anthracite RAL 7021 | metal base in anthracite RAL 702 |



The JUNIOR acoustic partitions harmonize lively primary school life with a healthy learning atmosphere: They shield learning spaces from each other and create pleasant acoustics in the learning space.





Space-saving storage for different learning formats



A2S.COM



With anthracite core colour



Felt combination light gray/anthracite

167



6714.001/6714.002 Acoustic elements freestanding muffle noises, placeable in the room as required

LEAF-SHAPED ACOUSTIC ELEMENTS

- acoustically effective fabric-coated chipboard with leaf shape
- available in the material groups FELT or WOOL, colour selection see A2S material overview
- elements in different colours can be selected within a material group

FREESTANDING

- flexible zoning and pleasant design of rooms and relaxation areas depending on the situation
- $\blacksquare\,$ for space-saving storage, can be pushed into each other up to max. 5 pieces

WALL-MOUNTED

- sets in two different sizes
- for wall mounting by means of a running rail per element for hanging incl. locking device



in different colour combinations available





Up to 5 pieces can be pushed into each other to save space



6715.002/6714.001/6714.002 The wall-mounted and free-standing acoustic elements provide pleasant acoustics and their leaf shape creates a natural atmosphere, even in large meetings



6715.001 Acoustic elements wall-mounted 5-piece set

ACOUSTIC ELEMENTS

FREESTANDING



| MODEL | 6714.001 | 6714.002 |
|---------------------------|--------------------|--------------------|
| Dimensions W/H/D in cm | 106 x 138.5 x 3/60 | 133 x 177.5 x 3/60 |
| Frame powder-coated black | | |
| Weight | 16 kg | 27 kg |



A2S.COM

169

Tool-free multiple connection up to four walls Due to the adjusted Acoustic effectiveness height of the walls the manageability of the · beyond the aspect of pure room is not limited room separation Optional with castors for maximum flexibility Rotatable boom

COMBI acoustic partition walls:

The right soundscape for healthy learning and working.

COMBI SERIES | ACOUSTIC PARTITION WALL

- acoustically effective honeycomb board as core
- available in the easy-care and hard-wearing fabrics TAFF B1 and WOOL, colour selection see A2S material overview
- simple and versatile combinable system for all types of work
- flexible zoning and design of rooms and inviting relaxation areas
- levelling feet powder-coated RAL 9006 chrome silver, optionally also available with castors



Triangular table

1003.118

110 x 80 cm









Trapezoidal table 1004.147 140 x 70 cm

Classroom table 7210 70 x 55 cm

Group table 1001.077 70 x 70 cm





COMBI Acoustic movable walls in combination with 1004.147 trapezoidal tables for quiet working areas and 9387.147 MAZE as an island of rest



Up to four walls can be connected at different angles without tools.

COMBI ACOUSTIC PARTITION WALLS

| | 20 20 | 2° 2° |
|---------------------------|---------------------------------|-----------|
| MODEL | 6710.070 | 6710.090 |
| MODEL Dim. W/H/D in cm | 6710.070 70 x 142 x 8 | • • • • • |


OPTIONS Felt floor protectors 10 Castors

Group table 1001.088 80 x 80 cm





Powder-coated adjustable feet in chrome silver, optionally available with castors



6701 Decor movable wall

6702 Decor movable wall with rollers

Design is thinking wisual. 02 03

Surface optionally covered with cork natural or cork linoleum



Surface optionally magnetic and writable with whiteboard pens

DECOR PARTITION WALLS

- surface made of decor
- optionally surface covered with natural cork or cork linoleum
- optionally with writable, magnetic board surface made of white steel enamel

MODEL 6701

- frame made of round steel tube, Ø 30 x 2 mm, with screwed crossbars
- cantilever with plastic floor protectors or optionally with castors

MODEL 6702

- frame made of rectangular and round steel tube, 50 x 30 x 2 mm/Ø 30 x 2 mm
- cantilever with braked double castors
- partitions can be linked together by means of a plug-in connection










6701 Decor partition walls for storage can be plugged into each other to save space

6701 Decor movable wall cantilever optionally with rollers

DECOR PARTITION WALLSFIXEDMOBILEImage: ModelImage: State of the state of t













6702 Decor movable wall cantilever including braked double castors







175



White sheet steel magnetic for whiteboard pens

Green sheet steel magnetic for chalk

The boards can be used in portrait and landscape format (different rail spacing)

Pinboard, fabric-covered with WOOL



The A2S aluminium guide with robust plastic end caps is simply mounted on the wall bracket



The elastic ASSODUR[®] Edging strip protects the edges from impacts, e.g. when dropping

MULTIFUNCTIONAL SLIDING BOARD SYSTEM

- the board elements are particularly light and available in the sizes 90 x 60 cm and 120 x 80 cm
- the edging of the board elements is waterproof, the corners are rounded
- the working surfaces of the board elements in sandwich construction can be equipped as required, e.g. magnetic enamelled sheet steel in green or white
- the aluminium guide is robust, the fastening is invisible, the ends of the profile are enclosed by plastic caps
- board system can also be mounted on cabinet walls, info p. 119
- pinboard, fabric covered with WOOL optionally in the colours grey melange, natural or green melange
- use of the fabric-covered sliding panel with pin needles only possible in the front position





The lightweight board elements can be easily removed from the board profile rails, but are secured against accidental ejection

Sliding picture clamps with integrated gallery hook can be used in the upper aluminium guide



Board profile rails 6872*

*Length individually adjustable, for exact planning please contact your A2S area manager

.

A2S.COM

The boards can be removed from the rails: ideal for group work on the site





Available in 3 different colours

| IITE | SHEET STEEL | GREEN/WHITE | PINBOARD, FA | BRIC-COVERED |
|------------|-------------|-------------|--------------|--------------|
| | | | | |
| 120 | H 90 | H 120 | H 90 | H 120 |
| | 6814 921 | | 6814 421 | |
| 814 323 | | 6814 923 | | 6814 423 |
| | | | | |
| | | | | |
| | | - | - | - |
| | | • | • | |
| ea manager | | | | |



DISPLAY | DURAVISION

- $\hfill\blacksquare$ display made of tempered glass (ESG) glare-free with touch sensor
- resolution 3.840 x 2.160 pixels (UHD)
- display aspect ratio 16:9
- 2 integrated 12 W speakers
- integrated CPU: Android 5.1, Quad Core 450 MP, 2 GB RAM, 16 GB SSD, LAN, WIFI plug-in module, Wireless Mirroring Win, Mac, Android
- optional with plug-in PC and audio system



compatible with all operating systems



DVpylone

with two board wings writeable on both sides, adjustment range up to 140 cm, with integrated storage strip

DURAVISION

COMPACT





MOBIL

| MODEL | DVcompact | DVmobil |
|---------------------|--|--------------------------|
| Dimensions W/H/D | 75" (176 x 103 x 10 cm) 86" (199 x 118 x 10 cm) | 75" (176 x 86" (199 x |
| Design | wall-mounted height adjustable | mobile height adju |

| Adjustment range | up to 60 cm | up to 60 cm |
|------------------------------|-------------|-------------|
| | | |
| OPTIONS | | |
| Plug-in PC | - | - |
| Audio system | | - |
| Electrical height adjustment | | |
| | | |

A2S.COM





DVcompact height adjustable optional with electrical height adjustment



Bright ultra-short distance Highly robust steel enamel surface beamer for very good readability for everyday school life. The sensor in all lighting conditions reacts pixel-precisely and without delay Writing surface 2 with rounded plastic "security corners" lo Edges with aluminium profiles a i 👼 🛛 processed waterproof ECA DE - 10 - 10 0200 Storage strip integrated into the board, Maintenance-free height ····· which keeps your hands free when adjustment, adjustment range: needed up to 70 cm Firm stand due to W.B. heavy-duty castors, " lockable in 2 positions All electrical elements are safely stowed away; only the power supply DBmobil cable is visible from outside useable in different classrooms

DIGITAL BOARDS | DURABOARD

- system incl. whiteboard (200 x 120 cm) and ultra-short distance beamer
- optional with computer or audio system
- optional with remote control of the board via tablet
- for permanently mounted systems optionally with board wing
- intuitive to use



compatible with all operating systems



DBpylone with two board wings writeable on both sides, adjustment range up to 140 cm



transmits the image directly to

the board



Optional with remote control of the board via tablet



optional: Board wings (except mobile board), audio system, integrated computer, software

A2S.COM







DBcompact height adjustable, with integrated storage strip





The detection of pen movements is purely optical. No electromagnetic radiation, no exposure

BOARD ACCESSORIES

Audio system, response system, tablet and document camera complement the digital board system and expand the possibilities for use and learning.

Ask your A2S field service.

SLIDING BOARDS



Long wall board Magnetic sheet steel green Ruling optional, see page 187







Picture clamping strip optional



- for wall mounting with and without storage strip
- due to the sandwich construction different surfaces are possible - enamelled, magnetic steel sheet in green or white
- 4 mm thick cork coating
- 6 mm thick cork linoleum coating in 4 different colours, see A2S material overview
- the edges of the writing surfaces are glued waterproof with natural anodised aluminium profiles
- the corners are protected with rounded plastic caps



| OPTIONS | | | | | | | | |
|------------------------|-------|-------|-------|---|---|------|--|--|
| Storage strip | incl. | incl. | incl. | - | - | | | |
| Picture clamping strip | | | | | | | | |



Writing surface with rounded "safety corners"; profile covers firmly screwed on

ATTENTION!

Wall mounting of long wall boards is only possible with solid walls; with lightweight walls only with load distribution frames.







Folding sliding panel floor/wall mounting optional mobile

SLIDING BOARDS

- robust welded steel construction, scratch-resistant powder-coated
- maintenance-free, low-noise precision guide on 8 polyamide rollers with ball bearings
- aluminium guide rail
- sprung steel counterweights
- incl. storage strip and sponge container
- version optionally free standing or mobile

SINGLE SURFACE SLIDINGBOARD FLOOR/WALL MOUNTING

| | SHEET STEE | SHEET STEEL GREEN | | | | |
|---|------------|-------------------|---------|---------|--|--|
| Dimensions | H 100 | H 120 | H 150 | H 100 | | |
| W 200 cm | 6843205 | 6843206 | 6843211 | 6843305 | | |
| W 250 cm | 6843207 | 6843208 | 6843212 | 6843307 | | |
| W 300 cm | 6843209 | 6843210 | 6843213 | 6843309 | | |
| optional: mobile version, free-standing version, floor mounting | | | | | | |

A2S.COM




Single surface sliding board



Stop of end position by metal springs with rubber buffer

HINGED SLIDINGBOARDS FLOOR/WALL MOUNTING

| EEL WHITE | | s |
|-----------|---------|---|
| H 120 | H 150 | Н |
| 6843306 | 6843311 | 6 |
| 6843308 | 6843312 | |
| 6843310 | 6843313 | |





- robust aluminium column guide, wall mounting
- maintenance-free and low-noise precision guide on 8 polyamide rollers with ball bearing
- incl. storage strip and sponge container
- working surface made of enamelled, magnetic sheet steel in green or white
- waterproof processed edge trim with rounded corners
- rulings optional for green or white board surfaces

HINGED PYLON SLIDING BOARD



incl. storage strip and sponge container



Pylon double sliding board incl. storage strip and sponge container for wall mounting






Storage strip and sponge container

Rulings optional for green or

PYLON DOUBLE SLIDING BOARD





Pylon single-surface sliding board incl. storage strip and sponge container for wall mounting



white boards (info p. 187)



The accessories adhere magnetically to the sheet steel board surface

| | SHEET ST | EEL GREEN | l . | SHEET STEEL WHITE | | | |
|------|----------|-----------|----------|-------------------|---------|----------|--|
| | | | | | | | |
|) | H 100 | H 120 | H 150 | H 100 | H 120 | H 150 | |
| 1311 | 6853205 | 6853206 | 6853 211 | 6853305 | 6853306 | 6853 311 | |
| 1312 | 6853207 | 6853208 | 6853212 | 6853307 | 6853308 | 6853 312 | |
| 1313 | 6853209 | 6853210 | 6853213 | 6853309 | 6853310 | 6853 313 | |
| 1316 | 6853214 | 6853215 | 6853216 | 6853314 | 6853315 | 6853 316 | |
| | | | | | | | |

PYLON SINGLE-SURFACE SLIDING BOARD





Magnetic writing surface can be rotated 360° and locked

Swivel board incl. storage bar and sponge container



- with mobile, stable tubular steel frame and 4 swivel castors, universally applicable
- the 360° horizontally rotating writing surface can be locked in any position and is magnetic
- edges waterproof processed
- incl. storage strip and sponge container
- rulings optional

6855 SERIES


| | SHEET STEE | L GREEN | SHEET STEE | EL WHITE |
|------------------|-------------------|---------|------------|----------|
| Dimensions | H 100 | H 120 | H 100 | H 120 |
| W 120 cm | 6855202 | | 6855302 | |
| W 150 cm | 6855203 | 6855204 | 6855303 | 6855304 |
| W 200 cm | 6855205 | 6855206 | 6855305 | 6855306 |
| to at a tana a a | the second second | | | |

incl. storage strip and sponge container

RULINGS AND ACCESSORIES

RULINGS

all rulings are possible on green, enamelled writing surface as well as on frosted glass inlay wings selected rulings on white enamel steel up to board size 300 x 120 cm possible




NOTE LINES



RULING 15 Distance: 2.5 cm also on steel enamel white


ACCESSORIES



*Ruling 07 not available with white frosted glass inlay board



6863 4-piece: ruler. compass, set-square . 80 cm, pointer, instrument board. magnetic



6869

6-piece: ruler, compass, angle 45°, angle 30°, protractor, pointer. instrument board, magnetic



6865.002

Picture clamping strip with white steel surface, for additional attachment of information using force magnets and labeling option with dry-erase whiteboard markers. Available labeling area 45 mm.



A2S FINISH BOARDS

When pupils are letting off steam, the tables at which they sit should be particularly resistant to abrasion, scratches and shocks. That's exactly why we have covered all our tabletops, which are made of chipboard with A2S standard finishes, in several layers with a robust melamine resin coating.

This means that school furniture not only survives the rough everyday school life, it is also easy to clean and largely glare-free.

WOODMARK

Our tabletops are subjected to a lot of wear and tear every day. That's why we provide them with a lot for their journey through life. Special resins ensure break-proof quality of our MDF carrier boards. Under high pressure and heat we press the upper and lower cover layer of hard-wearing, melamine resin-coated finish layer with the board in a metal mould. This makes Woodmark surfaces particularly resistant to abrasion, scratches and impacts.

They are glare-free and easy to clean. Rounded edges reduce the risk of injury.



COMPACT BOARD

The compact board is a highly compressed, black colored wood fibre board. The natural material wood is gently defibered during production and further processed according to ecological aspects. The board has a very high density and is therefore, despite its slim design (thickness 12 mm), extremely robust and the edges are particularly resistant.

MULTIPLEX


Multiplex is, as a material made of cross-glued solid veneers, very dimensionally stable and resilient. For our table tops we coat the robust core made of solid beech multiplex on both sides with 0.8 mm thick HPL laminate, which is abrasion-, scratch- and impact-resistant. In addition it is fire-retardant, food-safe and environmentally friendly, thanks to renewable raw materials. Soft rounded edges make the table tops less susceptible to possible damage and reduce the risk of injury.





PLASTIC EDGE

The plastic edge is robust and shock-proof. As standard, these plastic edges are manufactured in a color matching the surface finish. These edges are ideally suited for table tops in administrative areas.



1 mm square edge (corpus furniture)

Concealed edge

band crowned

3 mm edge rounded off (front panels of corpus furniture and table tops)

SOLID WOOD EDGES

A2S solid wood edges are firmly glued to the chipboard, have a high-quality appearance and protect the stressed furniture edges. We offer our concealed edges for the highest demands - in this case the chipboard is additionally coated on both sides with a 0.8 mm thick HPL board. This abrasion-, scratch-resistant and shock-proof HPL coating is fire-retardant, food-safe and, thanks to renewable raw materials, environmentally friendly.





ASSODUR[®] EDGE

For the ASSODUR® edge , the elastic and liquid polyurethane edge is cast onto the table edge in a metal mould. Due to the strong cross-linking with the board material, it is thus particularly permanently bonded to the chipboard. The ASSODUR® edges are available in three color combinations, all free of PVC and especially abrasion- and impact-resistant.



PAGHOLZ®

Wherever furniture is subject to particularly heavy use, we rely on PAGHOLZ®, an invention from our company. For PAGHOLZ[®], thin veneer layers are prepared at great expense, individually stained and soaked in synthetic resin. Only then we press them under heat with up to 2,000 tons of pressure into the desired shape.

PAGHOLZ[®] offers the natural appearance of solid wood and much more:

- high form stability
- high scratch and wear resistance
- shock and break resistance
- resistance to staining and abrasion
- light fastness and resistance to chemicals

For you, this means: easy cleaning and flame-resistant, selfextinguishing material that is even weatherproof with special resins on request.

You can be sure of that: We only use native red beech from tree stocks that are carefully reforested. And of course all products made of PAGHOLZ[®] are particularly durable and can be recycled.



A2S.COM





Resistant to chemicals

Stain- and abrasion-resistant





Hardly inflammable, self-extinguishing









Scratch- and wear-resistant

Shock- and break-proof

191

Lightfast

ADVICE

We advise you on site

INSTALLATION

Our fitters set up fully assembled furniture without disrupting school operations.



PLANNING

Design of your rooms on request, including color and furnishing concept in accordance with the legally required standards.



VISUALISATION

Detailed renderings provide more planning security.



SPARE PARTS

Even after years you can obtain spare parts quickly and without bureaucracy directly from info@a2s.com



ON-SITE SERVICE

All the furniture is assembled where you want it.



ln repair A2S.COM

193

JN furniture

ACKAGING

We take all packaging with us for disposal, you just need to arracnge the furniture.



REPAIR

case of larger damages our service takes care of the issue.

A

| Accessories boards 187 |
|--|
| Accessories classroom tables67 |
| Accessories table systems99 |
| Acoustic elements164 ff. |
| Acoustic moveable walls170 ff. |
| Acoustics |
| Armchair |
| Armrest (chairs with) 22 f., 26 f., 28ff. |
| Assembly service |
| $ASSODUR^{\circledast}$ edge, material science 188 |
| |

В

| Bag shelves 128 | De |
|--------------------------------------|-----|
| Bar stools15, 17, 40 f., 43, 45 | De |
| Base units 103, 117, 137 | De |
| Beanbags157 f. | Diç |
| Benches 38 ff. | Dis |
| BLOC Series 147 | Dis |
| Board rulings | DO |
| Board system176 f. | Dra |
| Boards 174 ff. | Dra |
| Boards accessories | Dra |
| Book shelves 126 | |
| Book storage for classroom tables 67 | Е |
| Book trolley 126 | Ele |
| | |

С

| Cabinet furniture |
|---|
| Cabinets individual |
| Cable channel |
| Cable clamp99 |
| Cable conduit |
| Cable holder99 |
| Cable outlet99 |
| Cantilever chairs23, 31 f. |
| Castors |
| Certificates3 |
| Chairs11 ff. |
| Chairs with armrests 22 f., 26 f., 28ff. |
| Chairs with C-shaped frame 12 ff. |
| Chairs with four-leg frame |
| |
| Chairs with plastic shell 12 f., 20f. |
| Chairs with writing surface 12 ff., 20 f. |
| Chairs with Z-shaped frame |
| CHANGE Series 18f., 40, 120 ff. |
| CHILL House 162 |
| CHILL Series |
| Circular segment shelf 126 |
| Clamping rails |
| Classroom cabinets 119 f. |
| Classroom chairs 12 ff. |
| Classroom tables 50 ff. |
| COCOON154 ff. |
| Combination cabinets110 |
| COMFORT Series148 |

| Compact plate, material science | IT |
|-------------------------------------|----|
| Computer tables74 ff. | |
| Conference chairs | J |
| Conference tables | JC |
| Construction and play trolley 126 | JU |
| Containers | |
| CPU holders76, 99 | κ |
| C-shaped frame (chairs with) 12 ff. | Ke |
| Cube set | |
| CYLINDA Series 147, 159 | L |
| | |

D

| | - |
|-------|--------------------------------|
| | Decor panels, material science |
| 128 | Decor partition walls172 f. |
| 45 | Desk systems |
| 137 | Development |
| 7 f. | Digital boards 180 f. |
| 3 ff. | Display boards178 f. |
| 147 | Display cases134 |
| 187 | DOMINO Series144 ff. |
| 6 f. | Drawing cabinets 128 |
| 1 ff. | Drawing devices (boards) 187 |
| 187 | Drawing tables66 |
| | |

E

| Electrically height-adjustable tables68 f. | |
|--|--|
| Extension tables 88 ff. | |

| Cabinets for musical instruments 129 | F |
|--|---------------------------------|
| Cabinet furniture106 ff. | Filing shelves/cabinets110 f. |
| Cabinets individual 108 f. | Fixed castor99 |
| Cable channel | FLEX |
| Cable clamp99 | FLEXLAB [®] 44 ff. |
| Cable conduit99 | Floor cushions155 ff. |
| Cable holder99 | Folding armchair/couch |
| Cable outlet99 | Folding table transport trolley |
| Cantilever chairs23, 31 f. | Folding tables |
| Castors | Folding tables |
| Certificates 3 | Folding-sliding panels183 f. |
| Chairs11 ff. | Four-legged frame (chairs with) |
| Chairs with armrests 22 f., 26 f., 28ff. | |
| Chairs with C-shaped frame 12 ff. | Four-legged stool |
| Chairs with four-leg frame | Freeform table systems |
| | |

G

н 1.1 - 11-

| Hallway furniture system |
|---|
| Hanging containers 103 |
| Height-adjustable stools 36 f., 41 |
| Height-adjustable student chairs \hdots . 12 ff., 20 f. |
| Height-adjustable student desks 61 ff. |
| |

| I |
|------------------------------|
| Information display cases134 |
| Instrument cabinets129 |
| Interactive boards178 ff. |

| IT tables 74 f | - |
|----------------------------|---|
| J JOYN | - |
| K Keyboard table | |

| Laptop cabinets124 f. |
|-----------------------|
| Lecterns |
| Line marking (boards) |
| Long wall boards 182 |
| Lounge chairs |
| Lounge cushions 157 |
| Lounge tables |
| |

Μ

| Material boxes132 f. |
|--|
| Material cabinets 127 |
| Material trolleys 127 |
| MAZE Series 146 f. |
| Media caddy117, 123 ff. |
| Media workstations 118 f. |
| Meeting House |
| Mobile boards |
| MODULA System140 ff. |
| Mono-column tables |
| Multi-purpose chairs |
| Multifunctional board system118 f., 176 f. |
| Multimedia socket |
| Multiplex shells, chairs 20 ff. |
| Multiplex, material science |
| Music cabinets 129 |
| |

0

| Office swivel chairs |
|-----------------------------|
| Office tables 68 f., 88 ff. |
| Open-plan chairs22 ff. |
| Open shelves 112 f. |

Ρ


PAGHOL 7[®] shell (chairs with)

| PAGHULZ [®] shell (chairs with) |
|--|
| |
| PAGHOLZ [®] , material science |
| Painting and drawing tables66 |
| PC-tables74 ff. |
| Pharmacy cabinets 104 f. |
| Pin boards |
| Plastic boxes132 f. |
| Plastic edge, material science |
| Plastic shell (chairs with) 12 f., 20f. |
| Plastic stool |
| Plate base tables |
| Post box cabinets 137 |
| Privacy screens 100 f., 164 ff. |
| Property shelves/cabinets 127 |
| |

| | Spec |
|---------------------------------------|------|
| Q | Spin |
| Quality | S-sh |
| Quarter circle shelf 126 | Stac |
| | Stac |
| R | Stac |
| Rail system, boards176 f. | Stac |
| Reversible library 126 | Stan |
| Roller shutter cabinets 117, 133 | Stan |
| Rolling containers102 f. | Stee |
| Room dividers126, 140 f., 148 f., 154 | Stoo |
| Round tables | Stor |
| | Stud |
| S | Stud |
| School bag shelves 128 | Susp |
| Seat combinations 140 f., 144 ff. | Susp |
| Segment shelf 126 | Swiv |
| Segment tables | Swiv |
| Semi-circular tables 93 f 97 | Swiv |

Pylon boards...... 184 f. Sound insulation..... ecialist room tables... ndle chairs haped tables cking benches cking chairs cking tables cking trolleys..... nding tables..... 40 nding/Sitting workstat el shelves..... ols 15, 36 f., 40 rage boxes..... Ident chairs..... Ident chairs, height-ad spension file for cabine spension file for contai ivel boards ivel castor..... Swivel work chairs

| Side folding tables | т |
|--|------------------------------|
| Sideboards120 ff. | T-shaped tables |
| Single boards176 f., 182 | Table attachments |
| Single surface sliding boards 183, 185 | Table combinations |
| Size chart 8 f. | Table partition wall system |
| Skid-base chairs14 ff., 27 | Table systems |
| Sliding board system | Tables |
| Sliding door cabinets116, 134 | Tables, electrically height- |
| Socket | Teacher's cabinet |
| Sofas142 ff. | Teacher's desks |
| Solid wood chairs | Tidy Boxes |
| Solid wood tables | Top-mounted cabinets |



| • | • | • | • | • | • | • | • | • | • | • | • | • | • | 16 | 5 | 0 |) | ff | |
|----|---|----|---|----|--------|----|----|---|--------|---|---|---|-----|-----|--------|----|----|----|---|
| • | | • | • | | | • | • | • | | • | • | • | | 6 | 5 | 4 | ŀ | ff | |
| • | | | • | | | • | | | | | | 1 | 2 | | ff | ., | , | 2 | 1 |
| | | | | | | | | | | | | | | | | | |)2 | |
| | | | | | | | | | | | | | | | | | | f | |
| | | | | | | | | | | | | | | | | | | ff | |
| | | | | | | | | | | | | | | | | | | 95 | |
| | | | | | | | | | | | | | | | | | | f | |
| | | | | | | | | | | | | | | | | | | f | |
| | | | | | | | | | | | | | | | | | | ff | |
| | | | | | | | | | | | | | | | | | | 26 | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | ff | |
| • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | 13 | 32 | 2 | f | |
| • | | • | • | | • | • | • | • | • | • | • | • | | • | 1 | 2 | | ff | |
| ij | U | IS | t | а | b | 10 | e | | | 1 | 2 | 1 | ff | •, | 2 | 2(| 0 | f | |
| е | t | S | • | | | | | | | | | • | | | • | 1 | 13 | 35 | 5 |
| i | n | е | r | S | | | | | | | | | | | | 1 | (|): | 3 |
| | | | | | | | | | | | | | | | | | | 36 | |
| | | | | | | | | | | | | | | | | | | 78 | |
| | | | | | | | | | | | | | | | | | | 4 | |
| | | | | | | | | | | | | | | | | | | ff | |
| ٠ | | • | ٠ | 14 | \leq | 1 | ١. | , | \leq | L | J | L | ۱., | . 4 | \leq | Ō |) | ιI | |
| | | | | | | | | | | | | | | | | | | | |

| s |
|---------------------------|
| ns 88 ff. |
| all system 100 f. |
| 88 ff. |
| |
| y height-adjustable 68 f. |
| |
| |
| |
| inets 112 ff. |

| Transport trolley . | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | 3, | 4 | f. | , 8 | 31 | f. |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|---|----|-----|----|----|
| Trapezoidal tables | | • | | | • | | • | | | | | • | | • | | • | 9 | 3 | f., | 9 | 7 |
| Triangular tables | | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | | | 9 | 3 | f. |

U

| Upholstered armchair |
|-------------------------------|
| Upholstered furniture |
| Upholstered house162 f |
| Upholstered stools140 ff |
| Upholstery combinations140 ff |
| Utensils box132 f |

W

| Wall board system176 f. |
|---|
| Wall boards 176 f., 182 f. |
| Wall rail system176 f. |
| Wardrobe cabinets 129 |
| Washbasin cabinets 134 |
| WAVE office chairs |
| Waved tables94 |
| Whiteboard46 |
| Whiteboard sliding door cabinet 119 ff. |
| Wooden chairs15 ff. |
| Wooden frame (tables with)58 f., 73, 96 f. |
| WOODMARK, materials science 189 |
| Work stools |
| Writing surface (chairs with) 12 ff., 20 f. |
| |

Ζ

YOUR CONTACTS IN SALES

A2S-Furnishing Systems

ASS-Einrichtungssysteme GmbH ASS-Adam-Stegner-Straβe 19 96342 Stockheim Germany Phone +49 9265 808-0 Fax +49 9265 808-201 Email info@a2s.com





DER BILDUNGSEINRICHTER.