












WHAT ROOMS ARE MADE OF

OUR OVERVIEW OF MATERIALS

FABRICS FOR ALL FLAT SEAT AND BACK UPHOLSTERY, FULL UPHOLSTERY, UPHOLSTERED FURNITURE





INTENSIVE PRICE GROUP 1

				
Yellow BD 005	Orange BD 012	Red BD 011	Light Green BD 021	Green BD 048
				
Dusty Blue BD 003	Jeans Blue BD 071	Dark Blue BD 006	Light Brown BD 008	
				
Light Gray BD 078	Anthracite BD 023	Black BD 033		

FABRIC CHARACTERISTICS

100% polyester | flame retardant according to EN 1021 1&2 | weight 250 g/m² +/-5% | abrasion resistance in Martindale > 100,000 runs| pilling 5 | tested for harmful substances ÖKO-Tex 100





SKANDIA PRICE GROUP 1

				
Gray-Beige Blend SN 084	Old Rose Blend SN 061	Khaki Blend SN 034	Gray-Blue Blend SN 072	Dark Blue Blend SN 080
				
Sand Blend SN 017	Taupe Blend SN 011	Gray Blend SN 021	Anthracite Blend SN 005	Black SN 014

FABRIC CHARACTERISTICS

100% polyester | flame retardant according to EN 10211 | weight 245 g/m² +/-5% | abrasion resistance in Martindale 70,000 runs | pilling 4–5 | tested for harmful substances ÖKO-Tex 100























FLEECE PRICE GROUP 1

						
Terra FN 019	Wine Red FN 020	Light Green FN 018	Dark Green FN 017	Mint FN 016	Blue-Gray FN 015	Petrol FN 014
						
Dark Blue FN 013	Nature Blend FN 002	Gray-Green Blend FN 001	Light Gray Blend FN 005	Dark Gray Blend FN 004		

FABRIC CHARACTERISTICS

100% polyester | flame retardant BS 5852:Part1:1979 (cigarette) | weight 402 g/m² | abrasion resistance in Martindale | 100,000 runs | pilling 4 | tested for harmful substances ÖKO-Tex 100












TAFF B1 PRICE GROUP 2

						
Yellow PA 390	Mustard Yellow PA 352	Yellow-Orange Blend PA 930	Light Red PA 527	Red PA 010	Dark Red Blend PA 511	Aubergine PA 020
						
Lime PA 060	Lime Blend PA 560	Green PA 065	Green Blend PA 565	Dark Green PA 736	Ivory PA 030	Beige PA 153
						
Petrol PA 653	Light Blue PA 050	Blue-Gray Blend PA 550	Blue PA 040	Dark Blue Blend PA 541	Anthracite Blend PA 571	Black Uni PA 633
						
Gray-Brown Blend PA 532	Light Gray PA 854	Gray PA 814	Gray Blend PA 555	Gray-Orange Blend PA 531	Black-Brown Blend PA 533	Anthracite PA 810

FABRIC CHARACTERISTICS

100% polyester | flame retardant according to EN 1021 1&2, DIN 4102 B1 | weight 260g/m² +/-5% | abrasion resistance in Martindale 70,000 runs | pilling 5 | tested for harmful substances ÖKO-Tex 100


















WOOL PRICE GROUP 3

						
Mustard Yellow CUZ 2W	Orange CUZ 39	Orange Blend CUZ 90	Red CUZ 18	Red Blend CUZ 63	Violet CUZ 21	Violet Blend CUZ 2T
						
Green CUZ 1L	Green Blend CUZ 1K	Dark Green CUZ 1N	Turquoise CUZ 02	Light Blue Blend CUZ 1R	Medium Blue CUZ 1V	Blue Blend CUZ 1W
						
Dark Blue Blend CUZ 62	Dark Blue CUZ 09	Nature CUZ 47	Nature Blend CUZ 31	Light Gray Blend CUZ 28	Gray Blend CUZ 1E	Anthracite CUZ 12
						
Anthracite Blend CUZ 30	Black Blend CUZ 67	Black CUZ 08				

FABRIC CHARACTERISTICS

100% wool | flame retardant according to EN 1021 1&2 | weight 460 g/m² +/-5% | abrasion resistance in Martindale 50,000 runs | pilling 4 | tested for harmful substances







PROTEX PRICE GROUP 3

						
Honey SV 293	Yellow SV 065	Orange SV 662	Terra SV 661	Red SV 211	Rosé SV 298	Pink SV 297
						
Kiwi SV 292	Light Green SV 508	Medium Green SV 010	Dark Green SV 563	Dark Brown SV 424	Aubergine SV 064	
						
Beige SV 001	Light Brown SV 009	Anthracite SV 902	Ice Blue SV 213	Turquoise SV 031	Medium Blue SV 067	Dark Blue SV 307
						
Pure White SV 280	Light Gray SV 401	Dark Gray SV 402				

FABRIC CHARACTERISTICS

Surface 100% vinyl/fabric 100% polyester | 685 g/m² | 300,000 Martindale rubs | No lint build-up | antibacterial, antifungal, antistatic, mold-resistant backing layer and surface, resistant to sulfide stains, protection against grease, blood and urine, water-repellent, high resistance, cold-resistant to -23 °C, resistant to disinfectants, washable with water and soap, tear resistance due to Hi-Loft2™ backing material, PERMABLOK3®: Protection against germs, abrasion and stains | Tested according to: EN 1021 1&2, DIN 4102 B2: flame retardant, ISO 105 B02 ≥ 7/8: UV resistance, EN 71-3: Safety of toys, 2005/84EC: Plasticizers and harmful substances, ISO 18184 & ISO 21702: Reduction of the coronavirus, ISO 22196: Bacteria-free upholstery surface, DIN ISO 16000 indoor air quality emission class A+

ARTIFICIAL LEATHER PRICE GROUP 3

					
Orange K 143	Red K 035	Yellow-Green K 429	Blue K 009	Light Natural K 710	Dark Natural K 740
					
Light Brown K 006	Medium Brown K 210	Dark Brown K 250	Medium Gray K 045	Anthracite K 755	Black K 780

FABRIC CHARACTERISTICS

Surface 100% polyurethane/ fabric 65% polyester, 35% cotton | flame retardant according to EN 1021 1-1 | leather weight 435g/m² +/-10% | abrasion resistance in Martindale > 100,000 runs | no pilling | tested for harmful substances

FABRICS FOR ALL FLAT SEAT AND BACK UPHOLSTERY, FULL UPHOLSTERY, UPHOLSTERED FURNITURE

ARTIFICIAL LEATHER B1 PRICE GROUP 4



FABRIC CHARACTERISTICS
85% PVC compound, 15% BW knitted fabric | flame retardant according to EN 1021 1&2, DIN 4102 B1 | weight 780+/-50 g/m² | abrasion resistance in Martindale > 75,000 runs | no pilling | tested for harmful substances | resistant to blood and urine | disinfectant-proof

PROTEX B1 PRICE GROUP 4




FABRIC CHARACTERISTICS
Surface 100% vinyl/fabric 100% cotton | 760 g/m² | > 300,000 Martindale rubs | No lint build-up | antibacterial, antifungal, antistatic, mold-resistant backing layer and surface, resistant to sulfide stains, protection against grease, blood and urine, water-repellent, high resistance, resistant to cold down to -23 °C, resistant to disinfectants, washable with water and soap, PERMABLOK3®: Protection against germs, abrasion and stains | Tested according to: EN 1021 1&2, DIN 4102 B1: flame retardant, ISO 105 B02 ≥ 7/8: UV resistance, EN 71-3: Safety of toys, 2005/84EC: Plasticizers and harmful substances, ISO 18184 & ISO 21702: Reduction of the coronavirus, ISO 22196: Bacteria-free upholstery surface, DIN ISO 16000 indoor air quality emission class A+

PRODUCT-RELATED FABRICS


BEANBAG RANGE CHILL

OX




FABRIC CHARACTERISTICS
100% polyester with PVC coating | weight 374 g/m² | abrasion resistance in Martindale 60,000 runs | no pilling | coating | washable at 40°C | wipeable | waterproof

NORDIC




FABRIC CHARACTERISTICS
100% polyester | weight 330 g/m² | abrasion resistance in Martindale 100,000 runs | pilling 4–5 | tested for harmful substances ÖKO-Tex 100 | washable at 60°C

OUTSIDE



FABRIC CHARACTERISTICS
Artificial leather 83% PVC, 15% PES, 2% PU | flame retardant according to EN 1021 1&2 | weight 600 g/m² | abrasion resistance in Martindale 120,000 runs | no pilling | tested for harmful substances | wipeable | waterproof


PRO B1



FABRIC CHARACTERISTICS
100% polyester | flame-retardant (building material class B1) according to DIN 4102-1 | weight 400 g/m² | 80,000 Martindale rubs | 60° C washable | tested for harmful substances OEKO-Tex® 100


FLEX-FULL UPHOLSTERY | WAVE UPHOLSTERY

FLEX | WAVE



FABRIC CHARACTERISTICS
100% Trevira CS | flame retardant according to DIN 4102 B1 | weight 250 g/m² +/-5% | abrasion resistance in Martindale 40,000 runs | pilling 4 | tested for harmful substances ÖKO-Tex 100


WAVE LEATHER



FABRIC CHARACTERISTICS
Genuine leather | flame retardant according to EN 1021 1&2

LEAF-SHAPED ACOUSTIC ELEMENTS

FILZ



FABRIC CHARACTERISTICS
80% polyester, 20% viscose | 170 g/m²

SURFACES
PAGHOLZ® COLOR WOOD

PRICE GROUP 1



PAGHOLZ® Nature 010 Coffee 210

PRICE GROUP 2



Cornflower 810 Stone 710 Honey 910 Ruby 510

PRICE GROUP 3



Grass 1310 Moss 1410 Aquamarine 1110 Linen 1010

WOODMARK COLOR WOOD



Cornflower 810 Stone 710 Honey 910 Ruby 510



Grass 1310 Moss 1410 Aquamarine 1110 Eucalyptus 1210 Linen 1010

MULTIPLEX COLOR WOOD VENEER LONGITUDINAL



Natural Beech Yellow 1579 Orange 1667 Red 1669 Green 27190 Blue 1748 Anthracite 1257


CPL LAMINATE MULTIPLEX TRANSVERSELY VENEERED CHAIRS



Platin White CPL W980 Light Gray CPL U708 Red CPL U306 Graphite Black CPL U961


FINISH

PRICE GROUP 1



Beech D334 Maple D033 Pure White U400 Gray White U023 Polar Gray U456

PRICE GROUP 2



Acacia D5028 Milano Oak D20095 Sonoma Oak D4110 Beige U27049 Brown U1193 Anthracite U1257




Yellow U1579 Orange U1667 Red U1669 Wine Red U311 BS Green U27190 Yellow-Green U110 Lime U19502



Blue U1748 Atlantic U18074 Blue-Gray U18006

WOODMARK FINISH




Beech D334 Maple D033 Polar Gray U456

COMPACT PANEL 12MM



Beech D334 Maple D033 Gray White U023 Polar Gray U456

ASSODUR®-EDGE COMBINATIONS



Beech D334 Ocher 2340 Maple D033 Ivory 1015 Gray-White U023 Gray 7037

STEEL COLORS

PRICE GROUP 1



Pure White 9010 Gray White 9002 Chrome-Silver 9006 Gray 7037 Gray Aluminium 9007 Anthracite Metallic 9007 Black-Gray 7021



Yellow 1003 Red 3020 Green 6018 Blue 5005 Sapphire Blue 5003

PRICE GROUP 2



Chrome-Plated

PLASTIC COLORS TIDY BOX




Yellow Red Green Blue Transparent White Anthracite

PLASTIC COLORS FLEX



Yellow 1579 Orange 1667 Red 1669 Green 27190 Blue 1748 Gray 7040 Anthracite 1257

CORK



Natural Cork

CORK-LINOLEUM



Green 2213 Sandy 2187 Gray-Blue 2162 Anthracite 2204

CONTACT

YOUR CONTACTS IN SALES

A2S-Furnishing Systems

ASS-Adam-Stegner-Straße 19
96342 Stockheim
Germany

Phone +49 9265 808-0

Fax+49 9265 808-201

E-mail info@a2s.com