GAS LIFT SWIVEL CHAIR PRODUCT-DETAIL.MODEL-8346





STANDARD VERSION

PAGHOLZ® straight shell, with ergonomically shaped. Surface melamine coated and pore sealed with a scratch, impact and abrasion resistant finish created in the pressing process. Seat surface with pressed-in texture.

Aluminum 5-star base, with infinitely variable gas lift height adjustment. Round tubular column: 50 mm, epoxy coated. With plastic feet.

OPTIONS

- 3D rocking mechanism
- Felt floor protectors
- Handle hole
- PAGHOLZ® Color Wood Price group 2
- PAGHOLZ® COLOUR WOOD
- Load-dependent braking casters (SH +3 cm)
- Locking casters (SH +3 cm)
- Polished aluminum base

aluminum base

LOAD CAPACITY

Partial foot ring

Table suspension

170 kg

STANDARD

FEMB level:2017 (Level 3)

DIN EN 1729-1, DIN EN 1729-2, DIN EN 16139

GS-zertifiziert gem. DIN EN 1729-1, DIN EN 1729-2

SIZES

SIZE 3-5
CHAIR WIDTH 0° cm
CHAIR HEIGHT 7V-07 cm
SEAT HEIGHT 60-7° cm
CHAIR DEPTH 0° cm
STACKABILITY WEIGHT A kg

Our range of materials and colors can be found in the A2S material overview.









GAS LIFT SWIVEL CHAIR PRODUCT-DETAIL.MODEL-8346



BENEFITS/SPECIALS



PAGHOLZ® from sustainable forestry



Optionally with grip hole, round or oval (not with backrest upholstery)



Height adjustment by safety gas spring



Optionally with loaddependent braked casters



Optionally with partial foot ring



Indestructible PAGHOLZ® shell, scratch, break and impact resistant; flame retardant



Ergonomically shaped and flexible shell



Extremely robust aluminum base