


# UPHOLSTERY SYSTEM JUNIOR BENCH, 3-MODULE PRODUCT-DETAIL.MODEL-9411.301



## STANDARD VERSION

Substructure made of sturdy 3-layer chipboard with foam padding. Powder-coated round steel legs in RAL 7021 black-grey. Colors of the backrest and seat can be selected separately within a fabric group.

All elements in the series can be linked together.

Seat height: 38 cm

## OPTIONS

- Cover fabric fleece
- Upholstery fabric TAFF B1 (P-a certified)
- Upholstery fabric TAFF B1 (price group 2)
- Upholstery fabric PROTEX (price group 3)
- Upholstery fabric PROTEX B1 (P-a certified)
- Upholstery fabric PROTEX B1
- Upholstery fabric WOOL (price group 3)
- Felt floor protectors
- 9411.900 Set of floor fixings, glued or screwed

## STANDARD

GS-zertifiziert gem. DIN EN 16139, DIN EN 15372

for cover fabrics B1, optional:

highest certified fire protection safety according to DIN 66084 P-a (paper cushion test)

## TECHNICAL SPECIFICATIONS

TOTAL WIDTH	180 cm
SEAT WIDTH	180 cm
TOTAL HEIGHT	38 cm
SEAT HEIGHT	38 cm
TOTAL DEPTH	70 cm
SEAT DEPTH	70 cm
WEIGHT	83 kg

Our range of materials and colors can be found in the A2S material overview.



A2S-Furnishing Systems Ltd.  
ASS-Einrichtungssysteme GmbH  
info@ass.de  
WWW.A2S.COM

# UPHOLSTERY SYSTEM JUNIOR BENCH, 3-MODULE

## PRODUCT-DETAIL.MODEL-9411.301



### BENEFITS/SPECIALS



Optionally fire protection  
certified according to DIN  
66084 P-a with cover fabric B1

### FABRIC PROPERTIES

#### **FLEECE Price group 1**

100% polyester | flame retardant BS 5852:Part1:1979 (cigarette) | 402 g/m<sup>2</sup> | 100,000 Martindale tours | linting 4 | ÖKO-Tex 100

#### **TAFF B1 Price group 2**

100% polyester | flame retardant according to EN 1021 1&2, DIN 4102 B1 | 260 g/m<sup>2</sup> +/-5% | 70,000 Martindale tours | linting 5 | ÖKO-Tex 100

#### **WOOL Price group 3**

100% wool | flame retardant according to EN 1021 1&2 | 460 g/m<sup>2</sup> +/-5% | 35,000 Martindale tours | linting 4 | tested for harmful substances

#### **PROTEX Price group 3**

surface 100% vinyl / fabric 100% polyester | flame retardant according to EN 1021 1&2, DIN 4102 B2 | 685 g/m<sup>2</sup> | 300,000 Martindale tours | no linting | wipeable with soap and water, water repellent, antibacterial, anti-static, stain resistant, resistant to blood and urine, mold resistant backing and surface, resistant to disinfectants

#### **PROTEX B1 price group 4**

surface 100% vinyl / fabric 100% cotton | flame retardant according to EN 1021 1&2, DIN 4102 B1 | 760<sup>g</sup>/m<sup>2</sup> | 300.000 tours Martindale | no linting

**SPECIAL PROPERTIES:** PERMABLOK3® - protection against germs, abrasion and stains: Antibacterial, antifungal, stain resistant, sulfide stain resistant, anti-fungal protection - mildew resistant backing and surface | disinfectant resistant, easy cleaning - wipeable with soap and water | antistatic surface

**Tested to:** ISO206B02 7/8 UV resistance | ISO 18184 & ISO 21702 virus-free surface to reduce corona virus | ISO 22196 for bacteria-free surface | ISO 16000 indoor air emission class A+

**Tested for:** Plasticizers and harmful substances - material requirements of toy standards EN 71-3 Safety of toys (migration of certain elements) and 2005/84/EC (phthalates in toys and childcare articles)