

CHILL HOUSE WOOD

MODEL 9390.002



STANDARD VERSION

Upholstered elements with foam padding. Substructure made of robust 3-layer chipboard. Metal frame with closed base powder-coated. Floor covered with natural oak wood panels. Interior walls covered with upholstery fabric TAFF B1, exterior walls covered with natural oak wood panels.


OPTIONS

- Upholstery fabric WOOL (price group 3)
- Upholstery fabric PROTEX (price group 3)

TECHNICAL SPECIFICATIONS

TOTAL WIDTH	210 cm
TOTAL HEIGHT	228 cm
SEAT HEIGHT	33 cm
TOTAL DEPTH	78 cm
WEIGHT	210 kg

BENEFITS/SPECIALS



Exterior walls natural oak wood panels

FABRIC PROPERTIES

TAFF B1 Price group 2

100% polyester | flame retardant according to EN 1021 1&2, DIN 4102 B1 | 260 g/m² +/-5% | 70,000 Martindale tours | linting 5 | ÖKO-Tex 100

Our range of materials and colors can be found in the A2S material overview.



Management
Systeme
ISO 14001:2015
ISO 9001:2015
www.a2s.com
© 2018/07/2019



A2S-Furnishing Systems Ltd.
ASS-Einrichtungssysteme GmbH
info@a2s.com
WWW.A2S.COM

CHILL HOUSE WOOD

MODEL 9390.002



WOOL Price group 3

100% wool | flame retardant according to EN 1021 1&2 | 460 g/m² +/-5% | 35,000 Martindale tours | linting 4 | tested for harmful substances

PROTEX Price group 3

surface 100% vinyl / fabric 100% polyester | flame retardant according to EN 1021 1&2, DIN 4102 B2 | 685 g/m² | 300,000 Martindale tours | no linting | wipeable with soap and water, water repellent, antibacterial, anti-static, stain resistant, resistant to blood and urine, mold resistant backing and surface, resistant to disinfectants