## SLED-BASE CHAIR MODEL 7805





## STANDARD VERSION

PAGHOLZ® waisted shell, with ergonomic three-dimensional shell shape. Surface melamine coated and pore sealed with a scratch, impact and abrasion resistant finish created in the pressing process. Seat and back surface with pressed-in texture. Sled base with strong seat support plate, round tube: 0.79"/0.06", standard version epoxy coated. With plastic floor protector.

## OPTIONS

- PAGHOLZ® Color Wood Price group 2
- PAGHOLZ® COLOUR WOOD
- Handle hole
- Seat upholstery price group 1 (size 6E, 7)
- Backrest upholstery price group 1 (size 6E, 7)
- Seat upholstery price group 2 (size 6E, 7)
- Back upholstery price group 2 (size 6E, 7)
- Seat upholstery price group 3 (size 6E, 7)
- Backrest upholstery price group 3 (size 6E,
- 7)Seat upholstery price group 4 (size 6E, 7)
- Backrest upholstery price group 4 (size 6E, 7)
- Felt floor protectors
- Chair frame chrome plated

## STANDARD

FEMB level:2017 (Level 3)

DIN EN 1729-1, DIN EN 1729-2

### SIZES

SIZE	E
CHAIR WIDTH	21.65 "
CHAIR HEIGHT	31.50 "
SEAT HEIGHT	18.11 "
CHAIR DEPTH	19.69 "
STACKABILITY	7 pcs.
WEIGHT	11 lb

Our range of materials and colors can be found in the A2S material overview.



A2S-Furnishing Systems Ltd. ASS-Einrichtungssysteme GmbH info@a2s.com WWW.A2S.COM

# **SLED-BASE CHAIR MODEL 7805**



## **BENEFITS/SPECIALS**



PAGHOLZ® from sustainable forestry



Optionally with grip hole, round or oval



Optionally with seat and backrest upholstery (only sizes 6E.7)

100% polyester | flame retardant according to EN 1021 1&2 | 8.82 oz/y<sup>2</sup> +/-5% | 100,000 Martindale tours | linting 5 | ÖKO-Tex 100

100% polyester | flame retardant according to EN 10211 | 8.64 oz/y<sup>2</sup> +/-5% | 70,000 Martindale tours | linting 4-5 | ÖKO-Tex 100

100% polyester | flame retardant BS 5852:Part1:1979 (cigarette) | 14.18 oz/y<sup>2</sup> | 100,000 Martindale tours | linting 4 | ÖKO-Tex 100

100% polyester | flame retardant according to EN 10211&2, DIN 4102 B1 | 9.17 oz/y<sup>2</sup> +/-5% | 70,000 Martindale tours | linting 5 | ÖKO-Tex 100

100% wool | flame retardant according to EN 1021 1&2 | 16.23 oz/y² +/-5% | 35,000 Martindale tours | linting 4 | tested for harmful substances

surface 100% vinyl / fabric 100% polyester | flame retardant according to EN 1021 1&2, DIN 4102 B2 | 24.16 oz/y<sup>2</sup> | 300,000 Martindale tours | no linting wipeable with soap and water, water repellent, antibacterial, anti-static, stain resistant, resistant to blood and urine, mold resistant backing and

surface 100% polyurethane/ fabric 65% polyester, 35% cotton | flame retardant according to EN 1021-1 | 15.34 oz/y<sup>2</sup> +/-10% | 100,000 Martindale

85% PVC compound, 15% cotton knit | flame retardant according to EN 1021 1&2, DIN 4102 B1 | weight 27.51+/-1.76 oz/y<sup>2</sup> | 75,000 Martindale tours |



Indestructible PAGHOLZ® shell, scratch, break and impact resistant: flame retardant



Ergonomically and orthopedically adapted shell shape



FABRIC PROPERTIES **INTENSIVE** Price group 1

SKANDIA Price group 1

FLEECE Price group 1

TAFF B1 Price group 2

**PROTEX** Price group 3

surface, resistant to disinfectants ARTIFICIAL LEATHER Price group 3

tours no linting tested for harmful substances ARTIFICIAL LEATHER B1 Price group 4

WOOL Price group 3

Stable sled frame



(without upholstery)

no linting tested for harmful substances resistant to blood and urine, resistant to disinfectants

#### A2S-Furnishing Systems Ltd. ASS-Einrichtungssysteme GmbH info@a2s.com WWW.A2S.COM