WOODMARK GAS LIFT SWIVEL CHAIR MODEL 8382





STANDARD VERSION

Seat and back separate and shaped to fit the body. Made of multiplex, surface melamine coated and pore sealed with a scratch, impact and abrasion resistant finish produced in the pressing process.

In beech D334 as standard. Seat surface with pressed-in, anti-slip knobs. Edges softly rounded.

Aluminum 5-star base, with infinitely variable gas lift height adjustment. Round tubular column: 1.97", epoxy coated. With plastic feet.

OPTIONS

- WOODMARK maple D033 or gray white U023
- Seat and back color stained
- Seat and back riveted

- Felt floor protectors
- Load-dependent braking casters (SH +1.18")

276 lb

LOAD CAPACITY

Polished aluminum base

Partial foot ring

STANDARD

FEMB level:2017 (Level 3)

DIN EN 1729-1, DIN EN 1729-2, DIN EN 16139

GS-zertifiziert gem. DIN EN 1729-1, DIN EN 1729-2

SIZES

SIZE	5-7
CHAIR WIDTH	24.41"
CHAIR HEIGHT	29.53-35.83 "
SEAT HEIGHT	15.35-21.26 "
CHAIR DEPTH	24.41"
STACKABILITY	-
WEIGHT	20 lb

Our range of materials and colors can be found in the A2S material overview.









WOODMARK GAS LIFT SWIVEL CHAIR MODEL 8382



BENEFITS/SPECIALS



Height adjustment by safety gas spring



Seat surface with pressed-in, anti-slip knobs



Seat and back concealed screwed



Extremely robust aluminum base



Seat and back melamine coated: scratch, break and impact resistant; flame retardant